


2024/06/09 2005Z

EDDF ABLUM **T200** OSKAT **U221** TADUV **T202** MILGU OLBK **Y236** POGAB **Q200** LUR0S EPP0

345.67 nm / 640.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 460kts
- Descent Rate: 2000ft/min
- Descent Speed: 340kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF	-	50.03260	0 ft	-	Frankfurt
APT	-	8.54067	0 m		
ABLUM	-	51.01060	25,000 ft	103	-
FIX	-	10.76310	7,620 m		
LASTO	T200	51.12900	25,000 ft	14	-
FIX	AWY-HI	11.11070	7,620 m		
SOPLA	T200	51.27720	25,000 ft	18	-
FIX	AWY-HI	11.55310	7,620 m		
OSKAT	T200	51.41440	25,000 ft	17	-
FIX	AWY-HI	11.96940	7,620 m		
TADUV	UZ21	51.42990	25,000 ft	21	-
FIX	AWY-HI	12.54820	7,620 m		
MILGU	T202	51.57190	25,000 ft	19	-
FIX	AWY-HI	13.02970	7,620 m		
OLBIK	-	51.66250	25,000 ft	12	-
FIX	-	13.34110	7,620 m		
POGAB	Y236	51.84530	25,000 ft	26	-
FIX	AWY-HI	13.98390	7,620 m		
LUROS	Q200	51.89860	25,000 ft	7	-
FIX	AWY-HI	14.17440	7,620 m		
EPP0	-	52.42160	0 ft	102	Poznan-Henryk Wieniawski
APT	-	16.82360	0 m		

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.184 E

METAR

EDDF 091920Z AUTO 33008KT CAVOK 18/05 Q1007 NOSIG

TAF

TAF TAF EDDF 091700Z 0918/1024 32005KT CAVOK BECMG 1006/1008 23007KT BECMG 1011/1014 24012KT PROB40 TEMPO 1015/10

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL
GND - 121.80 MHz - GROUND
GND - 121.70 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER
TWR - 124.85 MHz - TOWER
TWR - 136.50 MHz - TOWER
APP - 127.27 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 119.90 MHz - TOWER
TWR - 127.32 MHz - TOWER
CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 118.50 MHz - FRANKFURT DIRECT
APP - 126.55 MHz - LANGEN RADAR
APP - 120.15 MHz - LANGEN RADAR
APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.38		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.41		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.39		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.43		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.40		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.44		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.45		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.45		0 m	37 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.41		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.40		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.43		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.41		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.43		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.40		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.41		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.40		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.43		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.41		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.43		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.40		362 m

EPP0

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 1

Elevation: 308 ft / 94 m
Location: 52.421600 16.823600
Magnetic Var: 5.588 E

METAR

EPP0 091930Z 00000KT CAVOK 16/08 Q1006

TAF

TAF EPP0 091730Z 0918/1018 27010KT CAVOK BECMG 0918/0921 VRB02KT BECMG 1003/1006 34010KT

Frequencies

TWR - 119.97 MHz - POZNAN TOWER
APP - 127.22 MHz - POZNAN APPROACH
REC - 126.30 MHz - ATIS

TWR - 121.80 MHz - POZNAN TOWER
TWR - 129.02 MHz - POZNAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	8,223 ft	107.59	ASPHALT	0 ft	0 ft
	50 m	2,506 m	102.00		0 m	0 m
28	164 ft	8,223 ft	287.62	ASPHALT	0 ft	0 ft
	50 m	2,506 m	282.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	POZ	110.30 MHz	18 nm	287.60	-	308 ft
				33 km	282.01		308 m
28	GS	POZ	110.30 MHz	10 nm	287.60	3.00	308 ft
				19 km	282.01		308 m