


2024/05/21 2149Z

KSBD AHLEX KPSP

39.71 nm / 73.54 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSBD	-	34.09540	0 ft	-	San Bernardino Intl
APT	-	-117.23500	0 m		
AHLEX	-	33.88230	2,000 ft	30	-
FIX	-	-116.69000	610 m		
KPSP	-	33.82970	0 ft	9	Palm Springs Intl
APT	-	-116.50600	0 m		

KSBD

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 1,159 ft / 353 m
Location: 34.095400 -117.235000
Magnetic Var: 11.217 E

METAR

KSBD 212057Z 30003KT 5SM HZ CLR 23/07 A2993

TAF

TAF KSBD 211737Z 2118/2218 VRB04KT 5SM HZ BKN025 FM211900 25011KT P6SM SKC FM220500 25005KT P6SM SKC

Frequencies

COM - 122.97 MHz - UNICOM	APP - 135.40 MHz - SOCAL APPROACH
APP - 125.50 MHz - SOCAL APPROACH	APP - 127.00 MHz - SOCAL APPROACH
APP - 134.00 MHz - SOCAL APPROACH	TWR - 119.45 MHz - SAN BERNARDINO TOWER
GND - 121.80 MHz - SAN BERNARDINO GROUND	DEP - 135.40 MHz - SOCAL DEPARTURE
DEP - 134.00 MHz - SOCAL DEPARTURE	DEP - 127.00 MHz - SOCAL DEPARTURE
DEP - 125.50 MHz - SOCAL DEPARTURE	REC - 124.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	9,990 ft	70.34	CONCRETE	0 ft	0 ft
	61 m	3,045 m	59.12		0 m	0 m
24	200 ft	9,990 ft	250.35	CONCRETE	0 ft	0 ft
	61 m	3,045 m	239.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	ISBD	109.30 MHz	18 nm	70.35	-	1,159 ft
				33 km	59.13		1,159 m
06	GS	ISBD	109.30 MHz	10 nm	70.35	3.00	1,159 ft
				19 km	59.13		1,159 m