


2024/05/09 1446Z

VANP ASIPI J2 UBSAB VAPO

326.60 nm / 604.86 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 14000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VANP	-	21.09740	0 ft	-	Dr. Babasaheb Ambedkar Intl
APT	-	79.04310	0 m	-	
ASIPI	-	20.52500	14,000 ft	73	-
FIX	-	77.87920	4,267 m	-	-
PIGUT	J2	19.71030	14,000 ft	112	-
FIX	AWY-HI	76.08830	4,267 m	-	-
MELAX	J2	19.49860	14,000 ft	28	-
FIX	AWY-HI	75.63250	4,267 m	-	-
UBSAB	J2	19.23280	14,000 ft	32	-
FIX	AWY-HI	75.13030	4,267 m	-	-
VAPO	-	18.58230	0 ft	79	Pune
APT	-	73.91840	0 m	-	

VANP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 1,033 ft / 315 m
Location: 21.097400 79.043100
Magnetic Var: 0.322 E

METAR

VANP 091430Z 22005KT 3000 HZ SCT100 27/22 Q1008 NOSIG

TAF

VANP 091100Z 0912/1018 32010G20KT 3000 -TSRA/HZ SCT020 FEW030CB BECMG 0918/0920 29003KT 4000 HZ SCT090 BECMG 1002

Frequencies

GND - 121.90 MHz - NAGPUR GROUND
REC - 126.60 MHz - ATIS

TWR - 118.10 MHz - NAGPUR TOWER
APP - 120.40 MHz - NAGPUR APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	10,528 ft	143.60	ASPHALT	0 ft	0 ft
	45 m	3,209 m	143.28		0 m	0 m
32	148 ft	10,528 ft	323.60	ASPHALT	0 ft	0 ft
	45 m	3,209 m	323.28		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	INGR	110.30 MHz	18 nm	-	-	1,033 ft
				33 km	-		1,033 m
32	LOC-ILS	INGR	110.30 MHz	18 nm	323.60	-	1,033 ft
				33 km	323.28		1,033 m
32	GS	INGR	110.30 MHz	10 nm	323.60	3.00	1,033 ft
				19 km	323.28		1,033 m

VAPO

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 1,940 ft / 591 m
Location: 18.582300 73.918400
Magnetic Var: 0.141 E

METAR

UNKNOWN

TAF

TAF VAPO 090500Z 0906/1012 30010KT 6000 NSC TEMPO 0910/0914 29010G20KT FEW030 SCT250 TEMPO 1010/1014 29010G20KT 5

Frequencies

REC - 114.60 MHz - PUNE INFORMATION
APP - 118.80 MHz - PUNE APPROACH

TWR - 123.50 MHz - PUNE TOWER
APP - 121.30 MHz - PUNE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	8,302 ft	93.75	ASPHALT	0 ft	0 ft
	46 m	2,530 m	93.61		0 m	0 m
28	151 ft	8,302 ft	273.76	ASPHALT	0 ft	0 ft
	46 m	2,530 m	273.61		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	IPUN	108.70 MHz	18 nm	273.75	-	1,940 ft
				33 km	273.61		1,940 m
28	GS	IPUN	108.70 MHz	10 nm	273.75	3.00	1,940 ft
				19 km	273.61		1,940 m