


2024/05/18 0250Z

LFMP PPG LFCR

101.65 nm / 188.25 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMP	-	42.74020	0 ft	-	Rivesaltes
APT	-	2.87079	0 m		
PPG	-	42.75050	200 ft	0	PERPIGNAN RIVESALTES
VOR	-	2.86714	61 m		
LFCR	-	44.40890	0 ft	101	Rodez Marcillac
APT	-	2.48045	0 m		

LFMP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 143 ft / 44 m
Location: 42.740200 2.870790
Magnetic Var: 1.730 E

METAR

LFMP 180200Z AUTO 27003KT 9999 SCT058 SCT070 14/11 Q1011

TAF

TAF TAF LFMP 180200Z 1803/1903 25003KT 9999 FEW020 BECMG 1808/1810 14010KT TEMPO 1808/1815 TS SCT010 BKN025 FEW020

Frequencies

REC - 127.87 MHz - LFMP ATIS
APP - 120.75 MHz - PERPIGNAN APP

TWR - 118.30 MHz - PERPIGNAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	8,296 ft	148.79	ASPHALT	0 ft	230 ft
	45 m	2,529 m	147.06		0 m	70 m
33	148 ft	8,296 ft	328.80	ASPHALT	558 ft	230 ft
	45 m	2,529 m	327.07		170 m	70 m
13	66 ft	3,635 ft	129.20	ASPHALT	0 ft	528 ft
	20 m	1,108 m	127.47		0 m	161 m
31	66 ft	3,635 ft	309.21	ASPHALT	0 ft	0 ft
	20 m	1,108 m	307.48		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	PL	111.75 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
33	LOC-ILS	PL	111.75 MHz	18 nm	328.30	-	124 ft
				33 km	326.57		124 m
33	GS	PL	111.75 MHz	10 nm	328.77	3.00	124 ft
				19 km	327.04		124 m

LFCR

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 1,910 ft / 582 m
Location: 44.408900 2.480450
Magnetic Var: 1.615 E

METAR

LFCR 180200Z AUTO VRB03KT CAVOK 10/08 Q1011 TEMPO SCT030TCU

TAF

TAF LFCR 172300Z 1800/1824 VRB03KT CAVOK PROB40 TEMPO 1800/1807 -SHRA SCT030TCU PROB30 TEMPO 1804/1808 4000 BR BKN020

Frequencies

TWR - 118.12 MHz - RODEZ TOWER

APP - 133.72 MHz - CLERMONT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	6,210 ft	129.05	ASPHALT	0 ft	36 ft
	45 m	1,893 m	127.43		0 m	11 m
31	148 ft	6,210 ft	309.06	ASPHALT	161 ft	0 ft
	45 m	1,893 m	307.45		49 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	RDE	110.75 MHz	18 nm	-	-	1,939 ft
				33 km	-		1,939 m
31	LOC-ILS	RDE	110.75 MHz	18 nm	309.01	-	1,914 ft
				33 km	307.39		1,914 m
31	GS	RDE	110.75 MHz	10 nm	309.15	3.00	1,914 ft
				19 km	307.53		1,914 m