SBGR

Sao Paulo - Guarulhos

-


SBJV

LAURO CARNEIRO DE LOYOLA

2024/03/29 0848Z

SBGR NIBGA CLARO CTB ALVOX SBJV

243.98 nm / 451.84 km



Notes

Requested: SBGR NIBGA CLARO CTB ALVOX SBJV

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBGR APT	–	-23.43233 -46.46968	0 ft 0 m	–	Sao Paulo - Guarulhos
NIBGA FIX	–	-24.07883 -47.23967	0 ft 0 m	57	–
CLARO FIX	–	-25.10833 -48.59967	0 ft 0 m	96	–
CTB VOR	–	-25.53200 -49.16767	0 ft 0 m	39	CURITIBA VOR-DME
ALVOX FIX	–	-26.17500 -48.97250	0 ft 0 m	40	–
SBJV APT	–	-26.22445 -48.79736	0 ft 0 m	9	LAURO CARNEIRO DE LOYOLA

SBGR

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2
Elevation: 2,461 ft / 750 m
Location: -23.432300 -46.469500
Magnetic Var: 22.195 W

METAR

SBGR 290800Z 06003KT 9000 BKN005 OVC040 20/20 Q1020

TAF

TAF SBGR 290430Z 2906/3012 09006KT 7000 BKN008 TN18/2909Z TX23/2918Z PROB40 2906/2910 4000 BR OVC005 BECMG 2911/2

Frequencies

REC - 127.75 MHz - GUARULHOS ATIS
GND - 121.70 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER
APP - 119.15 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH
CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 126.90 MHz - GUARULHOS GROUND
TWR - 132.75 MHz - GUARULHOS TOWER
APP - 129.75 MHz - SAO PAULO APPROACH
APP - 120.45 MHz - SAO PAULO APPROACH
APP - 133.85 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft 45 m	12,131 ft 3,698 m	73.60 95.79	ASPHALT	295 ft 90 m	190 ft 58 m
27R	148 ft 45 m	12,131 ft 3,698 m	253.59 275.78	ASPHALT	200 ft 61 m	194 ft 59 m
09R	148 ft 45 m	9,832 ft 2,997 m	73.60 95.80	ASPHALT	0 ft 0 m	194 ft 59 m
27L	148 ft 45 m	9,832 ft 2,997 m	253.59 275.78	ASPHALT	0 ft 0 m	194 ft 59 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm 33 km	73.59 95.78	-	2,461 ft 2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm 33 km	73.60 95.79	-	2,461 ft 2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm 33 km	253.60 275.79	-	2,459 ft 2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm 33 km	253.59 275.78	-	2,459 ft 2,459 m
09L	GS	IUC	110.70 MHz	10 nm 19 km	73.59 95.78	3.00	2,461 ft 2,461 m
09R	GS	IGR	111.50 MHz	10 nm 19 km	73.60 95.79	2.92	2,461 ft 2,461 m
27L	GS	IBC	111.10 MHz	10 nm 19 km	253.60 275.79	3.00	2,459 ft 2,459 m
27R	GS	IGS	111.90 MHz	10 nm 19 km	253.59 275.78	3.00	2,458 ft 2,458 m

SBJV

Region: BRAZIL
Timezone: UNKNOWN
Runways: 1

Elevation: 15 ft / 5 m
Location: -26.224500 -48.797400
Magnetic Var: 20.528 W

METAR

UNKNOWN

TAF

TAF SBJV 290300Z 2906/2918 28005KT 8000 BKN012 TN19/2909Z TX28/2917Z BECMG 2912/2914 08006KT BKN018 RMK PFD

Frequencies

REC - 127.85 MHz - JOINVILLE ATIS
APP - 119.95 MHz - CURITIBA APPROACH
APP - 120.95 MHz - CURITIBA APPROACH

TWR - 118.00 MHz - JOINVILLE TOWER
APP - 120.65 MHz - CURITIBA APPROACH
APP - 129.55 MHz - CURITIBA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft 45 m	5,386 ft 1,642 m	128.88 149.41	ASPHALT	328 ft 100 m	154 ft 47 m
33	148 ft 45 m	5,386 ft 1,642 m	308.88 329.41	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	LOC-LOC	IJV	111.10 MHz	18 nm 33 km	308.88 329.41	-	15 ft 15 m