

LIRQ

Firenze-Peretola "Amerigo Vespucci"


LFPO

Paris Orly

2024/05/08 2228Z

LIRQ EKDID **M872** CERVI **UM872** MOLUS **Z64** SPR **UH10** OBURO LFPO

472.51 nm / 875.08 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 14000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIRQ	-	43.81000	0 ft	-	Firenze-Peretola	"Amerigo Vespucci"
APT	-	11.20510	0 m			
EKDIR	-	44.20470	11,400 ft	31	-	
FIX	-	10.71000	3,475 m			
BOTAL	M872	45.13360	14,000 ft	87	-	
FIX	AWY-HI	9.12278	4,267 m			
OMETO	M872	45.73670	14,000 ft	58	-	
FIX	AWY-HI	8.04278	4,267 m			
GARLO	M872	45.87440	14,000 ft	14	-	
FIX	AWY-HI	7.75028	4,267 m			
CERVI	M872	45.97000	14,000 ft	10	-	
FIX	AWY-HI	7.54528	4,267 m			
SPR16	UM872	46.37720	14,000 ft	39	-	
FIX	AWY-HI	6.80306	4,267 m			
MOLUS	UM872	46.44390	14,000 ft	6	-	
FIX	AWY-HI	6.67944	4,267 m			
SPR	Z64	46.46870	14,000 ft	9	ST PREX	
VOR	AWY-HI	6.44806	4,267 m			
SIROD	UH10	46.72690	14,000 ft	23	-	
FIX	AWY-HI	6.01944	4,267 m			
DJL	UH10	47.27080	14,000 ft	49	DIJON LONGVIC	
VOR	AWY-HI	5.09733	4,267 m			
OBURO	UH10	47.65170	14,000 ft	40	-	
FIX	AWY-HI	4.26472	4,267 m			
LFPO	-	48.72630	0 ft	99	Paris Orly	
APT	-	2.36698	0 m			

LIRQ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 142 ft / 43 m
Location: 43.810000 11.205100
Magnetic Var: 3.577 E

METAR

LIRQ 082150Z 10007KT 060V140 9999 FEW040 19/12 Q1017

TAF

TAF LIRQ 081700Z 0818/0918 04010KT 9999 SCT020

Frequencies

REC - 129.35 MHz - ATIS
TWR - 122.10 MHz - FIRENZE TOWER
TWR - 118.30 MHz - FIRENZE TOWER
APP - 125.82 MHz - FIRENZE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	98 ft	5,123 ft	48.10	ASPHALT	338 ft	0 ft
	30 m	1,561 m	44.53		103 m	0 m
23	98 ft	5,123 ft	228.11	ASPHALT	1,903 ft	0 ft
	30 m	1,561 m	224.54		580 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IFZ	110.30 MHz	18 nm	-	-	144 ft
				33 km	-		144 m
05	LOC-ILS	IFZ	110.30 MHz	18 nm	48.10	-	131 ft
				33 km	44.52		131 m
05	GS	IFZ	110.30 MHz	10 nm	47.00	3.00	144 ft
				19 km	43.42		144 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.449 E

METAR

LFPO 082200Z AUTO 03004KT CAVOK 10/07 Q1028 NOSIG

TAF

TAF LFPO 081700Z 0818/0924 02007KT 9999 BKN028 PROB40 TEMPO 0904/0908 BKN004 PROB30 TEMPO 0904/0906 4000 BR

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m