


2024/05/29 0341Z

KBLI TWISP J52 GEG J136 HILIE V2 MLP J136 BIL J151 ONL V71 PWE KIXD

1349.03 nm / 2498.41 km



## Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 385kts
- Descent Rate: 1500ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBLI APT	-	48.79261 -122.53753	0 ft 0 m	-	BELLINGHAM INTL
TWISP FIX	-	48.26912 -120.03825	35,000 ft 10,668 m	104	-
GEG VOR	J52 AWY-HI	47.56494 -117.62689	35,000 ft 10,668 m	105	SPOKANE VORTAC
HILIE FIX	J136 AWY-HI	47.51815 -116.68970	35,000 ft 10,668 m	38	-
MLP DME	V2 AWY-LO	47.45690 -115.64604	35,000 ft 10,668 m	42	MULLAN PASS VOR-DME
HLN VOR	J136 AWY-HI	46.60683 -111.95347	35,000 ft 10,668 m	159	HELENA VORTAC
BIL VOR	J136 AWY-HI	45.80856 -108.62464	35,000 ft 10,668 m	146	BILLINGS VORTAC
RAP VOR	J151 AWY-HI	43.97603 -103.01233	35,000 ft 10,668 m	262	RAPID CITY VORTAC
ONL VOR	J151 AWY-HI	42.47050 -98.68692	35,000 ft 10,668 m	209	O'NEILL VORTAC
ERGUC FIX	V71 AWY-LO	41.77316 -97.76024	35,000 ft 10,668 m	58	-
OLU VOR	V71 AWY-LO	41.45003 -97.34083	35,000 ft 10,668 m	27	COLUMBUS VOR-DME
DWELL FIX	V71 AWY-LO	41.08979 -96.92950	35,000 ft 10,668 m	28	-
LNK VOR	V71 AWY-LO	40.92381 -96.74200	32,600 ft 9,936 m	13	LINCOLN VORTAC
PANNY FIX	V71 AWY-LO	40.63314 -96.48495	28,100 ft 8,565 m	21	-
PWE DME	V71 AWY-LO	40.20035 -96.20628	21,900 ft 6,675 m	28	PAWNEE CITY VORTAC
KIXD APT	-	38.83123 -94.89002	0 ft 0 m	102	New Century Aircenter

## KBLI

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 1

Elevation: 170 ft / 52 m  
Location: 48.792700 -122.538000  
Magnetic Var: 15.073 E

## METAR

KBLI 290253Z 18007KT 10SM CLR 13/08 A3013 RMK A02 SLP210 T01280078 53007

## TAF

KBLI 282329Z 2900/2924 18009KT P6SM VCSH OVC060 FM291300 18005KT P6SM OVC020 FM292200 19009KT P6SM -SHRA OVC040

## Frequencies

REC - 134.45 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
TWR - 124.90 MHz - TOWER  
COM - 124.90 MHz - CTAF  
GND - 127.40 MHz - GROUND  
APP - 132.70 MHz - VICTORIA APPROACH/DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,704 ft	179.84	ASPHALT	0 ft	92 ft
	46 m	2,043 m	164.77		0 m	28 m
34	151 ft	6,704 ft	359.84	ASPHALT	0 ft	0 ft
	46 m	2,043 m	344.77		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IBLI	108.50 MHz	18 nm	179.84	-	170 ft
				33 km	164.77		170 m
16	GS	IBLI	108.50 MHz	10 nm	179.84	3.00	170 ft
				19 km	164.77		170 m

## KIXD

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 1,087 ft / 331 m  
Location: 38.831200 -94.890000  
Magnetic Var: 1.269 E

## METAR

KIXD 290253Z 00000KT 10SM CLR 20/12 A3010 RMK A02 SLP183 T02000122 53003

## TAF

TAF KIXD 282332Z 2900/2924 VRB05KT P6SM SCT100 FM291000 08007KT P6SM SCT250 FM291600 10008KT P6SM SCT060

## Frequencies

REC - 135.32 MHz - ASOS  
COM - 122.95 MHz - UNICOM  
TWR - 133.00 MHz -  
COM - 133.00 MHz - CTAF  
GND - 124.30 MHz -  
APP - 118.90 MHz - KANSAS CITY APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	7,352 ft	180.04	ASPHALT	0 ft	0 ft
	46 m	2,241 m	178.77		0 m	0 m
36	151 ft	7,352 ft	0.04	ASPHALT	0 ft	0 ft
	46 m	2,241 m	358.77		0 m	0 m
04	98 ft	5,128 ft	46.93	ASPHALT	0 ft	0 ft
	30 m	1,563 m	45.66		0 m	0 m
22	98 ft	5,128 ft	226.94	ASPHALT	0 ft	0 ft
	30 m	1,563 m	225.67		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	IIXD	110.90 MHz	18 nm	-	-	1,100 ft
				33 km	-		1,100 m
36	LOC-ILS	IIXD	110.90 MHz	18 nm	0.04	-	1,088 ft
				33 km	358.77		1,088 m
36	GS	IIXD	110.90 MHz	10 nm	0.08	3.00	1,056 ft
				19 km	358.81		1,056 m