


2024/05/08 0830Z

LFBD CNA **UN858** VANAD **UN874** BAMES **UT191** PODEM LFQQ

383.80 nm / 710.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBD	-	44.82870	0 ft	-	Bordeaux Merignac
APT	-	-0.71479	0 m		
CNA	-	45.65960	18,800 ft	52	COGNAC CHATEAUBERNARD
VOR	-	-0.31164	5,730 m		
ADABI	UN858	46.56110	35,000 ft	64	-
FIX	AWY-HI	0.53083	10,668 m		
BOKNO	UN858	47.04690	35,000 ft	29	-
FIX	AWY-HI	0.69167	10,668 m		
DEVRO	UN858	47.49560	35,000 ft	27	-
FIX	AWY-HI	0.73861	10,668 m		
VANAD	UN858	47.83720	35,000 ft	21	-
FIX	AWY-HI	0.90722	10,668 m		
VADOM	UN874	48.55060	30,500 ft	45	-
FIX	AWY-HI	1.27083	9,296 m		
BAMES	UN874	48.97530	24,800 ft	26	-
FIX	AWY-HI	1.48611	7,559 m		
PODEM	UT191	49.26140	21,100 ft	17	-
FIX	AWY-HI	1.55306	6,431 m		
LFQQ	-	50.56630	0 ft	98	Lille Lesquin
APT	-	3.09539	0 m		

LFBD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 166 ft / 51 m
Location: 44.828700 -0.714790
Magnetic Var: 0.737 E

METAR

LFBD 080800Z AUTO VRB02KT 9999 SCT004 13/13 Q1026 NOSIG

TAF

TAF AMD LFBD 080748Z 0807/0912 VRB03KT 4000 BR OVC002 TX24/0814Z TN10/0906Z BECMG 0808/0810 03005KT CAVOK TEMPO 0809/0810 03005KT

Frequencies

REC - 131.15 MHz - ATIS MERIGNAC
TWR - 118.30 MHz - MERIGNAC TOWER
APP - 121.20 MHz - MERIGNAC APPROACH
GND - 121.90 MHz - MERIGNAC GROUND
APP - 129.87 MHz - AQUITAINE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,927 ft	106.46	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	105.72		0 m	367 m
29	148 ft	7,927 ft	286.48	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	285.74		0 m	367 m
05	148 ft	10,181 ft	45.35	ASPHALT	0 ft	1,161 ft
	45 m	3,103 m	44.61		0 m	354 m
23	148 ft	10,181 ft	225.37	ASPHALT	0 ft	1,289 ft
	45 m	3,103 m	224.63		0 m	393 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	BD	110.30 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
29	DME	BEI	111.15 MHz	18 nm	-	-	214 ft
				33 km	-		214 m
23	LOC-ILS	BD	110.30 MHz	18 nm	225.36	-	166 ft
				33 km	224.62		166 m
29	LOC-ILS	BEI	111.15 MHz	18 nm	286.47	-	166 ft
				33 km	285.73		166 m
23	GS	BD	110.30 MHz	10 nm	225.36	3.00	166 ft
				19 km	224.62		166 m
29	GS	BEI	111.15 MHz	10 nm	286.47	3.00	166 ft
				19 km	285.73		166 m

LFQQ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 154 ft / 47 m
Location: 50.566300 3.095390
Magnetic Var: 1.586 E

METAR

LFQQ 080800Z AUTO 35007KT 9999 BKN019 OVC025 11/08 Q1028 NOSIG

TAF

TAF LFQQ 080500Z 0806/0912 01007KT 9999 OVC014 BECMG 0807/0810 BKN025 PROB40 TEMPO 0823/0908 3000 BR OVC002 PROB30

Frequencies

REC - 119.32 MHz - LILLE ATIS
TWR - 118.55 MHz - LILLE TWR
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND
APP - 126.47 MHz - LILLE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft	9,250 ft	77.36	ASPHALT	0 ft	0 ft
	45 m	2,819 m	75.77		0 m	0 m
26	146 ft	9,250 ft	257.39	ASPHALT	919 ft	0 ft
	45 m	2,819 m	255.80		280 m	0 m
02	98 ft	5,172 ft	14.83	ASPHALT	0 ft	0 ft
	30 m	1,576 m	13.24		0 m	0 m
20	98 ft	5,172 ft	194.84	ASPHALT	0 ft	0 ft
	30 m	1,576 m	193.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm	77.13	-	135 ft
				33 km	75.55		135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm	257.13	-	157 ft
				33 km	255.55		157 m
26	GS	LIL	110.75 MHz	10 nm	257.00	3.00	129 ft
				19 km	255.41		129 m