


2024/06/05 0354Z

LZTT MAKAL **L624** DOBIL LKKB

235.01 nm / 435.25 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 280ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LZTT APT	-	49.07170 20.24080	0 ft 0 m	-	POPRAD TATRY
MAKAL FIX	-	49.24600 18.16570	200 ft 61 m	82	-
LABUK FIX	L624 AWY-HI	49.49850 17.41080	200 ft 61 m	33	-
DOBIL FIX	L624 AWY-HI	50.03870 15.93740	200 ft 61 m	65	-
LKKB APT	-	50.12140 14.54370	0 ft 0 m	53	Kbely Airport

## LZTT

Region: SLOVAKIA  
Timezone: EUROPE/BRATISLAVA  
Runways: 3

Elevation: 2,355 ft / 718 m  
Location: 49.071700 20.240800  
Magnetic Var: 5.943 E

## METAR

LZTT 050330Z VRB02KT 9999 2500S BCFG FEW002 SCT010 10/09 Q1014

## TAF

TAF LZTT 042315Z 0500/0600 21005KT 9999 SCT015 BKN040 TEMPO 0500/0505 1500 BR SCT004 BKN009 BECMG 0506/0508 26010

## Frequencies

TWR - 121.35 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	8,538 ft	94.17	CONCRETE	0 ft	0 ft
	45 m	2,602 m	88.23		0 m	0 m
27	148 ft	8,538 ft	274.20	CONCRETE	0 ft	0 ft
	45 m	2,602 m	268.25		0 m	0 m
07L	115 ft	2,495 ft	73.44	GRASS	0 ft	0 ft
	35 m	761 m	67.49		0 m	0 m
25R	115 ft	2,495 ft	253.45	GRASS	0 ft	0 ft
	35 m	761 m	247.50		0 m	0 m
07R	148 ft	2,496 ft	73.44	GRASS	0 ft	0 ft
	45 m	761 m	67.49		0 m	0 m
25L	148 ft	2,496 ft	253.44	GRASS	0 ft	0 ft
	45 m	761 m	247.50		0 m	0 m

## Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	TT	110.10 MHz	18 nm	274.18	-	2,355 ft
				33 km	268.24		2,355 m
27	GS	TT	110.10 MHz	10 nm	274.18	3.50	2,355 ft
				19 km	268.24		2,355 m

## LKKB

Region: CZECH REPUBLIC  
Timezone: EUROPE/PRAGUE  
Runways: 1

Elevation: 938 ft / 286 m  
Location: 50.121400 14.543700  
Magnetic Var: 4.746 E

## METAR

LKKB 050300Z 19008KT CAVOK 13/11 Q1012

## TAF

TAF LKKB 042300Z 0500/0600 17007KT CAVOK PROB40 TEMPO 0500/0505 VRB02KT 5000 MIFG BR BECMG 0506/0508 24012KT SCT0

## Frequencies

TWR - 120.87 MHz - TOWER

APP - 124.67 MHz - APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	161 ft	6,552 ft	62.30	ASPHALT	0 ft	0 ft
	49 m	1,997 m	57.55		0 m	0 m
24	161 ft	6,552 ft	242.31	ASPHALT	0 ft	0 ft
	49 m	1,997 m	237.57		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	KD	108.35 MHz	18 nm	-	-	976 ft
				33 km	-		976 m
24	LOC-ILS	KD	108.35 MHz	18 nm	242.31	-	938 ft
				33 km	237.56		938 m
24	GS	KD	108.35 MHz	10 nm	242.31	3.00	938 ft
				19 km	237.56		938 m