LIPZ
Venezia Tessera


-

LGKR
IOANNIS KAPODISTRIAS INTL

2024/03/19 0926Z

LIPZ BUSER **UL613** GARGA **UL53** ENOXA **L53** OLGAT LGKR

491.28 nm / 909.85 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ APT	–	45.50479 12.34969	0 ft 0 m	–	Venezia Tessera
BUSER FIX	–	44.10667 13.64889	35,000 ft 10,668 m	100	–
LISKO FIX	UL613 AWY-HI	43.57139 14.13222	35,000 ft 10,668 m	38	–
DIPEP FIX	UL613 AWY-HI	43.34167 14.49194	35,000 ft 10,668 m	20	–
RIVAM FIX	UL613 AWY-HI	42.49917 15.77278	35,000 ft 10,668 m	75	–
GARGA FIX	UL613 AWY-HI	42.26667 16.11667	35,000 ft 10,668 m	20	–
ENOXA FIX	UL53 AWY-HI	41.20139 17.66889	30,100 ft 9,174 m	94	–
OKIMO FIX	L53 AWY-LO	40.93389 18.04750	25,000 ft 7,620 m	23	–
OLGAT FIX	L53 AWY-LO	40.24472 19.00000	12,200 ft 3,719 m	60	–
LGKR APT	–	39.60178 19.91191	0 ft 0 m	57	IOANNIS KAPODISTRIAS INTL

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.889 E

METAR

LIPZ 190850Z 09003KT 050V140 3000 R04R/1300N BR SCT006 11/11 Q1018 BECMG 5000 BR

TAF

TAF LIPZ 190500Z 1906/2012 VRB05KT 0200 FG NSC BECMG 1907/1910 7000

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft 45 m	10,836 ft 3,303 m	42.03 38.14	ASPHALT	0 ft 0 m	0 ft 0 m
22L	148 ft 45 m	10,836 ft 3,303 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m
04L	148 ft 45 m	9,129 ft 2,782 m	42.03 38.14	ASPHALT	318 ft 97 m	0 ft 0 m
22R	148 ft 45 m	9,129 ft 2,782 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm 33 km	- -	-	26 ft 26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm 33 km	42.04 38.15	-	4 ft 4 m
04R	GS	VTS	109.95 MHz	10 nm 19 km	42.04 38.15	3.00	4 ft 4 m