

LEAL

Alicante


LEBL

Barcelona El Prat

2024/05/10 0510Z

LEAL +38.27_+000.45 +38.28_+000.38 +38.31_+000.31 +38.35_+000.27 +38.40_+000.24 +39.34_+000.46
+41.17_+001.89 +41.22_+001.92 +41.26_+001.98 LEBL

222.53 nm / 412.12 km



Notes

Departing runway 10 LEAL. Arriving runway 6 LEBL.

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEAL	-	38.27982	0 ft	-	-
APT	-	-0.54132	0 m		
+38.27_+000.45	-	38.26711	1,470 ft	4	-
LATLON	-	-0.45057	448 m		
+38.28_+000.38	-	38.27705	1,500 ft	3	-
LATLON	-	-0.37793	457 m		
+38.31_+000.31	-	38.30590	1,500 ft	3	-
LATLON	-	-0.31398	457 m		
+38.35_+000.27	-	38.35018	1,500 ft	3	-
LATLON	-	-0.26643	457 m		
+38.40_+000.24	-	38.40454	1,500 ft	3	-
LATLON	-	-0.24106	457 m		
+39.34_+000.46	-	39.34060	1,500 ft	65	-
LATLON	-	0.45878	457 m		
+41.17_+001.89	-	41.16961	1,500 ft	127	-
LATLON	-	1.88949	457 m		
+41.22_+001.92	-	41.22187	1,500 ft	3	-
LATLON	-	1.92261	457 m		
+41.26_+001.98	-	41.26246	1,470 ft	3	-
LATLON	-	1.97751	448 m		
LEBL	-	41.29250	0 ft	4	-
APT	-	2.06511	0 m		

LEAL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 142 ft / 43 m
Location: 38.282200 -0.558114
Magnetic Var: 0.887 E

METAR

LEAL 100500Z 29003KT 250V330 CAVOK 15/05 Q1018 NOSIG

TAF

TAF TAF LEAL 092300Z 1000/1024 31005KT CAVOK TX23/1013Z TN13/1006Z BECMG 1008/1010 09009KT BECMG 1018/1020 VRB04K

Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.21		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.30		129 m

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.541 E

METAR

LEBL 100500Z 32007KT CAVOK 14/08 Q1018 NOSIG

TAF

TAF LEBL 092300Z 1000/1024 31006KT 9999 FEW020 TX22/1012Z TN13/1005Z BECMG 1007/1009 22012KT BECMG 1020/1022 3200

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.38		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.38		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.38		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m