

OERK

King Khalid Intl


OEDF

Dammam King Fahd Airport

2024/05/04 0903Z

OERK KINIB OEDF

191.10 nm / 353.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OERK APT	-	24.95740 46.69880	0 ft 0 m	-	King Khalid Intl
KINIB FIX	-	25.68560 48.38810	15,000 ft 4,572 m	101	-
OEDF APT	-	26.47120 49.79790	0 ft 0 m	89	Dammam King Fahd Airport

OERK

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 2

Elevation: 2,048 ft / 624 m
Location: 24.957400 46.698800
Magnetic Var: 3.351 E

METAR

OERK 040800Z 03004KT CAVOK 31/06 Q1014 NOSIG

TAF

TAF OERK 040500Z 0406/0512 03010KT CAVOK BECMG 0418/0420 VRB03KT BECMG 0503/0505 16014KT 7000 FEW040 TEMPO 0508/0

Frequencies

REC - 113.30 MHz - ATIS	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - GROUND	GND - 121.60 MHz - GROUND
TWR - 118.60 MHz - TOWER	TWR - 118.80 MHz - TOWER
APP - 124.10 MHz - RIYADH APPROACH	APP - 120.00 MHz - RIYADH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	197 ft	13,809 ft	150.17	CONCRETE	0 ft	387 ft
	60 m	4,209 m	146.82		0 m	118 m
33L	197 ft	13,809 ft	330.18	CONCRETE	0 ft	384 ft
	60 m	4,209 m	326.82		0 m	117 m
15L	197 ft	13,809 ft	150.18	CONCRETE	0 ft	390 ft
	60 m	4,209 m	146.83		0 m	119 m
33R	197 ft	13,809 ft	330.19	CONCRETE	0 ft	390 ft
	60 m	4,209 m	326.84		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IELF	109.50 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15R	DME	ITIH	110.50 MHz	18 nm	-	-	2,047 ft
				33 km	-		2,047 m
33L	DME	IFAT	110.10 MHz	18 nm	-	-	2,023 ft
				33 km	-		2,023 m
33R	DME	IKIA	109.10 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15L	LOC-ILS	IELF	109.50 MHz	18 nm	150.18	-	2,049 ft
				33 km	146.83		2,049 m
15R	LOC-ILS	ITIH	110.50 MHz	18 nm	150.17	-	2,046 ft
				33 km	146.82		2,046 m
33L	LOC-ILS	IFAT	110.10 MHz	18 nm	330.16	-	2,049 ft
				33 km	326.81		2,049 m
33R	LOC-ILS	IKIA	109.10 MHz	18 nm	330.18	-	2,049 ft
				33 km	326.83		2,049 m
15L	GS	IELF	109.50 MHz	10 nm	150.35	3.00	2,033 ft
				19 km	147.00		2,033 m
15R	GS	ITIH	110.50 MHz	10 nm	150.33	3.00	2,047 ft
				19 km	146.98		2,047 m
33L	GS	IFAT	110.10 MHz	10 nm	330.33	3.00	2,023 ft
				19 km	326.98		2,023 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33R	GS	IKIA	109.10 MHz	10 nm	330.35	3.00	2,023 ft
				19 km	327.00		2,023 m

OEDF

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 2

Elevation: 71 ft / 22 m
Location: 26.471200 49.797900
Magnetic Var: 3.201 E

METAR

OEDF 040800Z 34012KT CAVOK 34/19 Q1007 NOSIG

TAF

TAF OEDF 040400Z 0406/0512 34012KT CAVOK BECMG 0410/0412 04012KT BECMG 0418/0420 VRB03KT 8000 NSC TEMPO 0422/0506

Frequencies

REC - 128.05 MHz - ATIS
TWR - 118.20 MHz -
APP - 126.30 MHz - DAMMAM APP
APP - 125.00 MHz - DAMMAM ARR/DEP
GND - 121.65 MHz -
TWR - 124.35 MHz -
APP - 126.10 MHz - DAMMAM APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,169 ft	164.56	ASPHALT	0 ft	1,129 ft
	60 m	4,014 m	161.35		0 m	344 m
34R	197 ft	13,169 ft	344.56	ASPHALT	0 ft	1,129 ft
	60 m	4,014 m	341.36		0 m	344 m
16R	197 ft	13,170 ft	164.54	ASPHALT	0 ft	1,129 ft
	60 m	4,014 m	161.34		0 m	344 m
34L	197 ft	13,170 ft	344.54	ASPHALT	0 ft	1,129 ft
	60 m	4,014 m	341.34		0 m	344 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMBF	111.70 MHz	18 nm	164.56	-	72 ft
				33 km	161.35		72 m
16R	LOC-ILS	IWSR	108.10 MHz	18 nm	164.60	-	72 ft
				33 km	161.40		72 m
34L	LOC-ILS	IWMR	108.90 MHz	18 nm	344.48	-	72 ft
				33 km	341.28		72 m
34R	LOC-ILS	IABF	110.70 MHz	18 nm	344.55	-	72 ft
				33 km	341.35		72 m
16L	GS	IMBF	111.70 MHz	10 nm	165.10	3.00	72 ft
				19 km	161.90		72 m
16R	GS	IWSR	108.10 MHz	10 nm	165.08	3.00	72 ft
				19 km	161.88		72 m
34L	GS	IWMR	108.90 MHz	10 nm	345.08	3.00	72 ft
				19 km	341.88		72 m
34R	GS	IABF	110.70 MHz	10 nm	345.10	3.00	72 ft
				19 km	341.90		72 m