

KLGB

Long Beach/Daugherty Field


KTME

Houston Executive

2024/05/06 0607Z

KLGB TRM J169 BLH T306 BXK J184 EWM V94 SFL V222 FST J2 JCT J86 PUFER KTME

1165.05 nm / 2157.67 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 300kts
- Cruise Altitude: 40000ft
- Cruise Speed: 500kts
- Descent Rate: 1500ft/min
- Descent Speed: 300kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLGB	-	33.81770	0 ft	-	Long Beach/Daugherty Field
APT	-	-118.15300	0 m		
TRM	-	33.62810	30,000 ft	100	THERMAL
VOR	-	-116.16000	9,144 m		
SHADI	J169	33.62060	36,000 ft	19	-
FIX	AWY-HI	-115.76200	10,973 m		
BLH	J169	33.59610	40,000 ft	50	BLYTHE
VOR	AWY-HI	-114.76100	12,192 m		
BXK	T306	33.45350	40,000 ft	97	BUCKEYE
VOR	AWY-LO	-112.82500	12,192 m		
SATRN	J184	33.13270	40,000 ft	79	-
FIX	AWY-HI	-111.28800	12,192 m		
WOBUG	J184	32.59000	40,000 ft	124	-
FIX	AWY-HI	-108.89600	12,192 m		
DMN	J184	32.27560	40,000 ft	68	DEMING
VOR	AWY-HI	-107.60500	12,192 m		
EWM	J184	31.95180	40,000 ft	70	NEWMAN
VOR	AWY-HI	-106.27200	12,192 m		
SFL	V94	31.74810	40,000 ft	61	SALT FLAT
VOR	AWY-LO	-105.08700	12,192 m		
HOBAN	V222	31.14720	40,000 ft	89	-
FIX	AWY-LO	-103.48100	12,192 m		
FST	V222	30.95210	40,000 ft	28	FORT STOCKTON
VOR	AWY-LO	-102.97600	12,192 m		
KEMPL	J2	30.72030	40,000 ft	111	-
FIX	AWY-HI	-100.83200	12,192 m		
JCT	J2	30.59800	37,700 ft	52	JUNCTION
VOR	AWY-HI	-99.81750	11,491 m		
SPURS	J86	30.40530	23,900 ft	76	-
FIX	AWY-HI	-98.34960	7,285 m		
PUFER	J86	30.22400	11,900 ft	66	-
FIX	AWY-HI	-97.07560	3,627 m		
KTME	-	29.80500	0 ft	66	Houston Executive
APT	-	-95.89790	0 m		

KLGB

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 60 ft / 18 m
Location: 33.817700 -118.153000
Magnetic Var: 11.367 E

METAR

KLGB 060453Z 31007KT 10SM CLR 18/M01 A2997 RMK A02 SLP148 T01831011

TAF

KLGB 060542Z 0606/0706 30008KT P6SM SKC FM060900 VRB03KT P6SM SKC FM061900 21009KT P6SM SKC FM070000 29010KT P6SM

Frequencies

REC - 127.75 MHz - ATIS	COM - 122.95 MHz - LONG BEACH UNICOM
GND - 133.00 MHz - LONG BEACH GROUND	TWR - 119.40 MHz - LONG BEACH TOWER
TWR - 120.50 MHz - LONG BEACH TOWER	CLD - 118.15 MHz - CLEARANCE DELIVERY
DEP - 127.20 MHz - SOCAL DEPARTURE	APP - 124.65 MHz - SOCAL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	200 ft	10,004 ft	134.85	ASPHALT	1,348 ft	200 ft
	61 m	3,049 m	123.48		411 m	61 m
30	200 ft	10,004 ft	314.86	ASPHALT	1,998 ft	200 ft
	61 m	3,049 m	303.49		609 m	61 m
08L	150 ft	6,175 ft	90.20	ASPHALT	1,299 ft	203 ft
	46 m	1,882 m	78.84		396 m	62 m
26R	150 ft	6,175 ft	270.21	ASPHALT	528 ft	203 ft
	46 m	1,882 m	258.85		161 m	62 m
08R	100 ft	3,912 ft	89.95	ASPHALT	0 ft	151 ft
	30 m	1,192 m	78.59		0 m	46 m
26L	100 ft	3,912 ft	269.96	ASPHALT	0 ft	151 ft
	30 m	1,192 m	258.59		0 m	46 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	ILGB	110.30 MHz	18 nm	314.86	-	60 ft
				33 km	303.49		60 m
30	GS	ILGB	110.30 MHz	10 nm	314.86	3.00	60 ft
				19 km	303.49		60 m