


2024/05/08 0355Z

LFPO LUREN A1 DJL B37 PAS J41 VANAS UM730 MEDAM Y24 GAPDO UY24 NIZ LFKC

474.85 nm / 879.43 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36698	0 m	-	
LUREN	-	48.02580	26,600 ft	74	-
FIX	-	3.91389	8,108 m	-	
DJL	A1	47.27080	35,000 ft	65	DIJON LONGVIC
VOR	AWY-LO	5.09733	10,668 m	-	
IBABA	B37	46.87720	35,000 ft	27	-
FIX	AWY-LO	5.42083	10,668 m	-	
LUKID	B37	46.74190	35,000 ft	9	-
FIX	AWY-LO	5.53444	10,668 m	-	
DIPIR	B37	46.66920	35,000 ft	4	-
FIX	AWY-LO	5.59306	10,668 m	-	
KELUK	B37	46.55560	35,000 ft	7	-
FIX	AWY-LO	5.68556	10,668 m	-	
KOVAR	B37	46.39190	35,000 ft	11	-
FIX	AWY-LO	5.81694	10,668 m	-	
PAS	B37	46.16370	35,000 ft	15	PASSEIRY
VOR	AWY-LO	5.99992	10,668 m	-	
ESAPI	J41	45.89000	35,000 ft	20	-
FIX	AWY-LO	6.29028	10,668 m	-	
PAS30	J41	45.76220	35,000 ft	9	-
FIX	AWY-LO	6.42806	10,668 m	-	
VANAS	J41	45.45720	35,000 ft	22	-
FIX	AWY-LO	6.74686	10,668 m	-	
MEDAM	UM730	45.26440	35,000 ft	14	-
FIX	AWY-HI	6.94000	10,668 m	-	
VEVAR	Y24	44.80000	34,900 ft	28	-
FIX	AWY-HI	7.01250	10,638 m	-	
GAPDO	Y24	44.21440	27,300 ft	35	-
FIX	AWY-HI	7.15114	8,321 m	-	
NIZ	UY24	43.77060	21,500 ft	27	NICE COTE D'AZUR
VOR	AWY-HI	7.25439	6,553 m	-	
LFKC	-	42.53080	0 ft	100	St Catherine
APT	-	8.79298	0 m	-	

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.449 E

## METAR

LFPO 080330Z AUTO 35008KT CAVOK 10/07 Q1026 TEMPO BKN007

## TAF

TAF LFPO 072300Z 0800/0906 36008KT CAVOK TEMPO 0805/0807 BKN007 TEMPO 0807/0809 BKN014 BECMG 0904/0906 4000 BR

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.92	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.86	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.35	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.91	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.35	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.91	3.00	291 ft 291 m

## LFKC

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 208 ft / 63 m  
Location: 42.530800 8.792980  
Magnetic Var: 3.035 E

## METAR

LFKC 080330Z AUTO 16007KT 9999 FEW015 08/04 Q1015 NOSIG

## TAF

TAF LFKC 080200Z 0803/0903 VRB03KT CAVOK TX19/0812Z TN08/0803Z BECMG 0807/0809 35010KT TEMPO 0807/0812 BKN020 BECMG 0812/0814 35010KT

## Frequencies

APP - 123.82 MHz - BASTI APPROACH  
TWR - 123.20 MHz - CALVI TOWER

REC - 131.17 MHz - CALVI ATIS  
GND - 121.70 MHz - CALVI GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	131 ft	7,586 ft	179.81	CONCRETE	0 ft	0 ft
	40 m	2,312 m	176.78		0 m	0 m
36	131 ft	7,586 ft	359.81	CONCRETE	663 ft	0 ft
	40 m	2,312 m	356.78		202 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	DME	CLI	109.50 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
18	LOC-LOC	CLI	109.50 MHz	18 nm	179.81	-	208 ft
				33 km	176.77		208 m