LIPZ
Venezia Tessera


-

EGNM
Leeds Bradford

2024/03/19 0323Z

LIPZ ENOGO **L12** KPT **UL607** TGO **UM150** KRH **UZ210** LIRSU **UL608** TERLA **UN852** LUTOM EHN **R57** RTM **L74** TULIP **L19** MOLIX **L17** BODSO **Y70** SUPEL EGNM

763.13 nm / 1413.32 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 34000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ APT	–	45.50479 12.34969	0 ft 0 m	–	Venezia Tessera
ENOGO FIX	–	46.81333 11.06194	33,900 ft 10,333 m	95	–
OTSIS FIX	L12 AWY-LO	47.10074 10.84546	35,000 ft 10,668 m	19	–
KPT VOR	L12 AWY-LO	47.74583 10.34972	35,000 ft 10,668 m	43	KEMPTEN VOR-DME
AMEMI FIX	UL607 AWY-HI	47.89472 10.16722	35,000 ft 10,668 m	11	–
TGO VOR	UL607 AWY-HI	48.61841 9.25921	35,000 ft 10,668 m	56	TANGO VORTAC
LAMGO FIX	UM150 AWY-HI	48.88583 8.77917	35,000 ft 10,668 m	24	–
KRH VOR	UM150 AWY-HI	48.99294 8.58424	35,000 ft 10,668 m	10	KARLSRUHE VOR-DME
NOSPA FIX	UZ210 AWY-HI	50.02056 6.71139	35,000 ft 10,668 m	95	–
LIRSU FIX	UZ210 AWY-HI	50.18667 6.45333	35,000 ft 10,668 m	14	–
NTM01 FIX	UL608 AWY-HI	50.30528 6.29738	35,000 ft 10,668 m	9	–
BATTY FIX	UL608 AWY-HI	50.64918 5.84878	35,000 ft 10,668 m	26	–
TERLA FIX	UL608 AWY-HI	50.68251 5.66544	35,000 ft 10,668 m	7	–
BROGY FIX	UN852 AWY-HI	51.18252 5.44876	35,000 ft 10,668 m	31	–
LUTOM FIX	UN852 AWY-HI	51.26556 5.42101	35,000 ft 10,668 m	5	–
EHN NDB	–	51.46778 5.39500	35,000 ft 10,668 m	12	EINDHOVEN NDB
INKET FIX	R57 AWY-LO	51.81463 4.77196	35,000 ft 10,668 m	31	–
RTM VOR	R57 AWY-LO	51.97370 4.48097	35,000 ft 10,668 m	14	ROTTERDAM VOR-DME
TULIP FIX	L74 AWY-LO	52.36775 3.85731	35,000 ft 10,668 m	32	–
EVELI FIX	L19 AWY-LO	52.64041 3.38700	35,000 ft 10,668 m	23	–
MOLIX FIX	L19 AWY-LO	52.82200 3.06867	35,000 ft 10,668 m	15	–
RAMID FIX	L17 AWY-LO	52.95778 2.50000	34,200 ft 10,424 m	22	–
BODSO FIX	L17 AWY-LO	53.05222 2.09472	30,900 ft 9,418 m	15	–
SUPEL FIX	Y70 AWY-LO	53.22778 0.59111	19,000 ft 5,791 m	55	–
EGNM APT	–	53.86603 -1.66078	0 ft 0 m	89	Leeds Bradford

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.889 E

METAR

LIPZ 190250Z 30002KT 0100 R04R/0225N FG VV001 10/10 Q1015 NOSIG

TAF

TAF LIPZ 182300Z 1900/2006 VRB05KT 0200 FG NSC BECMG 1907/1910 6000

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft 45 m	10,836 ft 3,303 m	42.03 38.14	ASPHALT	0 ft 0 m	0 ft 0 m
22L	148 ft 45 m	10,836 ft 3,303 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m
04L	148 ft 45 m	9,129 ft 2,782 m	42.03 38.14	ASPHALT	318 ft 97 m	0 ft 0 m
22R	148 ft 45 m	9,129 ft 2,782 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm 33 km	- -	-	26 ft 26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm 33 km	42.04 38.15	-	4 ft 4 m
04R	GS	VTS	109.95 MHz	10 nm 19 km	42.04 38.15	3.00	4 ft 4 m

EGNM

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 681 ft / 208 m
Location: 53.866000 -1.660770
Magnetic Var: 0.310 W

METAR

UNKNOWN

TAF

TAF TAF EGNM 190055Z 1900/1924 CNL

Frequencies

REC - 118.05 MHz - LEEDS BRADFORD ATIS
TWR - 121.80 MHz - LEEDS BRADFORD TOWER
APP - 134.55 MHz - LEEDS BRADFORD APPROACH
TWR - 120.30 MHz - LEEDS BRADFORD TOWER
DEP - 125.35 MHz - LEEDS BRADFORD DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft 46 m	7,390 ft 2,252 m	137.80 138.11	CONCRETE	1,027 ft 313 m	39 ft 12 m
32	151 ft 46 m	7,390 ft 2,252 m	317.81 318.13	CONCRETE	899 ft 274 m	43 ft 13 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	ILBF	110.90 MHz	18 nm 33 km	- -	-	681 ft 681 m
32	DME	ILF	110.90 MHz	18 nm 33 km	- -	-	687 ft 687 m
14	LOC-ILS	ILBF	110.90 MHz	18 nm 33 km	137.81 138.12	-	681 ft 681 m
32	LOC-ILS	ILF	110.90 MHz	18 nm 33 km	317.81 318.12	-	681 ft 681 m
14	GS	ILBF	110.90 MHz	10 nm 19 km	137.81 138.12	3.50	681 ft 681 m
32	GS	ILF	110.90 MHz	10 nm 19 km	317.81 318.12	3.00	681 ft 681 m