


2024/05/03 2004Z

CYBB 090N **LAT50** 080H 7200N07900W SATAX 7300N07800W 7500N07600W LENIM BGTL

657.42 nm / 1217.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

| Ident Type | Via | Lat Lon | Alt | Dist (nm) | Name |
|---------------|--------|------------|-----------|--------------|----------------|
| CYBB | - | 68.53440 | 0 ft | - | KUGAARUK |
| APT | - | -89.80810 | 0 m | | |
| 090N | - | 68.50000 | 1,600 ft | 4 | - |
| FIX | - | -90.00000 | 488 m | | |
| 080H | LAT50 | 71.50000 | 35,000 ft | 272 | - |
| FIX | AWY-HI | -80.00000 | 10,668 m | | |
| 7200N07900W | - | 72.00000 | 35,000 ft | 35 | - |
| LATLON | - | -79.00000 | 10,668 m | | |
| SATAX | - | 72.68950 | 35,000 ft | 45 | - |
| FIX | - | -77.96890 | 10,668 m | | |
| 7300N07800W | - | 73.00000 | 35,000 ft | 18 | - |
| LATLON | - | -78.00000 | 10,668 m | | |
| 7500N07600W | - | 75.00000 | 33,400 ft | 124 | - |
| LATLON | - | -76.00000 | 10,180 m | | |
| LENIM | - | 75.82720 | 22,600 ft | 50 | - |
| FIX | - | -75.45320 | 6,888 m | | |
| BGTL | - | 76.53120 | 0 ft | 105 | THULE AIR BASE |
| APT | - | -68.70320 | 0 m | | |

BGTL

Region: GREENLAND
Timezone: AMERICA/THULE
Runways: 1

Elevation: 250 ft / 76 m
Location: 76.531200 -68.703200
Magnetic Var: 39.177 W

METAR

BGTL 031855Z AUTO 17019G23KT 9999 BKN023 BKN028 OVC120 M11/M17 A3072 RMK A02 CIG 023V029 SLP392 T11081167 TSNO \$

TAF

TAF BGTL 031900Z 0319/0501 16012G18KT 9999 SCT025 BKN080 620802 QNH3072INS BECMG 0402/0403 16014G22KT 5000 BLSN B

Frequencies

GND - 119.90 MHz -
APP - 134.10 MHz -

TWR - 126.20 MHz -
REC - 131.10 MHz - ATIS

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|----------|-------------------------|---------|---------------------|-------------------|
| 08 | 140 ft | 9,970 ft | 84.97 | ASPHALT | 0 ft | 233 ft |
| | 43 m | 3,039 m | 124.15 | | 0 m | 71 m |
| 26 | 140 ft | 9,970 ft | 265.08 | ASPHALT | 0 ft | 249 ft |
| | 43 m | 3,039 m | 304.26 | | 0 m | 76 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 08 | LOC-ILS | IITL | 109.50 MHz | 18 nm | 85.03 | - | 250 ft |
| | | | | 33 km | 124.21 | | 250 m |
| 08 | GS | IITL | 109.50 MHz | 10 nm | 85.03 | 3.00 | 250 ft |
| | | | | 19 km | 124.21 | | 250 m |