LIPZ
Venezia Tessera


-

DTTA
CARTHAGE

2024/03/19 0345Z

LIPZ VALEN **M738** AMTEL **UM727** TAQ **UM738** ESINO **M738** TURMO **L44** BULAR DTTA

537.83 nm / 996.06 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ APT	–	45.50479 12.34969	0 ft 0 m	–	Venezia Tessera
VALEN FIX	–	43.93722 11.53306	35,000 ft 10,668 m	100	–
RESPU FIX	M738 AWY-LO	43.68361 11.56000	35,000 ft 10,668 m	15	–
AMTEL FIX	M738 AWY-LO	43.22028 11.60861	35,000 ft 10,668 m	27	–
TAQ VOR	UM727 AWY-HI	42.21498 11.73249	35,000 ft 10,668 m	60	TARQUINIA VOR-DME
ESINO FIX	UM738 AWY-HI	41.38472 11.79472	35,000 ft 10,668 m	49	–
TURMO FIX	M738 AWY-LO	40.86111 11.83278	35,000 ft 10,668 m	31	–
BETOT FIX	L44 AWY-LO	40.38583 11.63167	35,000 ft 10,668 m	29	–
VELEX FIX	L44 AWY-LO	39.96639 11.45889	35,000 ft 10,668 m	26	–
LAGER FIX	L44 AWY-LO	38.99222 11.06361	28,800 ft 8,778 m	61	–
ADAMI FIX	L44 AWY-LO	38.70472 10.94889	24,900 ft 7,590 m	18	–
BULAR FIX	L44 AWY-LO	38.31306 10.79444	19,600 ft 5,974 m	24	–
DTTA APT	–	36.85127 10.23003	0 ft 0 m	91	CARTHAGE

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.889 E

METAR

LIPZ 190320Z 29005KT 0100 R04R/0300N FG VV001 10/10 Q1015 NOSIG

TAF

TAF LIPZ 182300Z 1900/2006 VRB05KT 0200 FG NSC BECMG 1907/1910 6000

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft 45 m	10,836 ft 3,303 m	42.03 38.14	ASPHALT	0 ft 0 m	0 ft 0 m
22L	148 ft 45 m	10,836 ft 3,303 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m
04L	148 ft 45 m	9,129 ft 2,782 m	42.03 38.14	ASPHALT	318 ft 97 m	0 ft 0 m
22R	148 ft 45 m	9,129 ft 2,782 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm 33 km	- -	-	26 ft 26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm 33 km	42.04 38.15	-	4 ft 4 m
04R	GS	VTS	109.95 MHz	10 nm 19 km	42.04 38.15	3.00	4 ft 4 m

DTTA

Region: TUNISIA
Timezone: AFRICA/TUNIS
Runways: 2

Elevation: 20 ft / 6 m
Location: 36.851300 10.230000
Magnetic Var: 3.004 E

METAR

DTTA 190330Z VRB01KT CAVOK 16/08 Q1014

TAF

TAF DTTA 182300Z 1900/1924 VRB02KT CAVOK PROB30 TEMPO 1901/1904 4000 BR BECMG 1903/1905 27010KT BECMG 1911/1913 3

Frequencies

REC - 118.67 MHz - TUNIS ATIS
TWR - 118.10 MHz - TUNIS TWR

GND - 121.90 MHz - TUNIS GND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft 45 m	10,509 ft 3,203 m	12.29 9.28	ASPHALT	0 ft 0 m	190 ft 58 m
19	148 ft 45 m	10,509 ft 3,203 m	192.29 189.29	ASPHALT	0 ft 0 m	184 ft 56 m
11	148 ft 45 m	9,360 ft 2,853 m	112.55 109.55	ASPHALT	0 ft 0 m	197 ft 60 m
29	148 ft 45 m	9,360 ft 2,853 m	292.57 289.56	ASPHALT	682 ft 208 m	535 ft 163 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	TBL	111.10 MHz	18 nm 33 km	- -	-	22 ft 22 m
29	DME	TKE	108.50 MHz	18 nm 33 km	- -	-	22 ft 22 m
01	LOC-ILS	TBL	111.10 MHz	18 nm 33 km	12.29 9.29	-	20 ft 20 m
19	LOC-ILS	TSI	110.30 MHz	18 nm 33 km	192.29 189.29	-	20 ft 20 m
29	LOC-ILS	TKE	108.50 MHz	18 nm 33 km	292.56 289.56	-	20 ft 20 m
01	GS	TBL	111.10 MHz	10 nm 19 km	12.29 9.29	3.00	20 ft 20 m
19	GS	TSI	110.30 MHz	10 nm 19 km	192.29 189.29	3.00	20 ft 20 m
29	GS	TKE	108.50 MHz	10 nm 19 km	292.56 289.56	3.00	20 ft 20 m