


FZAA
Ndjili Intl

FOOL
Libreville Airport

2024/05/09 0019Z

FZAA EPULO **G856** GAKAL FOOL

464.33 nm / 859.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FZAA	-	-4.38717	0 ft	-	Ndjili Intl
APT	-	15.44220	0 m	-	
EPULO	-	-3.43139	32,700 ft	91	-
FIX	-	14.24860	9,967 m	-	-
IPAMU	G856	-2.69861	35,000 ft	70	-
FIX	AWY-LO	13.33750	10,668 m	-	-
VOSAL	G856	-2.46472	35,000 ft	22	-
FIX	AWY-LO	13.04720	10,668 m	-	-
PONOT	G856	-1.09306	31,900 ft	131	-
FIX	AWY-LO	11.34780	9,723 m	-	-
GAKAL	G856	-0.35917	16,800 ft	70	-
FIX	AWY-LO	10.43970	5,121 m	-	-
FOOL	-	0.45844	0 ft	78	Libreville Airport
APT	-	9.41233	0 m	-	

FZAA

Region: DEMOCRATIC REPUBLIC OF THE CONGO
Timezone: AFRICA/KINSHASA
Runways: 1

Elevation: 1,024 ft / 312 m
Location: -4.387170 15.442200
Magnetic Var: 0.374 W

METAR

FZAA 082340Z 21008KT 6000 TS BKN018 FEW028CB 29/25 Q1010 BECMG 4000 TSRA

TAF

TAF FZAA 082300Z 0900/1006 24006KT 7000 SCT018 PROB30 TEMPO 0901/0905 -TSRA BKN014 FEW028CB BECMG 0912/0914 30010

Frequencies

REC - 120.50 MHz - ATIS

TWR - 118.10 MHz - NDJILI TOWER

GND - 121.90 MHz - NDJILI GROUND

APP - 120.50 MHz - NDJILI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	13,133 ft	57.16	ASPHALT	0 ft	157 ft
	60 m	4,003 m	57.53		0 m	48 m
24	197 ft	13,133 ft	237.15	ASPHALT	0 ft	243 ft
	60 m	4,003 m	237.53		0 m	74 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	KSA	110.30 MHz	18 nm	235.17	-	1,089 ft
				33 km	235.55		1,089 m
24	GS	KSA	110.30 MHz	10 nm	237.63	2.80	1,085 ft
				19 km	238.01		1,085 m

FOOL

Region: GABON
Timezone: AFRICA/LIBREVILLE
Runways: 1

Elevation: 39 ft / 12 m
Location: 0.458442 9.412330
Magnetic Var: 1.095 W

METAR

FOOL 082330Z 12009KT 9999 FEW015 27/25 Q1009 NOSIG

TAF

TAF TAF FOOL 082300Z 0900/1006 18006KT 9999 SCT012 BKN030

Frequencies

COM - 112.10 MHz - LIBREVILLE ATIS
TWR - 118.70 MHz - LIBREVILLE TOWER
APP - 126.50 MHz - LIBREVILLE APPROACH
GND - 121.70 MHz - LIBREVILLE GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	9,852 ft	154.26	ASPHALT	0 ft	213 ft
	45 m	3,003 m	155.36		0 m	65 m
34	148 ft	9,852 ft	334.26	ASPHALT	0 ft	210 ft
	45 m	3,003 m	335.36		0 m	64 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	LB	109.50 MHz	18 nm	-	-	39 ft
				33 km	-		39 m
16	LOC-ILS	LB	109.50 MHz	18 nm	154.26	-	39 ft
				33 km	155.36		39 m
16	GS	LB	109.50 MHz	10 nm	154.26	3.00	39 ft
				19 km	155.36		39 m