


2024/05/03 0712Z

LIME LUPOS **UL995** AMTEL LIRA

264.25 nm / 489.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIME	-	45.67200	0 ft	-	Bergamo Orio Al Serio
APT	-	9.70689	0 m		
LUPOS	-	44.50472	28,300 ft	79	-
FIX	-	10.58139	8,626 m		
FRZ	UL995	44.02718	32,300 ft	33	FIRENZE VORTAC
VOR	AWY-HI	11.00331	9,845 m		
KUGIX	UL995	43.55222	25,300 ft	32	-
FIX	AWY-HI	11.36222	7,711 m		
AMTEL	UL995	43.22028	20,500 ft	22	-
FIX	AWY-HI	11.60861	6,248 m		
LIRA	-	41.79923	0 ft	95	CIAMPINO
APT	-	12.59492	0 m		

LIME

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 776 ft / 237 m
Location: 45.672000 9.706810
Magnetic Var: 3.341 E

METAR

LIME 030650Z VRB01KT 9999 SCT080 12/09 Q1011 NOSIG

TAF

TAF LIME 030500Z 0306/0406 25006KT 9999 SCT070 TEMPO 0319/0323 SHRA

Frequencies

GND - 120.50 MHz - ORIO GROUND
REC - 114.95 MHz - ATIS
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER
APP - 126.30 MHz - MILANO RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.12		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.13		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.56		135 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.46		779 m

LIRA

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 424 ft / 129 m
Location: 41.799200 12.594900
Magnetic Var: 3.725 E

METAR

LIRA 030650Z 24009KT 210V270 9999 -RA SCT020 BKN050 14/10 Q1013

TAF

TAF LIRA 030500Z 0306/0406 24012KT 9999 SCT025 TEMPO 0306/0315 4000 SHRA BECMG 0311/0313 30010KT BECMG 0316/0318 V

Frequencies

REC - 122.42 MHz - ATIS	GND - 121.75 MHz - CIAMPINO GROUND
TWR - 122.10 MHz - CIAMPINO TOWER	TWR - 120.50 MHz - CIAMPINO TOWER
CLD - 119.40 MHz - CLEARANCE DELIVERY	APP - 125.50 MHz - ROMA APPROACH
APP - 127.95 MHz - ROMA APPROACH	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	7,235 ft	152.77	ASPHALT	0 ft	0 ft
	46 m	2,205 m	149.05		0 m	0 m
33	151 ft	7,235 ft	332.78	ASPHALT	0 ft	0 ft
	46 m	2,205 m	329.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	CIA	109.90 MHz	18 nm	152.78	-	425 ft
				33 km	149.06		425 m
15	GS	CIA	109.90 MHz	10 nm	152.78	3.00	425 ft
				19 km	149.06		425 m