

EGTE

Exeter


VHHH

Hong Kong Intl

2024/05/30 2149Z

EGTE CPT **UB295** BPK **M185** CLN **UL620** REDFA **L620** TULIP **UZ700** CDA **M611** MALIV **P862** LIMAK **G59** GR **R30** SU
B210 MN **G358** AR01 **A300** USTR **A303** UASP **A241** UASS **P128** AGZ **A368** FKG **B215** YBL **B330** XYO GORMO ESNIB
B330 GYA VHHH

5624.51 nm / 10416.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGTE	-	50.73426	0 ft	-	Exeter
APT	-	-3.41400	0 m		
CPT	-	51.49167	33,700 ft	94	COMPTON VOR-DME
VOR	-	-1.21972	10,272 m		
BPK	UB295	51.74972	35,000 ft	44	BROOKMANS PARK VOR-DME
VOR	AWY-HI	-0.10667	10,668 m		
TOTRI	M185	51.77500	35,000 ft	11	-
FIX	AWY-LO	0.19667	10,668 m		
MATCH	M185	51.78193	35,000 ft	2	-
FIX	AWY-LO	0.25381	10,668 m		
BRAIN	M185	51.81111	35,000 ft	14	-
FIX	AWY-LO	0.65167	10,668 m		
DAGGA	M185	51.82194	35,000 ft	5	-
FIX	AWY-LO	0.79417	10,668 m		
CLN	M185	51.84842	35,000 ft	13	CLACTON VOR-DME
VOR	AWY-LO	1.14761	10,668 m		
ARTOV	UL620	51.90528	35,000 ft	10	-
FIX	AWY-HI	1.42583	10,668 m		
REDFA	UL620	52.11459	35,000 ft	41	-
FIX	AWY-HI	2.48795	10,668 m		
TULIP	L620	52.36775	35,000 ft	52	-
FIX	AWY-LO	3.85731	10,668 m		
BEDUM	UZ700	53.34817	35,000 ft	115	-
FIX	AWY-HI	6.58887	10,668 m		
LEKMO	UZ700	53.44167	35,000 ft	12	-
FIX	AWY-HI	6.90889	10,668 m		
NIKIL	UZ700	53.55778	35,000 ft	14	-
FIX	AWY-HI	7.24889	10,668 m		
MOVAX	UZ700	54.08667	35,000 ft	69	-
FIX	AWY-HI	9.00000	10,668 m		
GITER	UZ700	54.64444	35,000 ft	77	-
FIX	AWY-HI	11.00000	10,668 m		
CDA	UZ700	55.00150	35,000 ft	52	CODAN VOR-DME
VOR	AWY-HI	12.37921	10,668 m		
ODARU	M611	55.09583	35,000 ft	14	-
FIX	AWY-LO	12.76139	10,668 m		
MALIV	M611	55.16272	35,000 ft	10	-
FIX	AWY-LO	13.03686	10,668 m		
EVONA	P862	57.16500	35,000 ft	259	-
FIX	AWY-LO	19.92472	10,668 m		
LUSIM	P862	57.68556	35,000 ft	73	-
FIX	AWY-LO	21.98306	10,668 m		
NETNA	P862	57.87556	35,000 ft	28	-
FIX	AWY-LO	22.78944	10,668 m		
PIVUN	P862	58.34083	35,000 ft	72	-
FIX	AWY-LO	24.90444	10,668 m		
EKLON	P862	58.50694	35,000 ft	27	-
FIX	AWY-LO	25.71528	10,668 m		
TOMPA	P862	58.78861	35,000 ft	48	-
FIX	AWY-LO	27.17194	10,668 m		
LIMAK	P862	58.84333	35,000 ft	9	-
FIX	AWY-LO	27.47000	10,668 m		
BEKON	G59	58.93306	35,000 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	28.34778	10,668 m		
OS	G59	59.00000	35,000 ft	24	OSMINO NDB
NDB	AWY-LO	29.11667	10,668 m		
NURMA	G59	59.50139	35,000 ft	66	-
FIX	AWY-LO	31.04417	10,668 m		
MALUK	G59	59.58972	35,000 ft	12	-
FIX	AWY-LO	31.40417	10,668 m		
GR	G59	59.81667	35,000 ft	31	GORKA NDB
NDB	AWY-LO	32.35000	10,668 m		
ABEDO	R30	59.96833	35,000 ft	105	-
FIX	AWY-LO	35.83278	10,668 m		
SU	R30	60.02000	35,000 ft	57	BELOZERSK NDB
NDB	AWY-LO	37.75944	10,668 m		
KUBEN	B210	59.95000	35,000 ft	52	-
FIX	AWY-LO	39.49778	10,668 m		
LAPEK	B210	59.90000	35,000 ft	31	-
FIX	AWY-LO	40.54278	10,668 m		
PUNIT	B210	59.83167	35,000 ft	33	-
FIX	AWY-LO	41.65444	10,668 m		
ALUTI	B210	59.72167	35,000 ft	46	-
FIX	AWY-LO	43.16778	10,668 m		
ANDAT	B210	59.51667	35,000 ft	71	-
FIX	AWY-LO	45.49778	10,668 m		
GOTAL	B210	59.08667	35,000 ft	120	-
FIX	AWY-LO	49.34833	10,668 m		
QT	B210	58.88333	35,000 ft	48	BELOKHOLUNITSKY NDB
NDB	AWY-LO	50.86667	10,668 m		
TADEM	B210	58.68194	35,000 ft	42	-
FIX	AWY-LO	52.16639	10,668 m		
MN	B210	58.16667	35,000 ft	93	MENDELEYEVO NDB
NDB	AWY-LO	54.97833	10,668 m		
BUMUR	G358	57.80361	35,000 ft	112	-
FIX	AWY-LO	58.43500	10,668 m		
AR01	G358	57.33333	35,000 ft	115	-
APT	AWY-LO	61.91667	10,668 m		
TALIK	A300	57.26528	35,000 ft	59	-
FIX	AWY-LO	63.75028	10,668 m		
USTR	A300	57.18042	35,000 ft	51	Roschino
APT	AWY-LO	65.31468	10,668 m		
LITON	A303	56.60528	35,000 ft	48	-
FIX	AWY-LO	66.36861	10,668 m		
OMANA	A303	56.31694	35,000 ft	22	-
FIX	AWY-LO	66.81528	10,668 m		
ABALI	A303	55.54528	35,000 ft	61	-
FIX	AWY-LO	68.02056	10,668 m		
LETIK	A303	55.20000	35,000 ft	27	-
FIX	AWY-LO	68.53333	10,668 m		
UACP	A303	54.77678	35,000 ft	33	Petropavlovsk
APT	AWY-LO	69.18590	10,668 m		
BEDMU	A303	54.20417	35,000 ft	64	-
FIX	AWY-LO	70.75639	10,668 m		
PETOR	A303	53.90556	35,000 ft	32	-
FIX	AWY-LO	71.52667	10,668 m		
POBUR	A303	53.63333	35,000 ft	29	-
FIX	AWY-LO	72.23333	10,668 m		
ADASA	A303	52.77167	35,000 ft	119	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	75.24333	10,668 m		
BEGIK	A303	52.50417	35,000 ft	35	-
FIX	AWY-LO	76.10778	10,668 m		
UASP	A303	52.19486	35,000 ft	40	PAVLODAR
APT	AWY-LO	77.07403	10,668 m		
PIVAL	A241	51.76361	35,000 ft	38	-
FIX	AWY-LO	77.84722	10,668 m		
ABDAM	A241	51.51417	35,000 ft	22	-
FIX	AWY-LO	78.28528	10,668 m		
OBUNA	A241	50.84944	35,000 ft	58	-
FIX	AWY-LO	79.41917	10,668 m		
UASS	A241	50.35038	35,000 ft	43	SEMIPALATINSK
APT	AWY-LO	80.23384	10,668 m		
ROKOD	P128	49.73556	35,000 ft	36	-
FIX	AWY-LO	80.28861	10,668 m		
LUNOV	P128	49.63333	35,000 ft	6	-
FIX	AWY-LO	80.30028	10,668 m		
AGZ	P128	47.93111	35,000 ft	102	AYAGUZ VOR
VOR	AWY-LO	80.44972	10,668 m		
TOLKI	A368	47.57083	35,000 ft	39	-
FIX	AWY-LO	81.27778	10,668 m		
AGUSA	A368	47.23333	35,000 ft	37	-
FIX	AWY-LO	82.06056	10,668 m		
SARIN	A368	46.86500	35,000 ft	40	-
FIX	AWY-LO	82.88833	10,668 m		
O	A368	46.65833	35,000 ft	23	TACHENG NDB
NDB	AWY-LO	83.37167	10,668 m		
FKG	A368	44.16667	35,000 ft	245	FUKANG VOR-DME
VOR	AWY-LO	87.98333	10,668 m		
HMI	B215	42.83333	35,000 ft	259	HAMI VOR-DME
VOR	AWY-LO	93.65000	10,668 m		
NUKTI	B215	41.87667	35,000 ft	90	-
FIX	AWY-LO	95.22833	10,668 m		
CHW	B215	39.85620	35,000 ft	186	JIAYUGUAN VOR-DME
VOR	AWY-LO	98.34772	10,668 m		
YBL	B215	39.42833	35,000 ft	206	YABRAI VOR-DME
VOR	AWY-LO	102.77167	10,668 m		
JTA	B330	37.19500	35,000 ft	147	JINGTAI VOR-DME
VOR	AWY-LO	104.08000	10,668 m		
OMBON	B330	33.35667	35,000 ft	230	-
FIX	AWY-LO	104.27167	10,668 m		
DOREX	B330	31.14667	35,000 ft	132	-
FIX	AWY-LO	104.38000	10,668 m		
JTG	B330	30.87167	35,000 ft	16	JINTANG VOR-DME
VOR	AWY-LO	104.39333	10,668 m		
WFX	B330	30.60333	35,000 ft	16	WUFENGXI VOR-DME
VOR	AWY-LO	104.49167	10,668 m		
ZYG	B330	30.11500	35,000 ft	30	ZIYANG VOR-DME
VOR	AWY-LO	104.67667	10,668 m		
XYO	B330	28.17000	35,000 ft	123	XUYONG VOR-DME
VOR	AWY-LO	105.42333	10,668 m		
GORMO	-	27.19167	35,000 ft	92	-
FIX	-	106.75667	10,668 m		
ESNIB	-	26.23167	35,000 ft	83	-
FIX	-	107.88167	10,668 m		
ELKAL	B330	26.09500	35,000 ft	28	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	108.39500	10,668 m		
RO	B330	25.76833	35,000 ft	68	SANJIANG NDB
NDB	AWY-LO	109.60667	10,668 m		
MAMSI	B330	25.19500	35,000 ft	47	-
FIX	AWY-LO	110.22000	10,668 m		
QP	B330	24.65667	35,000 ft	44	ERTANG NDB
NDB	AWY-LO	110.79333	10,668 m		
MUBEL	B330	24.20500	35,000 ft	37	-
FIX	AWY-LO	111.27667	10,668 m		
GYA	B330	23.07000	19,500 ft	95	GAOYAO VOR-DME
VOR	AWY-LO	112.48667	5,944 m		
VHHH	-	22.30899	0 ft	91	Hong Kong Intl
APT	-	113.91461	0 m		

EGTE

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 102 ft / 31 m
Location: 50.734300 -3.413770
Magnetic Var: 0.555 W

METAR

EGTE 302120Z 32007KT 290V350 9999 FEW030 12/10 Q1018

TAF

UNKNOWN

Frequencies

REC - 119.32 MHz - EXETER INFORMATION
TWR - 119.80 MHz - EXETER TOWER

APP - 128.97 MHz - EXETER APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,839 ft	76.13	ASPHALT	0 ft	0 ft
	45 m	2,085 m	76.68		0 m	0 m
26	148 ft	6,839 ft	256.15	ASPHALT	0 ft	0 ft
	45 m	2,085 m	256.71		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IET	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
26	DME	IXR	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
08	LOC-ILS	IET	109.90 MHz	18 nm	76.14	-	102 ft
				33 km	76.70		102 m
26	LOC-ILS	IXR	109.90 MHz	18 nm	256.14	-	102 ft
				33 km	256.70		102 m
08	GS	IET	109.90 MHz	10 nm	76.14	3.00	102 ft
				19 km	76.70		102 m
26	GS	IXR	109.90 MHz	10 nm	256.14	3.50	102 ft
				19 km	256.70		102 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.241 W

METAR

VHHH 302130Z 10007KT 9999 -SHRA FEW008 SCT018 27/25 Q1005 TEMPO 3500 SHRA FEW010CB SCT020

TAF

TAF VHHH 302000Z 3021/0103 09015KT 9999 FEW010 SCT025 TX28/3106Z TN25/3022Z TN25/3122Z TEMPO 3021/3106 12015G25K

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.02		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m