

CYUL

Montreal-Pierre Elliot Trudeau Intl


LFPG

Paris Charles De Gaulle

2024/06/07 0715Z

CYUL VIKBU **V352** VLV VLV **V400** PQI IMAMA **Q907** MILLS **N123A** RELIC V LEKVA 5100N01300W 5100N01200W
5100N01100W 5100N01000W 5100N0900W ARKIL **UN80** NAKID **UM25** LUKIP LFPG

3112.10 nm / 5763.61 km



Notes

Using NAT tracks from 26/11/2022

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 41000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYUL APT	-	45.46750 -73.74380	0 ft 0 m	-	Montreal-Pierre Elliot Trudeau Intl
VIKBU FIX	-	45.81720 -72.04170	26,600 ft 8,108 m	74	-
VLV VOR	V352 AWY-LO	45.92510 -70.84600	41,000 ft 12,497 m	50	BEAUCE
VLV DME	-	45.92500 -70.84590	41,000 ft 12,497 m	0	BEAUCE VOR-DME
DCLNK FIX	V400 AWY-LO	46.11660 -70.25100	41,000 ft 12,497 m	27	-
EIKMN FIX	V400 AWY-LO	46.11900 -70.24310	41,000 ft 12,497 m	0	-
PQI VOR	V400 AWY-LO	46.77420 -68.09450	41,000 ft 12,497 m	97	PRESQUE ISLE
IMAMA FIX	-	46.73830 -67.77750	41,000 ft 12,497 m	13	-
MIILS FIX	Q907 AWY-HI	46.87360 -67.04830	41,000 ft 12,497 m	31	-
RELIC FIX	N123A AWY-HI	46.00000 -52.00000	41,000 ft 12,497 m	624	-
4630/50 LATLON	V NAT	46.50000 -50.00000	41,000 ft 12,497 m	88	-
4830/40 LATLON	V NAT	48.50000 -40.00000	41,000 ft 12,497 m	422	-
5030/30 LATLON	V NAT	50.50000 -30.00000	41,000 ft 12,497 m	407	-
5130/20 LATLON	V NAT	51.50000 -20.00000	41,000 ft 12,497 m	382	-
ADARA FIX	V NAT	51.50000 -15.00000	41,000 ft 12,497 m	186	-
LEKVA FIX	V NAT	51.50000 -14.00000	41,000 ft 12,497 m	37	-
5100N01300W LATLON	- -	51.00000 -13.00000	41,000 ft 12,497 m	48	-
5100N01200W LATLON	- -	51.00000 -12.00000	41,000 ft 12,497 m	37	-
5100N01100W LATLON	- -	51.00000 -11.00000	41,000 ft 12,497 m	37	-
5100N01000W LATLON	- -	51.00000 -10.00000	41,000 ft 12,497 m	37	-
5100N0900W LATLON	- -	51.00000 -9.00000	41,000 ft 12,497 m	37	-
ARKIL FIX	- -	50.65780 -8.00000	41,000 ft 12,497 m	43	-
NAKID FIX	UN80 AWY-HI	49.71500 -4.62306	41,000 ft 12,497 m	141	-
ANNET FIX	UM25 AWY-HI	49.65140 -4.00139	41,000 ft 12,497 m	24	-
UVSUV FIX	UM25 AWY-HI	49.48810 -1.67456	36,100 ft 11,003 m	91	-
INGOR FIX	UM25 AWY-HI	49.36440 -0.25000	24,100 ft 7,346 m	56	-
LUKIP	UM25	49.31580	17,800 ft	29	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	0.49639	5,425 m		
LFPG	-	49.00970	0 ft	83	Paris Charles De Gaulle
APT	-	2.56257	0 m		

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.892 W

METAR

CYUL 070700Z 16007KT 15SM BKN005 BKN012 OVC090 17/17 A2948 RMK SC5SC2AC1 SLP986 DENSITY ALT 1000FT

TAF

TAF AMD CYUL 070652Z 0706/0806 16008KT P6SM SCT005 BKN100 TEMPO 0706/0708 P6SM VCTS BKN012 OVC050CB PROB30 0706/0708

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.44		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.46		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.49		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.505 E

METAR

LFPG 070700Z 32006KT 280V360 CAVOK 14/07 Q1021 NOSIG

TAF

TAF LFPG 070500Z 0706/0812 34005KT CAVOK TX21/0715Z TN12/0804Z BECMG 0722/0724 05005KT BECMG 0808/0810 30010KT

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.80		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.81		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.79		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.83		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.81		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.83		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.81		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.83		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.81		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.83		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.81		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m