
GVAC - DIAP

Sal Amilcar Cabral Intl — Abidjan Felix Houphouet Boigny Intl

2024/03/29 0548Z

GVAC UGAMA **UR976** YF **UR979** KOLIP **J579** BUNAP **UR979** AD DIAP

1321.79 nm / 2447.96 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GVAC APT	– –	16.73821 -22.95050	0 ft 0 m	–	Sal Amilcar Cabral Intl
UGAMA FIX	– –	16.28667 -21.67000	28,000 ft 8,534 m	78	–
LUMPO FIX	UR976 AWY-HI	15.68000 -20.00139	35,000 ft 10,668 m	102	–
NARAT FIX	UR976 AWY-HI	14.94333 -18.00000	35,000 ft 10,668 m	124	–
YF VOR	UR976 AWY-HI	14.74483 -17.47478	35,000 ft 10,668 m	32	DAKAR VOR-DME
ERIDI FIX	UR979 AWY-HI	13.19333 -15.13028	35,000 ft 10,668 m	165	–
KOMAB FIX	UR979 AWY-HI	12.74667 -14.46722	35,000 ft 10,668 m	47	–
BADIA FIX	UR979 AWY-HI	12.26667 -13.76667	35,000 ft 10,668 m	50	–
NASLO FIX	UR979 AWY-HI	11.78333 -13.15000	35,000 ft 10,668 m	46	–
LUGMI FIX	UR979 AWY-HI	11.25000 -12.36667	35,000 ft 10,668 m	56	–
KOLIP FIX	UR979 AWY-HI	10.66667 -11.55000	35,000 ft 10,668 m	59	–
BUNAP FIX	J579 AWY-LO	10.25000 -11.00000	35,000 ft 10,668 m	41	–
ARBAL FIX	UR979 AWY-HI	10.10000 -10.71667	35,000 ft 10,668 m	19	–
NANAN FIX	UR979 AWY-HI	9.05000 -9.28333	35,000 ft 10,668 m	105	–
ERMIT FIX	UR979 AWY-HI	8.36667 -8.28333	35,000 ft 10,668 m	72	–
POKSO FIX	UR979 AWY-HI	6.75639 -5.94750	32,400 ft 9,876 m	169	–
AD VOR	UR979 AWY-HI	5.27719 -3.91931	200 ft 61 m	150	ABIDJAN VOR-DME
DIAP APT	– –	5.26139 -3.92630	0 ft 0 m	1	Abidjan Felix Houphouet Boigny Intl

GVAC

Region: CAPE VERDE
Timezone: ATLANTIC/CAPE_VERDE
Runways: 1

Elevation: 184 ft / 56 m
Location: 16.737600 -22.950000
Magnetic Var: 8.506 W

METAR

GVAC 290500Z 03013KT 9999 SCT014 SCT100 BKN200 20/15 Q1015 NOSIG

TAF

TAF GVAC 282300Z 2900/3006 04015KT 9999 SCT014

Frequencies

REC - 127.60 MHz - AMILCABRAL ATIS
APP - 126.40 MHz - SAL APPROACH
TWR - 119.70 MHz - AMILCABRAL TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft 45 m	10,781 ft 3,286 m	359.61 8.12	ASPHALT	879 ft 268 m	0 ft 0 m
19	148 ft 45 m	10,781 ft 3,286 m	179.61 188.12	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	SL	109.90 MHz	18 nm 33 km	359.58 8.09	-	177 ft 177 m
01	GS	SL	109.90 MHz	10 nm 19 km	359.64 8.15	3.00	184 ft 184 m

DIAP

Region: CÔTE D'IVOIRE
Timezone: AFRICA/ABIDJAN
Runways: 1

Elevation: 20 ft / 6 m
Location: 5.261240 -3.925880
Magnetic Var: 4.010 W

METAR

DIAP 290530Z 01003KT 8000 FEW012 25/24 Q1009 NOSIG

TAF

TAF DIAP 282305Z 2900/3006 23005KT 9999 SCT012 TEMPO 2900/2902 TS BKN012 FEW020CB PROB30 TEMPO 2915/2921 TS BKN01

Frequencies

REC - 129.10 MHz - ABIDJAN ATIS INFORMATION
TWR - 118.10 MHz - ABIDJAN TOWER
APP - 121.10 MHz - ABIDJAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft 45 m	9,891 ft 3,015 m	22.34 26.35	ASPHALT	0 ft 0 m	187 ft 57 m
21	148 ft 45 m	9,891 ft 3,015 m	202.34 206.35	ASPHALT	0 ft 0 m	328 ft 100 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	AN	110.30 MHz	18 nm 33 km	- -	-	24 ft 24 m
21	LOC-ILS	AN	110.30 MHz	18 nm 33 km	202.34 206.35	-	20 ft 20 m
21	GS	AN	110.30 MHz	10 nm 19 km	202.34 206.35	3.00	20 ft 20 m