

LEIB

Ibiza


LFPG

Paris Charles De Gaulle

2024/05/01 2012Z

LEIB MARTA UN856 RES A29 KARES UN863 AGN UT185 PERIG A34 AMB UT158 DIBES LFPG

627.35 nm / 1161.86 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEIB	-	38.87280	0 ft	-	Ibiza
APT	-	1.37313	0 m		
MARTA	-	40.35460	31,800 ft	89	-
FIX	-	1.27992	9,693 m		
EBROX	UN856	40.70870	35,000 ft	21	-
FIX	AWY-HI	1.23178	10,668 m		
RES	UN856	41.14970	35,000 ft	26	REUS
VOR	AWY-HI	1.17111	10,668 m		
KARES	A29	41.33100	35,000 ft	10	-
FIX	AWY-LO	1.15217	10,668 m		
ARBK	UN863	41.54390	35,000 ft	12	-
FIX	AWY-HI	1.12978	10,668 m		
REBUL	UN863	41.69790	35,000 ft	9	-
FIX	AWY-HI	1.11347	10,668 m		
USKAR	UN863	42.14370	35,000 ft	26	-
FIX	AWY-HI	1.06586	10,668 m		
MOPAS	UN863	42.43540	35,000 ft	17	-
FIX	AWY-HI	1.03436	10,668 m		
GIROM	UN863	42.77490	35,000 ft	20	-
FIX	AWY-HI	0.99731	10,668 m		
ASPET	UN863	43.00000	35,000 ft	13	-
FIX	AWY-HI	0.97972	10,668 m		
AGN	UN863	43.88800	35,000 ft	53	AGEN
VOR	AWY-HI	0.87286	10,668 m		
PERIG	UT185	45.11720	35,000 ft	73	-
FIX	AWY-HI	0.96944	10,668 m		
MAVAC	A34	45.51640	35,000 ft	24	-
FIX	AWY-LO	1.00194	10,668 m		
LMG	A34	45.81590	35,000 ft	18	LIMOGES
VOR	AWY-LO	1.02558	10,668 m		
BALAN	A34	46.51610	35,000 ft	42	-
FIX	AWY-LO	1.03333	10,668 m		
SOPIL	A34	47.02580	29,200 ft	30	-
FIX	AWY-LO	1.05500	8,900 m		
FIR12	A34	47.16670	27,400 ft	8	-
FIX	AWY-LO	1.05833	8,352 m		
AMB	A34	47.42890	24,000 ft	15	AMBOISE
VOR	AWY-LO	1.06444	7,315 m		
DIBES	UT158	47.50750	23,000 ft	4	-
FIX	AWY-HI	1.10472	7,010 m		
LFPG	-	49.00970	0 ft	107	Paris Charles De Gaulle
APT	-	2.56257	0 m		

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.353 E

METAR

LEIB 012000Z 30005KT 270V330 CAVOK 16/10 Q1010 NOSIG

TAF

TAF LEIB 011400Z 0115/0215 24015KT 9999 FEW040 TX19/0212Z TN13/0205Z TEMPO 0115/0120 24022G35KT PROB30 TEMPO 0115

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH
GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.65		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.65		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.65		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.65		24 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.492 E

METAR

LFPG 012000Z 25018KT 1200 0600S R27L/0325D R09R/1200U R26R/1500U R08L/0650D R26L/0900U R08R/0900U R27R/0650U R09

TAF

TAF LFPG 011700Z 0118/0224 32010KT 9999 SCT045 BKN060 TX20/0118Z TN10/0203Z PROB40 TEMPO 0118/0119 4000 TSRA SCT0

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.82		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.83		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.81		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m