


2024/05/29 0758Z

CYPR DOOZI **J502** LVD **V317** TURKS PAJN

282.76 nm / 523.68 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYPR	-	54.28590	0 ft	-	Prince Rupert
APT	-	-130.44500	0 m		
DOOZI	-	55.63250	30,000 ft	100	-
FIX	-	-132.17500	9,144 m		
LVD	J502	56.46770	26,400 ft	58	LEVEL ISLAND
VOR	AWY-HI	-133.08300	8,047 m		
TURKS	V317	56.71660	22,600 ft	17	-
FIX	AWY-LO	-133.38500	6,888 m		
PAJN	-	58.35500	0 ft	105	Juneau Intl
APT	-	-134.57600	0 m		

## CYPR

Region: CANADA  
Timezone: AMERICA/VANCOUVER  
Runways: 1

Elevation: 116 ft / 35 m  
Location: 54.285900 -130.445000  
Magnetic Var: 16.823 E

## METAR

CYPR 290734Z AUTO 15006KT 9SM -RA SCT035 BKN047 OVC086 08/08 A3004 RMK PCPN 0.5MM PAST HR SLP177

## TAF

TAF CYPR 290640Z 2907/2919 14006KT P6SM SCT020 BKN030 OVC060 TEMPO 2907/2918 5SM -SHRA BR SCT008 OVC020 FM291800 Z

## Frequencies

REC - 122.50 MHz - PRINCE RUPERT FSS  
COM - 124.50 MHz - CYPR CTAF

REC - 126.70 MHz - PRINCE RUPERT FSS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	200 ft	5,984 ft	151.66	ASPHALT	0 ft	0 ft
	61 m	1,824 m	134.84		0 m	0 m
31	200 ft	5,984 ft	331.67	ASPHALT	0 ft	0 ft
	61 m	1,824 m	314.85		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	IPR	109.70 MHz	18 nm	151.67	-	116 ft
				33 km	134.85		116 m
13	GS	IPR	109.70 MHz	10 nm	151.67	3.00	116 ft
				19 km	134.85		116 m

## PAJN

Region: USA (ALASKA)  
Timezone: AMERICA/JUNEAU  
Runways: 1

Elevation: 20 ft / 6 m  
Location: 58.355000 -134.576000  
Magnetic Var: 17.263 E

## METAR

PAJN 290653Z 13009KT 10SM SCT048 BKN070 BKN250 11/04 A2997

## TAF

PAJN 290523Z 2906/3006 11005KT P6SM FEW050 SCT070 BKN080 FM291600 12010KT P6SM OVC050

## Frequencies

TWR - 118.70 MHz - JUNEAU TOWER  
COM - 122.95 MHz - JUNEAU UNICOM

GND - 121.90 MHz - JUNEAU GROUND  
REC - 135.20 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	151 ft	8,867 ft	104.87	ASPHALT	220 ft	0 ft
	46 m	2,703 m	87.60		67 m	0 m
26	151 ft	8,867 ft	284.90	ASPHALT	217 ft	0 ft
	46 m	2,703 m	267.64		66 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IJDL	109.90 MHz	18 nm	-	-	175 ft
				33 km	-		175 m
08	LOC-LOC	IJDL	109.90 MHz	18 nm	84.92	-	21 ft
				33 km	67.66		21 m