


2024/05/23 0751Z

LOWS LNZ LOWW

150.40 nm / 278.54 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWS	-	47.79340	0 ft	-	Salzburg
APT	-	13.00390	0 m		
LNZ	-	48.22970	18,300 ft	51	LINZ
VOR	-	14.10320	5,578 m		
LOWW	-	48.11010	0 ft	99	Vienna
APT	-	16.56960	0 m		

## LOWS

Region: AUSTRIA  
Timezone: EUROPE/VIENNA  
Runways: 1

Elevation: 1,411 ft / 430 m  
Location: 47.793400 13.003900  
Magnetic Var: 4.195 E

## METAR

LOWS 230720Z AUTO 16004KT 120V200 9999 FEW090 BKN100 15/11 Q1017 NOSIG

## TAF

TAF LOWS 230515Z 2306/2406 15005KT 9999 FEW030 BKN050 TX20/2312Z TN11/2404Z BECMG 2307/2309 01006KT TEMPO 2312/2315 02008KT

## Frequencies

REC - 133.32 MHz - ATIS  
CLD - 121.75 MHz - CLEARANCE DELIVERY  
APP - 134.97 MHz - SALZBURG DIRECTOR  
TWR - 118.10 MHz - SALZBURG TOWER  
APP - 123.72 MHz - SALZBURG RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	9,031 ft	156.92	ASPHALT	653 ft	423 ft
	45 m	2,753 m	152.72		199 m	129 m
33	148 ft	9,031 ft	336.93	ASPHALT	791 ft	95 ft
	45 m	2,753 m	332.73		241 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	OES	109.90 MHz	18 nm	-	-	1,446 ft
				33 km	-		1,446 m
15	LOC-ILS	OES	109.90 MHz	18 nm	156.98	-	1,411 ft
				33 km	152.78		1,411 m
15	GS	OES	109.90 MHz	10 nm	156.98	3.00	1,411 ft
				19 km	152.78		1,411 m

## LOWW

Region: AUSTRIA  
Timezone: EUROPE/VIENNA  
Runways: 2

Elevation: 600 ft / 183 m  
Location: 48.110100 16.569600  
Magnetic Var: 5.018 E

## METAR

LOWW 230720Z 33009KT CAVOK 18/12 Q1016 NOSIG

## TAF

TAF LOWW 230515Z 2306/2412 32008KT 9999 FEW050 TX23/2314Z TN13/2403Z TEMPO 2311/2319 FEW040CB SCT050 BECMG 2312/2

## Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.23		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.45		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.45		604 m