


2024/05/08 0226Z

EGTE GOGSI EGLC

138.71 nm / 256.89 km



Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 80kts
- Cruise Altitude: 5000ft
- Cruise Speed: 110kts
- Descent Rate: 500ft/min
- Descent Speed: 80kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGTE	-	50.73430	0 ft	-	Exeter
APT	-	-3.41377	0 m		
GOGSI	-	51.29080	5,000 ft	97	-
FIX	-	-1.00056	1,524 m		
EGLC	-	51.50520	0 ft	41	London City
APT	-	0.05518	0 m		

EGTE

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 102 ft / 31 m
Location: 50.734300 -3.413770
Magnetic Var: 0.565 W

METAR

EGTE 080120Z 34004KT 280V010 8000 BKN003 10/10 Q1028

TAF

UNKNOWN

Frequencies

REC - 119.32 MHz - EXETER INFORMATION
TWR - 119.80 MHz - EXETER TOWER

APP - 128.97 MHz - EXETER APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,839 ft	76.13	ASPHALT	0 ft	0 ft
	45 m	2,085 m	76.69		0 m	0 m
26	148 ft	6,839 ft	256.15	ASPHALT	0 ft	0 ft
	45 m	2,085 m	256.71		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IET	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
26	DME	IXR	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
08	LOC-ILS	IET	109.90 MHz	18 nm	76.14	-	102 ft
				33 km	76.70		102 m
26	LOC-ILS	IXR	109.90 MHz	18 nm	256.14	-	102 ft
				33 km	256.70		102 m
08	GS	IET	109.90 MHz	10 nm	76.14	3.00	102 ft
				19 km	76.70		102 m
26	GS	IXR	109.90 MHz	10 nm	256.14	3.50	102 ft
				19 km	256.70		102 m

EGLC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 19 ft / 6 m
Location: 51.505200 0.055176
Magnetic Var: 0.548 E

METAR

EGLC 080220Z AUTO VRB01KT 9000 NCD 11/10 Q1028

TAF

UNKNOWN

Frequencies

APP - 132.70 MHz - THAMES RADAR
GND - 121.82 MHz - CITY GROUND
TWR - 129.45 MHz - CITY TOWER

REC - 136.35 MHz - CITY ATIS
TWR - 118.07 MHz - CITY TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	4,916 ft	92.88	ASPHALT	315 ft	190 ft
	30 m	1,498 m	92.34		96 m	58 m
27	98 ft	4,916 ft	272.90	ASPHALT	230 ft	302 ft
	30 m	1,498 m	272.35		70 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILST	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
27	DME	ILSR	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
09	LOC-ILS	ILST	111.15 MHz	18 nm	92.89	-	19 ft
				33 km	92.34		19 m
27	LOC-ILS	ILSR	111.15 MHz	18 nm	272.89	-	19 ft
				33 km	272.34		19 m
09	GS	ILST	111.15 MHz	10 nm	92.89	5.50	19 ft
				19 km	92.34		19 m
27	GS	ILSR	111.15 MHz	10 nm	272.89	5.50	19 ft
				19 km	272.34		19 m