


2024/05/12 0953Z

EGLL WELIN **T420** ELVOS EGCC

133.19 nm / 246.67 km



## Notes

Requested: EGLL UMLA1F UMLAT T418 WELIN T420 ELVOS ELV01M EGCC

Unmatched points: UMLA1F UMLAT T418 ELV01M

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
WELIN FIX	-	52.24720 -0.85222	0 ft 0 m	48	-
AKUPA FIX	T420 AWY-LO	52.48670 -1.09111	0 ft 0 m	16	-
TIMPO FIX	T420 AWY-LO	52.55890 -1.16389	0 ft 0 m	5	-
ELVOS FIX	T420 AWY-LO	52.70030 -1.30694	0 ft 0 m	9	-
EGCC APT	-	53.34740 -2.28348	0 ft 0 m	52	Manchester

## EGLL

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 51.471200 -0.460881  
Magnetic Var: 0.378 E

## METAR

EGLL 120920Z AUTO 11004KT 050V160 9999 NCD 21/13 Q1013 NOSIG

## TAF

TAF EGLL 120455Z 1206/1312 08007KT 9999 FEW045 PROB30 TEMPO 1212/1218 3000 +SHRA BECMG 1214/1217 19010KT PROB40 1.

## Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

## EGCC

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 257 ft / 78 m  
Location: 53.347400 -2.283480  
Magnetic Var: 0.458 W

## METAR

EGCC 120920Z AUTO 19004KT 150V230 9999 NCD 20/12 Q1014 NOSIG

## TAF

TAF EGCC 120505Z 1206/1312 10009KT 9999 FEW045 TEMPO 1214/1222 6000 +SHRA PROB40 TEMPO 1214/1220 2000 +TSRAGR BKN

## Frequencies

REC - 113.55 MHz - ATIS ARRIVAL	REC - 121.90 MHz - ATIS DEPARTURE
TWR - 119.40 MHz - MANCHESTER TOWER	TWR - 118.60 MHz - MANCHESTER TOWER
GND - 121.85 MHz - MANCHESTER GROUND	GND - 121.75 MHz - MANCHESTER GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 135.00 MHz - MANCHESTER APPROACH
APP - 118.50 MHz - MANCHESTER APPROACH	APP - 121.35 MHz - MANCHESTER DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	151 ft	9,980 ft	51.00	ASPHALT	1,401 ft	0 ft
	46 m	3,042 m	51.45		427 m	0 m
23R	151 ft	9,980 ft	231.03	ASPHALT	597 ft	200 ft
	46 m	3,042 m	231.48		182 m	61 m
05R	144 ft	10,519 ft	50.98	ASPHALT	0 ft	0 ft
	44 m	3,206 m	51.43		0 m	0 m
23L	144 ft	10,519 ft	231.00	ASPHALT	1,093 ft	0 ft
	44 m	3,206 m	231.46		333 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	IMM	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05R	DME	IMC	111.55 MHz	18 nm	-	-	212 ft
				33 km	-		212 m
23R	DME	INN	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05L	LOC-ILS	IMM	109.50 MHz	18 nm	51.03	-	257 ft
				33 km	51.49		257 m
05R	LOC-ILS	IMC	111.55 MHz	18 nm	51.01	-	257 ft
				33 km	51.47		257 m
23R	LOC-ILS	INN	109.50 MHz	18 nm	230.98	-	257 ft
				33 km	231.44		257 m
05L	GS	IMM	109.50 MHz	10 nm	51.01	3.00	257 ft
				19 km	51.47		257 m
05R	GS	IMC	111.55 MHz	10 nm	51.97	3.00	257 ft
				19 km	52.43		257 m
23R	GS	INN	109.50 MHz	10 nm	231.01	3.00	257 ft
				19 km	231.47		257 m