

LFPO

Paris Orly


FMEE

Roland Garros

2024/05/06 0922Z

LFPO LUREN A1 DJL B37 PAS G32 ROCCA M135 ABULO T345 LURAG M135 TOP L50 ELB L12 VELAD M728 NERAR
P3 VENIM UP3 BINKO UM620 BONAR M620 BNA BNA R2 ATMUL UR611 MRW MRW UA727 KTM UR611 TIKAT UG300
MAV UM665 ANKOR DENLI UN304 UVENA UR780 PONIR FMEE

5104.99 nm / 9454.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36698	0 m	-	
LUREN	-	48.02580	35,000 ft	74	-
FIX	-	3.91389	10,668 m	-	-
DJL	A1	47.27080	35,000 ft	65	DIJON LONGVIC
VOR	AWY-LO	5.09733	10,668 m	-	
IBABA	B37	46.87720	35,000 ft	27	-
FIX	AWY-LO	5.42083	10,668 m	-	-
LUKID	B37	46.74190	35,000 ft	9	-
FIX	AWY-LO	5.53444	10,668 m	-	-
DIPIR	B37	46.66920	35,000 ft	4	-
FIX	AWY-LO	5.59306	10,668 m	-	-
KELUK	B37	46.55560	35,000 ft	7	-
FIX	AWY-LO	5.68556	10,668 m	-	-
KOVAR	B37	46.39190	35,000 ft	11	-
FIX	AWY-LO	5.81694	10,668 m	-	-
PAS	B37	46.16370	35,000 ft	15	PASSEIRY
VOR	AWY-LO	5.99992	10,668 m	-	
PAS14	G32	46.00500	35,000 ft	14	-
FIX	AWY-LO	6.24694	10,668 m	-	-
ODIKI	G32	45.94220	35,000 ft	5	-
FIX	AWY-LO	6.34361	10,668 m	-	-
30PAS	G32	45.82330	35,000 ft	10	-
FIX	AWY-LO	6.52639	10,668 m	-	-
ROCCA	G32	45.74530	35,000 ft	6	-
FIX	AWY-LO	6.64556	10,668 m	-	-
ABULO	M135	45.57420	35,000 ft	17	-
FIX	AWY-LO	6.99500	10,668 m	-	-
LURAG	T345	45.52780	35,000 ft	4	-
FIX	AWY-HI	7.08889	10,668 m	-	-
VEROB	M135	45.29560	35,000 ft	18	-
FIX	AWY-HI	7.38944	10,668 m	-	-
TOP	M135	44.92540	35,000 ft	29	TORINO
VOR	AWY-HI	7.86167	10,668 m	-	
NEDED	L50	44.69390	35,000 ft	18	-
FIX	AWY-HI	8.14056	10,668 m	-	-
LAGEN	L50	44.39420	35,000 ft	23	-
FIX	AWY-HI	8.49806	10,668 m	-	-
ANAKI	L50	44.20110	35,000 ft	15	-
FIX	AWY-HI	8.72556	10,668 m	-	-
IXITO	L50	44.13470	35,000 ft	5	-
FIX	AWY-HI	8.80361	10,668 m	-	-
UNITA	L50	43.94440	35,000 ft	14	-
FIX	AWY-HI	9.02500	10,668 m	-	-
TIDKA	L50	43.80000	35,000 ft	11	-
FIX	AWY-HI	9.19194	10,668 m	-	-
KONER	L50	43.50470	35,000 ft	23	-
FIX	AWY-HI	9.53000	10,668 m	-	-
BAKRO	L50	43.18810	35,000 ft	24	-
FIX	AWY-HI	9.88750	10,668 m	-	-
ELB	L50	42.73070	35,000 ft	35	ELBA
VOR	AWY-HI	10.39570	10,668 m	-	
VELAD	L12	42.05170	35,000 ft	43	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	10.76360	10,668 m		
MAMAR	M728	41.80390	35,000 ft	21	-
FIX	AWY-HI	11.09750	10,668 m		
ROTUN	M728	40.88330	35,000 ft	77	-
FIX	AWY-HI	12.30560	10,668 m		
NERAR	M728	39.30420	35,000 ft	130	-
FIX	AWY-HI	14.26690	10,668 m		
RCA	P3	38.07660	35,000 ft	98	REGGIO CALABRIA
VOR	AWY-HI	15.64530	10,668 m		
DODEL	P3	37.60170	35,000 ft	38	-
FIX	AWY-HI	16.19220	10,668 m		
ABAKO	P3	37.18390	35,000 ft	33	-
FIX	AWY-HI	16.66610	10,668 m		
VENIM	P3	36.50000	35,000 ft	54	-
FIX	AWY-HI	17.42580	10,668 m		
BINKO	UP3	35.78920	35,000 ft	56	-
FIX	AWY-HI	18.19640	10,668 m		
EMLAR	UM620	35.63170	35,000 ft	10	-
FIX	AWY-HI	18.28830	10,668 m		
INBIN	UM620	35.26860	35,000 ft	24	-
FIX	AWY-HI	18.50000	10,668 m		
KUTOS	UM620	35.10720	35,000 ft	10	-
FIX	AWY-HI	18.59390	10,668 m		
BONAR	UM620	34.33330	35,000 ft	51	-
FIX	AWY-HI	19.03690	10,668 m		
RAMLI	M620	33.71670	35,000 ft	40	-
FIX	AWY-HI	19.38330	10,668 m		
PUFER	M620	32.98360	35,000 ft	48	-
FIX	AWY-HI	19.79670	10,668 m		
ATOLL	M620	32.75000	35,000 ft	15	-
FIX	AWY-HI	19.91500	10,668 m		
BNA	M620	32.12500	35,000 ft	41	BENINA VOR-DME
DME	AWY-HI	20.25330	10,668 m		
BNA	-	32.12440	35,000 ft	0	BENINA (BENGHAZI)
VOR	-	20.25360	10,668 m		
ARADA	R2	30.77670	35,000 ft	105	-
FIX	AWY-HI	21.56330	10,668 m		
DITAR	R2	26.98420	35,000 ft	290	-
FIX	AWY-HI	25.00000	10,668 m		
TULOP	R2	25.36920	35,000 ft	122	-
FIX	AWY-HI	26.37390	10,668 m		
ATMUL	R2	22.00000	35,000 ft	251	-
FIX	AWY-HI	29.09080	10,668 m		
MRW	UR611	18.44980	35,000 ft	262	MEROWE VOR-DME
DME	AWY-HI	31.81870	10,668 m		
MRW	-	18.41360	35,000 ft	2	MEROWE
VOR	-	31.83030	10,668 m		
ALPOX	UA727	17.19190	35,000 ft	75	-
FIX	AWY-HI	32.14190	10,668 m		
KTM	UA727	15.56610	35,000 ft	100	KHARTOUM
VOR	AWY-HI	32.55340	10,668 m		
EMITA	UR611	14.35860	35,000 ft	100	-
FIX	AWY-HI	33.74580	10,668 m		
TIKAT	UR611	12.40670	35,000 ft	161	-
FIX	AWY-HI	35.63670	10,668 m		
ETONI	UG300	10.01050	35,000 ft	173	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	37.29070	10,668 m		
ETOKO	UG300	9.13775	35,000 ft	63	-
FIX	AWY-HI	37.88840	10,668 m		
GETIN	UG300	8.93667	35,000 ft	14	-
FIX	AWY-HI	38.03170	10,668 m		
ITPOG	UG300	8.73508	35,000 ft	14	-
FIX	AWY-HI	38.16380	10,668 m		
ETIVA	UG300	8.38817	35,000 ft	25	-
FIX	AWY-HI	38.39710	10,668 m		
GETOL	UG300	8.18000	35,000 ft	15	-
FIX	AWY-HI	38.53830	10,668 m		
MASLO	UG300	7.41597	35,000 ft	55	-
FIX	AWY-HI	39.05410	10,668 m		
UTSOR	UG300	6.22673	35,000 ft	92	-
FIX	AWY-HI	40.03920	10,668 m		
IBTAN	UG300	5.23872	35,000 ft	76	-
FIX	AWY-HI	40.85430	10,668 m		
MAV	UG300	3.94033	35,000 ft	98	MANDERA
VOR	AWY-HI	41.86420	10,668 m		
TULAP	UM665	1.30944	35,000 ft	188	-
FIX	AWY-HI	43.58080	10,668 m		
RAGGS	UM665	0.32500	35,000 ft	68	-
FIX	AWY-HI	44.16000	10,668 m		
ITLOX	UM665	-1.17196	35,000 ft	103	-
FIX	AWY-HI	45.02610	10,668 m		
MITCH	UM665	-2.00000	35,000 ft	58	-
FIX	AWY-HI	45.52690	10,668 m		
ANTIS	UM665	-4.19858	35,000 ft	155	-
FIX	AWY-HI	46.89800	10,668 m		
UVESO	UM665	-7.00000	35,000 ft	198	-
FIX	AWY-HI	48.65990	10,668 m		
ANKOR	UM665	-10.00000	35,000 ft	213	-
FIX	AWY-HI	50.57830	10,668 m		
DENLI	-	-10.00000	35,000 ft	6	-
FIX	-	50.47000	10,668 m		
IXEBU	UN304	-12.12110	35,000 ft	138	-
FIX	AWY-HI	51.41000	10,668 m		
MIDRI	UN304	-13.43390	35,000 ft	86	-
FIX	AWY-HI	52.00000	10,668 m		
MAEVA	UN304	-16.39580	35,000 ft	194	-
FIX	AWY-HI	53.35860	10,668 m		
ANVOR	UN304	-18.09750	35,000 ft	112	-
FIX	AWY-HI	54.15940	10,668 m		
UVENA	UN304	-18.60530	35,000 ft	33	-
FIX	AWY-HI	54.40170	10,668 m		
PONIR	UR780	-20.07500	15,100 ft	96	-
FIX	AWY-HI	55.11120	4,602 m		
FMEE	-	-20.88930	0 ft	53	Roland Garros
APT	-	55.51770	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.449 E

METAR

LFPO 060900Z 24010KT 9999 BKN017 13/09 Q1008 NOSIG

TAF

TAF AMD LFPO 060755Z 0607/0712 24010KT 9999 BKN013 BECMG 0607/0609 SCT016 PROB40 TEMPO 0611/0616 24015G25KT SHRA B

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

FMEE

Region: COMOROS, MAYOTTE, RÉUNION AND MADAGASCAR Elevation: 66 ft / 20 m
Timezone: INDIAN/REUNION Location: -20.889300 55.517700
Runways: 2 Magnetic Var: 18.759 W

METAR

FMEE 060900Z AUTO 11020KT CAVOK 28/19 Q1017 TEMPO 12020G30KT

TAF

TAF FMEE 060500Z 0606/0712 14017KT 9999 FEW030 TEMPO 0606/0712 12020G30KT

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.40 MHz -
APP - 127.20 MHz -
GND - 121.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,492 ft	102.28	ASPHALT	397 ft	0 ft
	45 m	3,198 m	121.03		121 m	0 m
30	148 ft	10,492 ft	282.26	ASPHALT	0 ft	0 ft
	45 m	3,198 m	301.02		0 m	0 m
14	148 ft	8,768 ft	116.58	ASPHALT	328 ft	0 ft
	45 m	2,672 m	135.34		100 m	0 m
32	148 ft	8,768 ft	296.58	ASPHALT	1,175 ft	0 ft
	45 m	2,672 m	315.34		358 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	SD	110.30 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
14	LOC-ILS	SD	110.30 MHz	18 nm	116.63	-	66 ft
				33 km	135.39		66 m
14	GS	SD	110.30 MHz	10 nm	117.09	3.00	46 ft
				19 km	135.85		46 m