

# VOMM

Chennai International Airport


# VOPC

Puducherry

2024/06/07 0737Z

VOMM MMV VOPC

65.21 nm / 120.76 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOMM	-	12.99510	0 ft	-	Chennai International Airport
APT	-	80.16900	0 m		
MMV	-	12.99340	0 ft	0	CHENNAI VOR-DME
DME	-	80.17070	0 m		
VOPC	-	11.96830	0 ft	65	Puducherry
APT	-	79.81170	0 m		

## VOMM

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 2

Elevation: 51 ft / 16 m  
Location: 12.995100 80.169000  
Magnetic Var: 0.773 W

## METAR

VOMM 070700Z 22008KT 5000 BR SCT020 FEW025TCU BKN080 30/26 Q1007 NOSIG

## TAF

TAF TAF VOMM 070500Z 0706/0812 23010KT 5000 -DZ/HZ SCT018 BKN080 TEMPO 0706/0712 4000 -TSRA/RA SCT015 FEW025TCU/C

## Frequencies

REC - 127.45 MHz - ATIS  
TWR - 118.10 MHz -  
APP - 124.45 MHz -  
GND - 121.90 MHz -  
APP - 127.90 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	12,013 ft	68.92	ASPHALT	0 ft	476 ft
	45 m	3,661 m	69.69		0 m	145 m
25	148 ft	12,013 ft	248.93	ASPHALT	0 ft	492 ft
	45 m	3,661 m	249.70		0 m	150 m
12	148 ft	10,604 ft	117.74	ASPHALT	2,556 ft	0 ft
	45 m	3,232 m	118.51		779 m	0 m
30	148 ft	10,604 ft	297.74	ASPHALT	1,135 ft	0 ft
	45 m	3,232 m	298.52		346 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IMAS	110.30 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
07	LOC-ILS	IMAS	110.30 MHz	18 nm	68.92	-	51 ft
				33 km	69.69		51 m
25	LOC-ILS	ICHN	109.70 MHz	18 nm	248.92	-	51 ft
				33 km	249.69		51 m
07	GS	IMAS	110.30 MHz	10 nm	68.92	3.00	51 ft
				19 km	69.69		51 m
25	GS	ICHN	109.70 MHz	10 nm	248.92	3.00	51 ft
				19 km	249.69		51 m