


2024/05/20 1606Z

YPDN WUDOF JULIE ALEGO KPG NR GOMAT WADD

963.05 nm / 1783.57 km



Notes

Requested: YPDN LAPAR MENOB TURGO WUDOF ARUPU SADAR JULIE VIROB KILIK ALEGO KPG NR GOMAT WADD
Unmatched points: LAPAR MENOB TURGO ARUPU SADAR VIROB KILIK

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YPDN	-	-12.41506	0 ft	-	Darwin Intl
APT	-	130.87528	0 m		
WUDOF	-	-12.22612	0 ft	11	-
FIX	-	130.84216	0 m		
JULIE	-	-11.79611	0 ft	71	-
FIX	-	129.70361	0 m		
ALEGO	-	-10.64056	0 ft	278	-
FIX	-	125.13361	0 m		
KPG	-	-10.17400	0 ft	90	KUPANG VOR-DME
VOR	-	123.67758	0 m		
NR	-	-9.67049	0 ft	202	WAINGAPU NDB
NDB	-	120.29945	0 m		
GOMAT	-	-9.21421	0 ft	159	-
FIX	-	117.64618	0 m		
WADD	-	-8.74817	0 ft	149	Denpasar Ngurah Rai Intl
APT	-	115.16717	0 m		

YPDN

Region: AUSTRALIA
Timezone: AUSTRALIA/DARWIN
Runways: 2

Elevation: 103 ft / 31 m
Location: -12.415000 130.875000
Magnetic Var: 2.104 E

METAR

YPDN 201530Z AUTO 15010KT 9999 // NCD 22/07 Q1014 RF00.0/000.0

TAF

TAF YPDN 201407Z 2015/2118 15008KT CAVOK FM210000 12015G25KT CAVOK FM210300 10014KT CAVOK FM210800 13008KT CAVOK

Frequencies

TWR - 133.10 MHz - DARWIN TOWER
APP - 134.10 MHz - DARWIN APPROACH
REC - 112.60 MHz - DARWIN ATIS

GND - 121.80 MHz - DARWIN GROUND
CLD - 126.80 MHz - DARWIN CLEARANCE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	98 ft	5,005 ft	179.82	ASPHALT	0 ft	0 ft
	30 m	1,525 m	177.72		0 m	0 m
36	98 ft	5,005 ft	359.82	ASPHALT	0 ft	0 ft
	30 m	1,525 m	357.72		0 m	0 m
11	197 ft	11,015 ft	109.02	ASPHALT	0 ft	0 ft
	60 m	3,357 m	106.92		0 m	0 m
29	197 ft	11,015 ft	289.02	ASPHALT	0 ft	0 ft
	60 m	3,357 m	286.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	LOC-ILS	IDN	109.70 MHz	18 nm	289.02	-	103 ft
				33 km	286.92		103 m
29	GS	IDN	109.70 MHz	10 nm	289.02	3.00	103 ft
				19 km	286.92		103 m

WADD

Region: INDONESIA
Timezone: ASIA/MAKASSAR
Runways: 1

Elevation: 14 ft / 4 m
Location: -8.748400 115.167000
Magnetic Var: 0.608 E

METAR

WADD 201530Z 13013KT 9999 FEW017 27/24 Q1011 NOSIG

TAF

TAF WADD 201100Z 2012/2112 12015KT 9999 SCT016

Frequencies

REC - 126.20 MHz - ATIS
TWR - 118.10 MHz - NGURAH TOWER

GND - 118.80 MHz - NGURAH GROUND
APP - 119.70 MHz - BALI DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,828 ft	87.66	ASPHALT	0 ft	0 ft
	45 m	2,996 m	87.05		0 m	0 m
27	148 ft	9,828 ft	267.66	ASPHALT	0 ft	0 ft
	45 m	2,996 m	267.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IDPS	110.30 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
27	LOC-ILS	IDPS	110.30 MHz	18 nm	267.70	-	10 ft
				33 km	267.10		10 m
27	GS	IDPS	110.30 MHz	10 nm	268.41	3.00	12 ft
				19 km	267.80		12 m