

KBOS

General Edward Lawrence Logan Intl


KSLC

Salt Lake City International Airport

2024/06/06 2251Z

KBOS BANFF RIPIT CLAWW LONER KLANE TONNI SCOAR KYLES CELTS DEDHM MILIS PONEE FIDON MIKKY CODDS
EBAKE BESIE ELYNA HORIX BONGO THISL SPANE LEEHY PAMEE ALGIE HAKKR CHEVL IRUYU GITBE KSLC

1951.64 nm / 3614.43 km



Notes

Requested: KBOS BANFF RIPIT CLAWW LONER KLANE TONNI SCOAR KYLES CELTS DEDHM MILIS PONEE FIDON MIKKY CODDS EBAKE BE

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KBOS	-	42.36300	0 ft	-	General	Edward Lawrence Logan Intl
APT	-	-71.00680	0 m			
BANFF	-	42.36360	0 ft	1	-	
FIX	-	-70.96860	0 m			
RIPIT	-	42.37970	0 ft	4	-	
FIX	-	-70.87750	0 m			
CLAWW	-	42.39040	0 ft	2	-	
FIX	-	-70.81320	0 m			
LONER	-	42.39970	0 ft	2	-	
FIX	-	-70.76330	0 m			
KLANE	-	42.41410	0 ft	3	-	
FIX	-	-70.68060	0 m			
TONNI	-	42.37330	0 ft	3	-	
FIX	-	-70.61350	0 m			
SCOAR	-	42.31260	0 ft	3	-	
FIX	-	-70.63750	0 m			
KYLES	-	42.26260	0 ft	4	-	
FIX	-	-70.70370	0 m			
CELTS	-	42.21310	0 ft	5	-	
FIX	-	-70.81460	0 m			
DEDHM	-	42.19560	0 ft	6	-	
FIX	-	-70.94920	0 m			
MILIS	-	42.10520	0 ft	17	-	
FIX	-	-71.31160	0 m			
PONEE	-	42.26980	0 ft	81	-	
FIX	-	-73.13770	0 m			
FIDON	-	42.15940	0 ft	159	-	
FIX	-	-76.72050	0 m			
MIKKY	-	42.31350	0 ft	134	-	
FIX	-	-79.72770	0 m			
CODDS	-	42.14810	0 ft	74	-	
FIX	-	-81.37700	0 m			
EBAKE	-	42.27940	0 ft	253	-	
FIX	-	-87.06330	0 m			
BESIE	-	42.43920	0 ft	64	-	
FIX	-	-88.49550	0 m			
ELYNA	-	40.44770	0 ft	247	-	
FIX	-	-93.31790	0 m			
HORIX	-	40.21470	0 ft	674	-	
FIX	-	-108.06800	0 m			
BONGO	-	40.12530	0 ft	59	-	
FIX	-	-109.35600	0 m			
THISL	-	40.13640	0 ft	85	-	
FIX	-	-111.21400	0 m			
SPANE	-	40.13050	0 ft	15	-	
FIX	-	-111.54800	0 m			
LEEHY	-	40.18110	0 ft	6	-	
FIX	-	-111.68500	0 m			
PAMEE	-	40.34970	0 ft	12	-	
FIX	-	-111.84000	0 m			
ALGIE	-	40.47600	0 ft	8	-	
FIX	-	-111.93900	0 m			
HAKKR	-	40.52820	0 ft	3	-	

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-111.94500	0 m			
CHEVL	-	40.67940	0 ft	9	-	
FIX	-	-111.96200	0 m			
IRUYU	-	40.74200	0 ft	3	-	
FIX	-	-111.96900	0 m			
GITBE	-	40.76700	0 ft	1	-	
FIX	-	-111.97200	0 m			
KSLC	-	40.78700	0 ft	1		Salt Lake City International Airport
APT	-	-111.97500	0 m			

KBOS

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 6

Elevation: 19 ft / 6 m
Location: 42.363000 -71.006800
Magnetic Var: 14.282 W

METAR

KBOS 062234Z 06006KT 1/2SM R04R/2000V4500FT FG VV002 17/17 A2954 RMK A02 TWR VIS 1 T01720167

TAF

TAF AMD KBOS 062126Z 0621/0724 10015KT P6SM FEW015 SCT028 BKN130 TEMPO 0621/0623 2SM BR BKN007 FM062300 12007KT P6

Frequencies

REC - 135.00 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 121.65 MHz - CLEARANCE DELIVERY	GND - 121.75 MHz - BOSTON GROUND
GND - 121.90 MHz - BOSTON GROUND	TWR - 128.80 MHz - BOSTON TOWER
TWR - 124.72 MHz - BOSTON TOWER	TWR - 132.22 MHz - BOSTON TOWER
APP - 118.25 MHz - BOSTON APPROACH	APP - 120.60 MHz - BOSTON APPROACH
APP - 127.20 MHz - BOSTON APPROACH	DEP - 133.00 MHz - BOSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	10,092 ft	135.27	ASPHALT	883 ft	197 ft
	45 m	3,076 m	149.55		269 m	60 m
33L	148 ft	10,092 ft	315.29	ASPHALT	0 ft	167 ft
	45 m	3,076 m	329.57		0 m	51 m
04R	148 ft	10,012 ft	19.69	ASPHALT	1,155 ft	420 ft
	45 m	3,052 m	33.97		352 m	128 m
22L	148 ft	10,012 ft	199.69	ASPHALT	1,201 ft	200 ft
	45 m	3,052 m	213.98		366 m	61 m
04L	148 ft	7,871 ft	19.66	ASPHALT	0 ft	1,250 ft
	45 m	2,399 m	33.94		0 m	381 m
22R	148 ft	7,871 ft	199.66	ASPHALT	820 ft	200 ft
	45 m	2,399 m	213.94		250 m	61 m
09	148 ft	7,008 ft	76.51	ASPHALT	0 ft	932 ft
	45 m	2,136 m	90.79		0 m	284 m
27	148 ft	7,008 ft	256.53	ASPHALT	0 ft	161 ft
	45 m	2,136 m	270.81		0 m	49 m
14	98 ft	5,005 ft	125.76	ASPHALT	0 ft	0 ft
	30 m	1,526 m	140.04		0 m	0 m
32	98 ft	5,005 ft	305.77	ASPHALT	0 ft	801 ft
	30 m	1,526 m	320.05		0 m	244 m
15L	98 ft	2,558 ft	135.31	ASPHALT	0 ft	305 ft
	30 m	780 m	149.59		0 m	93 m
33R	98 ft	2,558 ft	315.31	ASPHALT	0 ft	59 ft
	30 m	780 m	329.59		0 m	18 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IBOS	110.30 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15R	DME	IMDC	110.70 MHz	18 nm	-	-	27 ft
				33 km	-		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22L	DME	ILQN	110.30 MHz	18 nm 33 km	- -	-	35 ft 35 m
27	DME	IDGU	111.30 MHz	18 nm 33 km	- -	-	28 ft 28 m
33L	DME	ILIP	110.70 MHz	18 nm 33 km	- -	-	19 ft 19 m
04R	LOC-ILS	IBOS	110.30 MHz	18 nm 33 km	19.68 33.96	-	20 ft 20 m
15R	LOC-ILS	IMDC	110.70 MHz	18 nm 33 km	135.28 149.56	-	20 ft 20 m
22L	LOC-ILS	ILQN	110.30 MHz	18 nm 33 km	199.68 213.96	-	20 ft 20 m
27	LOC-ILS	IDGU	111.30 MHz	18 nm 33 km	256.52 270.80	-	20 ft 20 m
33L	LOC-ILS	ILIP	110.70 MHz	18 nm 33 km	315.28 329.56	-	20 ft 20 m
04R	GS	IBOS	110.30 MHz	10 nm 19 km	19.68 33.96	3.00	20 ft 20 m
15R	GS	IMDC	110.70 MHz	10 nm 19 km	135.28 149.56	3.00	20 ft 20 m
22L	GS	ILQN	110.30 MHz	10 nm 19 km	199.68 213.96	3.00	20 ft 20 m
27	GS	IDGU	111.30 MHz	10 nm 19 km	256.52 270.80	3.00	20 ft 20 m
33L	GS	ILIP	110.70 MHz	10 nm 19 km	315.28 329.56	3.00	20 ft 20 m

KSLC

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 4

Elevation: 4,227 ft / 1,288 m

Location: 40.787000 -111.975000

Magnetic Var: 10.763 E

METAR

KSLC 062154Z 34005KT 10SM FEW100 FEW150 34/06 A2999 RMK A02 SLP095 T03440056

TAF

KSLC 062018Z 0620/0724 33008KT P6SM FEW100 FM070300 33008KT P6SM FEW100 BKN150 FM071000 18004KT P6SM FEW100 BKN150

Frequencies

REC - 124.75 MHz - ATIS

COM - 122.95 MHz - UNICOM

GND - 121.90 MHz -

TWR - 118.30 MHz -

TWR - 132.65 MHz -

APP - 124.30 MHz - APP/DEP

APP - 126.25 MHz - APP/DEP

REC - 127.62 MHz - ATIS

CLD - 127.30 MHz - CLNC DEL

GND - 133.65 MHz -

TWR - 119.05 MHz -

APP - 121.10 MHz - APP/DEP

APP - 124.90 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	12,013 ft	174.97	ASPHALT	0 ft	394 ft
	46 m	3,662 m	164.21		0 m	120 m
34R	151 ft	12,013 ft	354.98	ASPHALT	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
16R	151 ft	12,013 ft	174.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	164.21		0 m	122 m
34L	151 ft	12,013 ft	354.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
17	151 ft	9,606 ft	179.99	ASPHALT	0 ft	102 ft
	46 m	2,928 m	169.23		0 m	31 m
35	151 ft	9,606 ft	359.99	ASPHALT	335 ft	312 ft
	46 m	2,928 m	349.23		102 m	95 m
14	151 ft	4,896 ft	153.08	ASPHALT	0 ft	0 ft
	46 m	1,492 m	142.32		0 m	0 m
32	151 ft	4,896 ft	333.09	ASPHALT	0 ft	0 ft
	46 m	1,492 m	322.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	IMOY	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
16R	DME	IUAT	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
17	DME	IBNT	111.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34L	DME	IUUH	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34R	DME	ISLC	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMOY	109.50 MHz	18 nm 33 km	174.98 164.22	-	4,227 ft 4,227 m
16R	LOC-ILS	IUAT	111.90 MHz	18 nm 33 km	174.97 164.21	-	4,227 ft 4,227 m
17	LOC-ILS	IBNT	111.50 MHz	18 nm 33 km	179.99 169.23	-	4,227 ft 4,227 m
34L	LOC-ILS	IUUH	111.90 MHz	18 nm 33 km	354.97 344.21	-	4,227 ft 4,227 m
34R	LOC-ILS	ISLC	109.50 MHz	18 nm 33 km	354.98 344.22	-	4,227 ft 4,227 m
35	LOC-ILS	IUTJ	111.50 MHz	18 nm 33 km	359.99 349.23	-	4,227 ft 4,227 m
16L	GS	IMOY	109.50 MHz	10 nm 19 km	174.98 164.22	3.00	4,227 ft 4,227 m
16R	GS	IUAT	111.90 MHz	10 nm 19 km	174.97 164.21	3.00	4,227 ft 4,227 m
17	GS	IBNT	111.50 MHz	10 nm 19 km	179.99 169.23	3.00	4,227 ft 4,227 m
34L	GS	IUUH	111.90 MHz	10 nm 19 km	354.97 344.21	3.00	4,227 ft 4,227 m
34R	GS	ISLC	109.50 MHz	10 nm 19 km	354.98 344.22	3.00	4,227 ft 4,227 m
35	GS	IUTJ	111.50 MHz	10 nm 19 km	359.99 349.23	3.00	4,227 ft 4,227 m