

LIRF

Roma-Fiumicino "Leonardo da Vinci"


LFPO

Paris Orly

2024/05/10 0815Z

LIRF ELB **L50** BANKO **A1** SPR **UH10** OBURO LFPO

594.76 nm / 1101.49 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81080	0 ft	-	Roma-Fiumicino	"Leonardo da Vinci"
APT	-	12.25090	0 m			
ELB	-	42.73070	35,000 ft	99	ELBA	
VOR	-	10.39570	10,668 m			
BAKRO	L50	43.18810	35,000 ft	35	-	
FIX	AWY-HI	9.88750	10,668 m			
KONER	L50	43.50470	35,000 ft	24	-	
FIX	AWY-HI	9.53000	10,668 m			
TIDKA	L50	43.80000	35,000 ft	23	-	
FIX	AWY-HI	9.19194	10,668 m			
UNITA	L50	43.94440	35,000 ft	11	-	
FIX	AWY-HI	9.02500	10,668 m			
IXITO	L50	44.13470	35,000 ft	14	-	
FIX	AWY-HI	8.80361	10,668 m			
ANAKI	L50	44.20110	35,000 ft	5	-	
FIX	AWY-HI	8.72556	10,668 m			
LAGEN	L50	44.39420	35,000 ft	15	-	
FIX	AWY-HI	8.49806	10,668 m			
NEDED	L50	44.69390	35,000 ft	23	-	
FIX	AWY-HI	8.14056	10,668 m			
TOP	L50	44.92540	35,000 ft	18	TORINO	
VOR	AWY-HI	7.86167	10,668 m			
TUPUP	L50	45.22140	35,000 ft	21	-	
FIX	AWY-HI	7.59778	10,668 m			
ADISO	L50	45.55920	35,000 ft	24	-	
FIX	AWY-HI	7.29333	10,668 m			
KUKEV	L50	45.65280	35,000 ft	6	-	
FIX	AWY-HI	7.20806	10,668 m			
BANKO	L50	45.82000	35,000 ft	11	-	
FIX	AWY-HI	7.05472	10,668 m			
SPR29	A1	46.06360	35,000 ft	17	-	
FIX	AWY-LO	6.82806	10,668 m			
SPR20	A1	46.18940	35,000 ft	8	-	
FIX	AWY-LO	6.71083	10,668 m			
TMA32	A1	46.27330	35,000 ft	5	-	
FIX	AWY-LO	6.63250	10,668 m			
SPR	A1	46.46870	35,000 ft	14	ST PREX	
VOR	AWY-LO	6.44806	10,668 m			
SIROD	UH10	46.72690	35,000 ft	23	-	
FIX	AWY-HI	6.01944	10,668 m			
DJL	UH10	47.27080	30,100 ft	49	DIJON LONGVIC	
VOR	AWY-HI	5.09733	9,174 m			
OBURO	UH10	47.65170	21,300 ft	40	-	
FIX	AWY-HI	4.26472	6,492 m			
LFPO	-	48.72630	0 ft	99	Paris Orly	
APT	-	2.36698	0 m			

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.665 E

METAR

LIRF 100750Z 06007KT CAVOK 21/12 Q1015 NOSIG

TAF

TAF LIRF 100500Z 1006/1112 03008KT CAVOK BECMG 1009/1011 26012KT BECMG 1017/1019 03006KT BECMG 1108/1110 25010KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE
GND - 121.72 MHz - FIUME APRON
GND - 121.90 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER
DEP - 131.10 MHz - ROMA DEPARTURE
APP - 125.50 MHz - ROMA ARRIVAL
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL
CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.67 MHz - FIUME GROUND
GND - 122.12 MHz - FIUME GROUND
TWR - 123.72 MHz - FIUME TOWER
DEP - 130.90 MHz - ROMA DEPARTURE
APP - 127.95 MHz - ROMA ARRIVAL
APP - 119.20 MHz - ROMA DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.450 E

METAR

LFPO 100800Z 06006KT CAVOK 18/11 Q1022 NOSIG

TAF

TAF LFPO 100500Z 1006/1112 07007KT CAVOK

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m