

TNCM

Princess Juliana Intl


SVMI

Maiquetia Simon Bolivar Intl

2024/05/21 0325Z

TNCM PORQE **A516** RAYAS **A300** KIKER **UM414** GAVAL SVMI

529.74 nm / 981.07 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TNCM	-	18.04090	0 ft	-	Princess Juliana Intl
APT	-	-63.10890	0 m	-	
PORQE	-	17.16000	26,400 ft	74	-
FIX	-	-64.01450	8,047 m	-	-
ANMER	A516	16.23670	35,000 ft	76	-
FIX	AWY-HI	-64.94300	10,668 m	-	-
RAFEE	A516	16.10920	35,000 ft	10	-
FIX	AWY-HI	-65.07010	10,668 m	-	-
RAYAS	A516	15.68790	35,000 ft	34	-
FIX	AWY-HI	-65.48860	10,668 m	-	-
KIKER	A300	15.09720	35,000 ft	37	-
FIX	AWY-HI	-65.29580	10,668 m	-	-
XOKEM	UM414	14.56140	35,000 ft	36	-
FIX	AWY-HI	-65.60030	10,668 m	-	-
UTGIS	UM414	14.24440	35,000 ft	21	-
FIX	AWY-HI	-65.77940	10,668 m	-	-
IVSIT	UM414	12.65310	27,500 ft	108	-
FIX	AWY-HI	-66.67140	8,382 m	-	-
GAVAL	UM414	11.99030	17,800 ft	45	-
FIX	AWY-HI	-67.03890	5,425 m	-	-
SVMI	-	10.60320	0 ft	83	Maiquetia Simon Bolivar Intl
APT	-	-66.99040	0 m	-	

SVMI

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 2

Elevation: 234 ft / 71 m
Location: 10.603200 -66.990400
Magnetic Var: 12.875 W

METAR

SVMI 210300Z 11004KT 9999 SCT016 SCT100 26/24 Q1012

TAF

TAF SVMI 202200Z 2100/2200 09006KT 9999 BKN016 TX33/2118Z TN23/2107Z TEMPO 2101/2105 09005KT 9000 DZ SCT080 BKN01

Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY
TWR - 118.40 MHz - MAIQUETIA TOWER
DEP - 120.10 MHz - MAIQUETIA DEPARTURE
GND - 121.90 MHz - MAIQUETIA GROUND
APP - 120.40 MHz - MAIQUETIA APPROACH
REC - 132.85 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.00		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.01		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.82		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.78		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.16		235 m