

# LGAV

Athens Intl Airport Elefterios Venizel


# LTBJ

ADNAN MENDERES

2024/06/16 1001Z

LGAV MES LTBJ

153.61 nm / 284.48 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LGAV	-	37.93636	0 ft	-	Athens Intl Airport Elefterios Venizel	
APT	-	23.94447	0 m			
MES	-	38.25167	12,600 ft	94	MESTA VOR-DME	
VOR	-	25.90556	3,840 m			
LTBJ	-	38.29221	0 ft	59	ADNAN MENDERES	
APT	-	27.15594	0 m			

## LGAV

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 308 ft / 94 m  
Location: 37.936700 23.944500  
Magnetic Var: 5.117 E

## METAR

LGAV 160920Z 08012KT CAVOK 30/11 Q1011 NOSIG

## TAF

TAF TAF LGAV 160500Z 1606/1706 VRB05KT CAVOK TEMPO 1607/1616 05010KT

## Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.77		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.74		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.76		300 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.40		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.39		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.92		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.95		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.95		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.92		282 m

## LTBJ

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 2

Elevation: 410 ft / 125 m  
Location: 38.292200 27.155900  
Magnetic Var: 5.525 E

## METAR

LTBJ 160920Z 34015KT 320V020 CAVOK 31/12 Q1008 NOSIG RMK RWY16 35014KT 320V020

## TAF

TAF LTBJ 160440Z 1606/1706 35012KT CAVOK BECMG 1607/1610 35017G27KT BECMG 1617/1620 35014KT

## Frequencies

REC - 129.20 MHz - ATIS	GND - 121.90 MHz - MENDERES GROUND
GND - 121.70 MHz - MENDERES GROUND	TWR - 118.10 MHz - MENDERES TOWER
APP - 119.45 MHz - MENDERES APPROACH	APP - 120.10 MHz - MENDERES APPROACH
APP - 120.17 MHz - MENDERES APPROACH	APP - 134.20 MHz - MENDERES APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	147 ft	10,653 ft	166.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	161.15		0 m	60 m
34L	147 ft	10,653 ft	346.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	341.16		0 m	60 m
16L	147 ft	10,653 ft	166.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	161.14		0 m	60 m
34R	147 ft	10,653 ft	346.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	341.15		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IIMR	108.50 MHz	18 nm	166.67	-	410 ft
				33 km	161.14		410 m
34R	LOC-ILS	IMEN	110.30 MHz	18 nm	346.67	-	410 ft
				33 km	341.14		410 m
16L	GS	IIMR	108.50 MHz	10 nm	166.67	3.10	410 ft
				19 km	161.14		410 m
34R	GS	IMEN	110.30 MHz	10 nm	346.67	3.00	410 ft
				19 km	341.14		410 m