

# SLVR

Viru Viru Intl


# SKBO

El Dorado Intl

2024/06/03 0719Z

SLVR VIR **UN420** RCO **A301** NEGRA **UL542** SJE **W18** SISAK SKBO

1499.26 nm / 2776.63 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLVR	-	-17.64480	0 ft	-	Viru Viru Intl
APT	-	-63.13540	0 m		
VIR	-	-17.62610	400 ft	1	VIRU VIRU (SANTA CRUZ)
VOR	-	-63.14790	122 m		
TRI	UN420	-14.79920	35,000 ft	198	TRINIDAD
VOR	AWY-HI	-64.93810	10,668 m		
VILUX	UN420	-10.47570	35,000 ft	301	-
FIX	AWY-HI	-67.53930	10,668 m		
RCO	UN420	-9.87598	35,000 ft	42	RIO BRANCO
VOR	AWY-HI	-67.90540	10,668 m		
JULIA	A301	-9.21050	35,000 ft	42	-
FIX	AWY-LO	-68.13630	10,668 m		
PALIO	A301	-7.68967	35,000 ft	97	-
FIX	AWY-LO	-68.68700	10,668 m		
NEGRA	A301	-6.26067	35,000 ft	91	-
FIX	AWY-LO	-69.20050	10,668 m		
VUKEB	UL542	-4.93017	35,000 ft	84	-
FIX	AWY-HI	-69.67720	10,668 m		
SPRIN	UL542	-4.59967	35,000 ft	21	-
FIX	AWY-HI	-69.79380	10,668 m		
LET	UL542	-4.19500	35,000 ft	25	LETICIA
VOR	AWY-HI	-69.94060	10,668 m		
REMEX	UL542	-3.21611	35,000 ft	63	-
FIX	AWY-HI	-70.32970	10,668 m		
PUPAS	UL542	-2.33500	35,000 ft	56	-
FIX	AWY-HI	-70.68220	10,668 m		
POTBA	UL542	-1.96139	35,000 ft	24	-
FIX	AWY-HI	-70.84310	10,668 m		
MARTU	UL542	0.29056	35,000 ft	145	-
FIX	AWY-HI	-71.74530	10,668 m		
SJE	UL542	2.53169	34,000 ft	144	SAN JOSE DEL GUAVIARE
VOR	AWY-HI	-72.64030	10,363 m		
OGNAS	W18	3.20222	23,100 ft	50	-
FIX	AWY-LO	-73.14970	7,041 m		
SISAK	W18	3.59000	16,800 ft	29	-
FIX	AWY-LO	-73.45780	5,121 m		
SKBO	-	4.70160	0 ft	78	El Dorado Intl
APT	-	-74.14700	0 m		



## SLVR

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 1

Elevation: 1,224 ft / 373 m  
Location: -17.644800 -63.135400  
Magnetic Var: 13.152 W

## METAR

SLVR 030700Z 32006KT 9999 BKN070 22/20 Q1017

## TAF

TAF SLVR 030408Z 0306/0406 VRB02KT 9999 SCT017 SCT070 TX27/0319Z TN19/0311Z PROB30 TEMPO 0308/0311 18010KT 8000 D

## Frequencies

GND - 121.90 MHz - VIRU VIRU GROUND  
APP - 119.70 MHz - VIRU VIRU APPROACH

TWR - 118.60 MHz - VIRU VIRU TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,516 ft	147.35	CONCRETE	0 ft	197 ft
	45 m	3,510 m	160.50		0 m	60 m
34	148 ft	11,516 ft	327.34	CONCRETE	0 ft	197 ft
	45 m	3,510 m	340.50		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	VCZ	110.90 MHz	18 nm	327.34	-	1,224 ft
				33 km	340.50		1,224 m
34	GS	VCZ	110.90 MHz	10 nm	327.69	3.00	1,224 ft
				19 km	340.84		1,224 m



## SKBO

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 2

Elevation: 8,358 ft / 2,548 m  
Location: 4.701600 -74.147000  
Magnetic Var: 8.202 W

## METAR

SKBO 030700Z 27006KT 9999 SCT020 14/12 Q1028 NOSIG

## TAF

TAF SKBO 030430Z 0306/0406 VRB03KT 9999 SCT020 BECMG 0316/0318 15012KT PROB40 TEMPO 0319/0322 TSRA BKN015CB BECMG

## Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.44		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.44		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.44		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.44		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.44		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.44		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.44		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.44		8,358 m