

LGAV

Athens Eleftherios Venizelos


EBLG

Liege

2024/05/22 0414Z

LGAV XANIS **UL613** YNN **UL611** TUMBO **L611** KOFER VAKSU **L611** UVODI **L862** SPL **L607** ZDA **N606** PUL **P11** ROTAR
BADOP **P66** SOTOV **UP66** NESES **P66** KPT **UL608** TEDGO **UZ210** LAMGO **UM150** KRH **UZ210** NOSPA EBLG

1118.76 nm / 2071.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LGAV	-	37.93670	0 ft	-	Athens Eleftherios Venizelos
APT	-	23.94450	0 m	-	
XANIS	-	38.57220	32,600 ft	91	-
FIX	-	22.18580	9,936 m	-	
YNN	UL613	39.70000	35,000 ft	92	IOANNINA
VOR	AWY-HI	20.82130	10,668 m	-	
TUMBO	UL611	40.06720	35,000 ft	27	-
FIX	AWY-HI	20.47280	10,668 m	-	
OVVER	L611	40.54170	35,000 ft	35	-
FIX	AWY-LO	20.01280	10,668 m	-	
MAGGI	L611	41.18420	35,000 ft	48	-
FIX	AWY-LO	19.37670	10,668 m	-	
RODON	L611	41.45830	35,000 ft	20	-
FIX	AWY-LO	19.10000	10,668 m	-	
KOFER	L611	41.92720	35,000 ft	34	-
FIX	AWY-LO	18.66360	10,668 m	-	
VAKSU	-	42.01420	35,000 ft	8	-
FIX	-	18.52690	10,668 m	-	
LOKRU	L611	42.34860	35,000 ft	33	-
FIX	AWY-LO	17.93560	10,668 m	-	
AMUGO	L611	42.54420	35,000 ft	19	-
FIX	AWY-LO	17.58390	10,668 m	-	
LASDU	L611	42.78360	35,000 ft	24	-
FIX	AWY-LO	17.14830	10,668 m	-	
UVODI	L611	43.11080	35,000 ft	33	-
FIX	AWY-LO	16.54190	10,668 m	-	
SPL	L862	43.49660	35,000 ft	25	SPLIT
VOR	AWY-LO	16.30470	10,668 m	-	
ZDA	L607	44.09530	35,000 ft	54	ZADAR
VOR	AWY-LO	15.36420	10,668 m	-	
EBITA	N606	44.38500	35,000 ft	30	-
FIX	AWY-LO	14.76920	10,668 m	-	
LOS	N606	44.52710	35,000 ft	15	LOSINJ
NDB	AWY-LO	14.47280	10,668 m	-	
PUL	N606	44.89240	35,000 ft	32	PULA
VOR	AWY-LO	13.91810	10,668 m	-	
ROTAR	P11	45.26280	35,000 ft	45	-
FIX	AWY-LO	12.99560	10,668 m	-	
BADOP	-	45.46220	35,000 ft	11	-
FIX	-	13.00420	10,668 m	-	
MOBDO	P66	46.42440	35,000 ft	76	-
FIX	AWY-HI	11.81170	10,668 m	-	
EKPEB	P66	46.69030	35,000 ft	21	-
FIX	AWY-HI	11.47190	10,668 m	-	
ATRIG	P66	46.88530	35,000 ft	14	-
FIX	AWY-HI	11.26560	10,668 m	-	
SOTOV	P66	46.94390	35,000 ft	4	-
FIX	AWY-LO	11.21040	10,668 m	-	
NIGEB	UP66	47.08910	35,000 ft	10	-
FIX	AWY-HI	11.07690	10,668 m	-	
MOGTI	UP66	47.38900	35,000 ft	23	-
FIX	AWY-HI	10.71680	10,668 m	-	
NESES	UP66	47.54810	35,000 ft	11	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	10.55470	10,668 m		
KPT	P66	47.74580	35,000 ft	14	KEMPTEN
VOR	AWY-HI	10.34980	10,668 m		
KUNOD	UL608	48.33880	35,000 ft	46	-
FIX	AWY-HI	9.61854	10,668 m		
TEDGO	UL608	48.61840	35,000 ft	22	-
FIX	AWY-HI	9.25921	10,668 m		
LAMGO	UZ210	48.88580	35,000 ft	24	-
FIX	AWY-HI	8.77917	10,668 m		
KRH	UM150	48.99290	33,500 ft	10	KARLSRUHE
VOR	AWY-HI	8.58424	10,211 m		
NOSPA	UZ210	50.02060	13,000 ft	95	-
FIX	AWY-HI	6.71139	3,962 m		
EBLG	-	50.63640	0 ft	61	Liege
APT	-	5.44278	0 m		

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.110 E

METAR

LGAV 220350Z VRB02KT CAVOK 19/14 Q1011 NOSIG

TAF

TAF TAF LGAV 212300Z 2200/2224 VRB05KT 9999 FEW025 BECMG 2219/2221 31012KT

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.76		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.39		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m

EBLG

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 2

Elevation: 645 ft / 197 m
Location: 50.636400 5.442780
Magnetic Var: 2.297 E

METAR

EBLG 220350Z 23009KT 6000 FEW005 BKN022 13/12 Q1007 TEMPO 3000 BR BKN005

TAF

TAF EBLG 212305Z 2200/2306 23004KT 9999 FEW003 BKN020 TEMPO 2200/2206 4000 BR SCT003 BKN005 PROB30 TEMPO 2200/2206 2000 BR BKN005

Frequencies

APP - 119.27 MHz - APPROACH
APP - 243.00 MHz - APPROACH
TWR - 130.62 MHz - TOWER
REC - 126.25 MHz - INFO

APP - 121.00 MHz - APPROACH
TWR - 129.25 MHz - TOWER
GND - 121.92 MHz - GROUND
CLD - 128.20 MHz - HOMER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	12,068 ft	45.17	ASPHALT	761 ft	226 ft
	45 m	3,678 m	42.87		232 m	69 m
22L	148 ft	12,068 ft	225.20	ASPHALT	1,306 ft	0 ft
	45 m	3,678 m	222.90		398 m	0 m
04L	148 ft	7,664 ft	45.15	ASPHALT	0 ft	0 ft
	45 m	2,336 m	42.85		0 m	0 m
22R	148 ft	7,664 ft	225.16	ASPHALT	0 ft	0 ft
	45 m	2,336 m	222.87		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IHH	108.75 MHz	18 nm	45.19	-	645 ft
				33 km	42.89		645 m
22L	LOC-ILS	ILG	109.35 MHz	18 nm	225.19	-	645 ft
				33 km	222.89		645 m
22R	LOC-ILS	IBI	109.35 MHz	18 nm	225.16	-	645 ft
				33 km	222.86		645 m
04R	GS	IHH	108.75 MHz	10 nm	45.19	3.00	645 ft
				19 km	42.89		645 m
22L	GS	ILG	109.35 MHz	10 nm	225.19	3.00	645 ft
				19 km	222.89		645 m
22R	GS	IBI	109.35 MHz	10 nm	225.16	3.00	645 ft
				19 km	222.86		645 m