


2024/05/18 0210Z

3J0 SAV KSAV

44.87 nm / 83.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
3J0 APT	-	32.86780 -81.08330	0 ft 0 m	-	HAMPTON VARNVILLE
SAV VOR	-	32.14630 -81.19910	200 ft 61 m	43	SAVANNAH
KSAV APT	-	32.12740 -81.20190	0 ft 0 m	1	Savannah Hilton Head Intl

KSAV

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 50 ft / 15 m
Location: 32.127400 -81.201900
Magnetic Var: 7.509 W

METAR

KSAV 180153Z 18007KT 10SM SCT100 BKN140 OVC200 24/22 A2989 RMK A02 RAB17E49 SLP119 P0000 T02440222

TAF

TAF AMD KSAV 180148Z 1802/1824 17006KT P6SM VCSH SCT025 BKN060 FM180900 20005KT 6SM BR VCSH SCT010 BKN025 FM181500

Frequencies

REC - 123.75 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 118.40 MHz - APP/DEP
COM - 119.10 MHz - CTAF
CLD - 119.55 MHz - CLNC DEL
TWR - 119.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	9,328 ft	90.61	CONCRETE	0 ft	1,001 ft
	46 m	2,843 m	98.11		0 m	305 m
28	150 ft	9,328 ft	270.62	CONCRETE	0 ft	151 ft
	46 m	2,843 m	278.13		0 m	46 m
01	151 ft	7,016 ft	359.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	7.14		0 m	61 m
19	151 ft	7,016 ft	179.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	187.14		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ITPV	111.90 MHz	18 nm	359.63	-	50 ft
				33 km	7.14		50 m
10	LOC-ILS	ISAV	109.90 MHz	18 nm	90.61	-	50 ft
				33 km	98.12		50 m
01	GS	ITPV	111.90 MHz	10 nm	359.63	3.00	50 ft
				19 km	7.14		50 m
10	GS	ISAV	109.90 MHz	10 nm	90.61	3.00	50 ft
				19 km	98.12		50 m