


2024/05/19 0341Z

LEIB BASSO LEMH

145.02 nm / 268.58 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 250ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEIB	-	38.87287	0 ft	-	Ibiza
APT	-	1.37304	0 m		
BASSO	-	39.54434	11,600 ft	90	-
FIX	-	3.12251	3,536 m		
LEMH	-	39.86222	0 ft	54	Menorca
APT	-	4.21976	0 m		

## LEIB

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 24 ft / 7 m  
Location: 38.872800 1.373130  
Magnetic Var: 1.358 E

## METAR

LEIB 190330Z VRB02KT CAVOK 15/13 Q1009 NOSIG

## TAF

TAF LEIB 190200Z 1903/2003 VRB03KT 9999 SCT015 TX23/1913Z TN16/1905Z PROB40 TEMPO 1903/1908 BKN012 TEMPO 1912/1920

## Frequencies

REC - 119.80 MHz - ATIS  
TWR - 118.50 MHz - IBIZA TOWER  
APP - 134.82 MHz - PALMA APPROACH

GND - 121.92 MHz - IBIZA GROUND  
CLD - 121.37 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m

## LEMH

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 303 ft / 92 m  
Location: 39.862600 4.218660  
Magnetic Var: 2.011 E

## METAR

LEMH 190330Z AUTO 03004KT CAVOK 16/16 Q1010

## TAF

TAF LEMH 190200Z 1903/2003 VRB04KT 9999 SCT015 TX23/1913Z TN15/1905Z PROB40 TEMPO 1903/1908 BKN012 PROB30 TEMPO 1

## Frequencies

TWR - 118.20 MHz - MENORCA TOWER  
APP - 119.65 MHz - MENORCA APPROACH

GND - 121.75 MHz - MENORCA GROUND  
REC - 129.15 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft 45 m	8,387 ft 2,556 m	8.97 6.96	ASPHALT	0 ft 0 m	154 ft 47 m
19	148 ft 45 m	8,387 ft 2,556 m	188.98 186.96	ASPHALT	643 ft 196 m	203 ft 62 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IMH	110.30 MHz	18 nm 33 km	8.99 6.98	-	303 ft 303 m
19	LOC-ILS	MAO	111.50 MHz	18 nm 33 km	188.99 186.98	-	303 ft 303 m
01	GS	IMH	110.30 MHz	10 nm 19 km	8.99 6.98	3.00	303 ft 303 m
19	GS	MAO	111.50 MHz	10 nm 19 km	188.99 186.98	3.00	303 ft 303 m