

KANE

ANOKA CO BLAINE (Janes Field)


KBFF

WESTERN NEB RGNL WILLIAM B HEILIG FLD

2024/06/07 0619Z

KANE PILIY **V148** FSD **J114** ONL **J94** BFF KBFF

508.74 nm / 942.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 21000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KANE APT	- -	45.14490 -93.21120	0 ft 0 m	-	ANOKA CO BLAINE (Janes Field)	
PILIY FIX	- -	44.32760 -95.41740	21,000 ft 6,401 m	106	-	
ZERAD FIX	V148 AWY-LO	44.22000 -95.63820	21,000 ft 6,401 m	11	-	
POGSE FIX	V148 AWY-LO	44.10510 -95.87190	21,000 ft 6,401 m	12	-	
POEMS FIX	V148 AWY-LO	43.92570 -96.23350	21,000 ft 6,401 m	18	-	
SECTO FIX	V148 AWY-LO	43.79560 -96.49270	21,000 ft 6,401 m	13	-	
FSD VOR	V148 AWY-LO	43.64950 -96.78110	21,000 ft 6,401 m	15	SIOUX FALLS	
ONL VOR	J114 AWY-HI	42.47050 -98.68690	21,000 ft 6,401 m	109	O'NEILL	
BFF VOR	J94 AWY-HI	41.89420 -103.48200	1,100 ft 335 m	216	SCOTTSBLUFF	
KBFF APT	- -	41.87400 -103.59600	0 ft 0 m	5	WESTERN NEB RGNL WILLIAM B HEILIG FLD	

KANE

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 912 ft / 278 m
Location: 45.144900 -93.211200
Magnetic Var: 0.312 W

METAR

KANE 070530Z AUTO 24005KT 10SM CLR 16/09 A2975 RMK A02

TAF

UNKNOWN

Frequencies

REC - 120.62 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.85 MHz -
APP - 126.50 MHz - MINNEAPOLIS APP/DEP
COM - 126.05 MHz - CTAF
CLD - 121.30 MHz - CLNC DEL
TWR - 126.05 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	98 ft	4,861 ft	180.60	ASPHALT	0 ft	0 ft
	30 m	1,482 m	180.91		0 m	0 m
36	98 ft	4,861 ft	0.60	ASPHALT	0 ft	0 ft
	30 m	1,482 m	0.91		0 m	0 m
09	75 ft	3,990 ft	90.71	ASPHALT	0 ft	0 ft
	23 m	1,216 m	91.02		0 m	0 m
27	75 ft	3,990 ft	270.72	ASPHALT	0 ft	0 ft
	23 m	1,216 m	271.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IANE	111.15 MHz	18 nm	-	-	912 ft
				33 km	-		912 m
27	LOC-ILS	IANE	111.15 MHz	18 nm	270.71	-	912 ft
				33 km	271.03		912 m
27	GS	IANE	111.15 MHz	10 nm	271.43	3.00	912 ft
				19 km	271.74		912 m

KBFF

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 2

Elevation: 3,967 ft / 1,209 m

Location: 41.874000 -103.596000

Magnetic Var: 6.940 E

METAR

KBFF 070553Z AUTO 08008KT 10SM CLR 21/08 A2999 RMK A02 SLP106 T02060083 10328 20206 50000

TAF

TAF KBFF 070520Z 0706/0806 10008KT P6SM SKC FM071600 30014G22KT P6SM SCT150 FM072200 35014G22KT P6SM VCTS BKN1000

Frequencies

REC - 121.02 MHz - ASOS

COM - 123.00 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	151 ft	8,301 ft	135.69	ASPHALT	0 ft	0 ft
	46 m	2,530 m	128.75		0 m	0 m
30	151 ft	8,301 ft	315.71	ASPHALT	0 ft	0 ft
	46 m	2,530 m	308.77		0 m	0 m
05	151 ft	7,993 ft	68.01	ASPHALT	0 ft	0 ft
	46 m	2,436 m	61.07		0 m	0 m
23	151 ft	7,993 ft	248.03	ASPHALT	0 ft	0 ft
	46 m	2,436 m	241.09		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IRMT	109.30 MHz	18 nm	-	-	3,932 ft
				33 km	-		3,932 m
30	DME	IBFF	109.30 MHz	18 nm	-	-	3,961 ft
				33 km	-		3,961 m
30	LOC-ILS	IBFF	109.30 MHz	18 nm	315.68	-	3,932 ft
				33 km	308.74		3,932 m
12	LOC-LOC	IRMT	109.30 MHz	18 nm	135.72	-	3,939 ft
				33 km	128.78		3,939 m
30	GS	IBFF	109.30 MHz	10 nm	316.40	3.00	3,944 ft
				19 km	309.46		3,944 m