


2024/05/20 0135Z

KBUR VNY KSBA

74.75 nm / 138.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBUR	-	34.20050	0 ft	-	Bob Hope
APT	-	-118.35900	0 m		
VNY	-	34.22350	2,400 ft	6	VAN NUYS
VOR	-	-118.49200	732 m		
KSBA	-	34.42600	0 ft	68	Santa Barbara Mun
APT	-	-119.84100	0 m		

KBUR

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 776 ft / 237 m
Location: 34.200500 -118.359000
Magnetic Var: 11.475 E

METAR

KBUR 200053Z 17010KT 10SM CLR 18/11 A2999 RMK A02 SLP145 T01830106

TAF

TAF KBUR 192340Z 2000/2024 17010KT P6SM SKC FM200300 14007KT P6SM SKC FM200700 14007KT P6SM OVC015 FM201200 14007KT

Frequencies

REC - 134.50 MHz - D-ATIS
COM - 122.95 MHz - UNICOM
GND - 123.90 MHz - BURBANK GROUND
TWR - 132.32 MHz - BURBANK TOWER
APP - 124.60 MHz - SOCAL APPROACH
APP - 135.05 MHz - SOCAL APPROACH
DEP - 124.60 MHz - SOCAL DEPARTURE
DEP - 135.05 MHz - SOCAL DEPARTURE
APP - 126.70 MHz - SOCAL APPROACH

REC - 135.12 MHz - D-ATIS
CLD - 118.00 MHz - CLEARANCE DELIVERY
TWR - 118.70 MHz - BURBANK TOWER
APP - 120.40 MHz - SOCAL APPROACH
APP - 134.20 MHz - SOCAL APPROACH
DEP - 120.40 MHz - SOCAL DEPARTURE
DEP - 134.20 MHz - SOCAL DEPARTURE
APP - 128.75 MHz - SOCAL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	150 ft	6,901 ft	167.14	ASPHALT	922 ft	0 ft
	46 m	2,103 m	155.66		281 m	0 m
33	150 ft	6,901 ft	347.14	ASPHALT	351 ft	0 ft
	46 m	2,103 m	335.67		107 m	0 m
08	150 ft	5,791 ft	90.95	ASPHALT	0 ft	256 ft
	46 m	1,765 m	79.48		0 m	78 m
26	150 ft	5,791 ft	270.96	ASPHALT	0 ft	243 ft
	46 m	1,765 m	259.49		0 m	74 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IBUR	109.50 MHz	18 nm	90.95	-	776 ft
				33 km	79.47		776 m
08	GS	IBUR	109.50 MHz	10 nm	90.95	3.01	776 ft
				19 km	79.47		776 m

KSBA

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 13 ft / 4 m
Location: 34.426000 -119.841000
Magnetic Var: 11.802 E

METAR

KSBA 200053Z COR 26008KT 10SM BCN025 16/12 A3000 RMK A02 SLP159 T01560122 \$

TAF

KSBA 192340Z 2000/2024 26010KT P6SM OVC025 FM200600 VRB03KT P6SM OVC025 FM201200 12005KT 6SM -DZ BR BKN015 OVC025

Frequencies

REC - 132.65 MHz - KSBA ATIS
CLD - 132.90 MHz - SANTA BARBARA CLD
TWR - 119.70 MHz - SANTA BARBARA TWR
DEP - 120.55 MHz - SANTA BARBARA DEP

COM - 119.70 MHz - SANTA BARBARA CTAF
GND - 121.70 MHz - SANTA BARBARA GND
APP - 120.55 MHz - SANTA BARBARA APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	151 ft	6,037 ft	88.58	CONCRETE	0 ft	151 ft
	46 m	1,840 m	76.78		0 m	46 m
25	151 ft	6,037 ft	268.59	CONCRETE	0 ft	991 ft
	46 m	1,840 m	256.79		0 m	302 m
15R	98 ft	4,197 ft	165.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	153.89		0 m	0 m
33L	98 ft	4,197 ft	345.70	ASPHALT	0 ft	0 ft
	30 m	1,279 m	333.90		0 m	0 m
15L	75 ft	4,192 ft	165.73	ASPHALT	0 ft	0 ft
	23 m	1,278 m	153.93		0 m	0 m
33R	75 ft	4,192 ft	345.74	ASPHALT	0 ft	0 ft
	23 m	1,278 m	333.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISBA	110.30 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
07	LOC-ILS	ISBA	110.30 MHz	18 nm	88.59	-	13 ft
				33 km	76.79		13 m
07	GS	ISBA	110.30 MHz	10 nm	88.59	3.00	13 ft
				19 km	76.79		13 m