

# LEAM

Almeria


# LEPA

Palma De Mallorca

2024/04/28 0220Z

LEAM RIDER **W810** ALT **B46** IZA LEPA

296.39 nm / 548.92 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 24500ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEAM APT	-	36.84393 -2.37010	0 ft 0 m	-	Almeria
RIDER FIX	-	37.99725 -0.70518	35,000 ft 10,668 m	105	-
ALT VOR	W810 AWY-LO	38.26828 -0.57012	35,000 ft 10,668 m	17	ALICANTE VOR-DME
POLOP FIX	B46 AWY-LO	38.39609 -0.17872	32,900 ft 10,028 m	19	-
MITOS FIX	B46 AWY-LO	38.44945 -0.01372	31,100 ft 9,479 m	8	-
BRUNO FIX	B46 AWY-LO	38.60830 0.48333	25,700 ft 7,833 m	25	-
IZA NDB	B46 AWY-LO	38.91547 1.47041	15,000 ft 4,572 m	49	IBIZA NDB
LEPA APT	-	39.55254 2.73496	0 ft 0 m	70	Palma De Mallorca

## LEAM

Region: SPAIN  
Timezone: UNKNOWN  
Runways: 1

Elevation: 70 ft / 21 m  
Location: 36.844000 -2.370060  
Magnetic Var: 0.411 E

## METAR

LEAM 280200Z AUTO 25004KT 210V280 CAVOK 16/11 Q1008

## TAF

TAF LEAM 272300Z 2800/2824 23010KT CAVOK TX23/2814Z TN16/2806Z BECMG 2800/2802 VRB03KT BECMG 2811/2813 20012KT

## Frequencies

GND - 121.70 MHz - ALMERIA GROUND  
TWR - 118.40 MHz - ALMERIA TOWER

APP - 118.35 MHz - ALMERIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,462 ft	72.93	ASPHALT	479 ft	0 ft
	45 m	3,189 m	72.52		146 m	0 m
25	148 ft	10,462 ft	252.95	ASPHALT	0 ft	0 ft
	45 m	3,189 m	252.54		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	IAM	109.90 MHz	18 nm	-	-	95 ft
				33 km	-		95 m
25	LOC-ILS	IAM	109.90 MHz	18 nm	252.95	-	69 ft
				33 km	252.54		69 m
25	GS	IAM	109.90 MHz	10 nm	252.95	3.00	69 ft
				19 km	252.54		69 m

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.674 E

## METAR

LEPA 280200Z VRB01KT 9999 -RA FEW016 FEW050TCU 15/15 Q1009 NOSIG

## TAF

TAF LEPA 272300Z 2800/2824 VRB04KT 9999 SCT020 TX18/2813Z TN12/2806Z PROB40 TEMPO 2800/2807 3000 SHRA FEW050TCU P

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.83		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.79		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.81		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.80		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.83		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.80		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.80		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.83		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.80		24 m