

KERI

Erie Intl Tom Ridge Fld


KCLE

Cleveland Hopkins Intl

2024/05/07 1223Z

KERI WEIDS KCLE

85.36 nm / 158.08 km



Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 150kts
- Cruise Altitude: 35000ft
- Cruise Speed: 150kts
- Descent Rate: 500ft/min
- Descent Speed: 150kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KERI	-	42.08290	0 ft	-	Erie Intl Tom Ridge Fld
APT	-	-80.17540	0 m		
WEIDS	-	41.72120	7,600 ft	47	-
FIX	-	-81.11260	2,316 m		
KCLE	-	41.41030	0 ft	38	Cleveland Hopkins Intl
APT	-	-81.85340	0 m		

KERI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 732 ft / 223 m
Location: 42.082900 -80.175400
Magnetic Var: 9.601 W

METAR

KERI 071151Z 05003KT 10SM CLR 12/05 A2987 RMK A02 SLP113 T01170050 10117 20056 53003

TAF

KERI 071123Z 0712/0812 00000KT P6SM SKC FM071600 04007KT P6SM FEW250 FM072300 08006KT P6SM BKN050 FM080100 17008KT

Frequencies

REC - 120.35 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 121.00 MHz - APP/DEP
COM - 118.10 MHz - CTAF
CLD - 126.80 MHz - CLNC DEL
TWR - 118.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,412 ft	54.38	ASPHALT	919 ft	0 ft
	46 m	2,564 m	63.98		280 m	0 m
24	150 ft	8,412 ft	234.40	ASPHALT	0 ft	0 ft
	46 m	2,564 m	244.00		0 m	0 m
02	150 ft	3,509 ft	10.06	ASPHALT	817 ft	0 ft
	46 m	1,070 m	19.66		249 m	0 m
20	150 ft	3,509 ft	190.06	ASPHALT	305 ft	0 ft
	46 m	1,070 m	199.66		93 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IERI	110.30 MHz	18 nm	54.39	-	733 ft
				33 km	64.00		733 m
24	LOC-ILS	IAWY	110.30 MHz	18 nm	234.39	-	733 ft
				33 km	243.99		733 m
06	GS	IERI	110.30 MHz	10 nm	54.80	3.00	732 ft
				19 km	64.41		732 m
24	GS	IAWY	110.30 MHz	10 nm	234.80	3.00	730 ft
				19 km	244.41		730 m

KCLE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 791 ft / 241 m
Location: 41.410300 -81.853400
Magnetic Var: 8.386 W

METAR

KCLE 071151Z 02004KT 10SM OVC037 14/05 A2984 RMK AO2 SLP119 T01440050 10150 20111 53003

TAF

KCLE 071123Z 0712/0818 04006KT P6SM OVC035 FM071900 17010KT P6SM BKN050 FM072200 17011G17KT P6SM BKN045 TEMPO 0800

Frequencies

REC - 127.85 MHz - ATIS
GND - 121.70 MHz - CLEVELAND GROUND
DEP - 118.15 MHz - CLEVELAND DEPARTURE
COM - 122.95 MHz - UNICOM
TWR - 120.90 MHz - CLEVELAND TOWER
APP - 124.00 MHz - CLEVELAND APPROACH
CLD - 125.05 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	6,023 ft	93.31	CONCRETE	0 ft	430 ft
	46 m	1,836 m	101.70		0 m	131 m
28	151 ft	6,023 ft	273.33	CONCRETE	0 ft	443 ft
	46 m	1,836 m	281.71		0 m	135 m
06L	151 ft	9,008 ft	49.83	CONCRETE	0 ft	394 ft
	46 m	2,746 m	58.22		0 m	120 m
24R	151 ft	9,008 ft	229.85	CONCRETE	0 ft	203 ft
	46 m	2,746 m	238.24		0 m	62 m
06R	151 ft	9,967 ft	49.84	CONCRETE	1,932 ft	387 ft
	46 m	3,038 m	58.23		589 m	118 m
24L	151 ft	9,967 ft	229.86	CONCRETE	0 ft	203 ft
	46 m	3,038 m	238.25		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	ILIZ	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
24L	DME	IHPI	109.90 MHz	18 nm	-	-	772 ft
				33 km	-		772 m
24R	DME	IPVY	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
06L	LOC-ILS	ILIZ	111.55 MHz	18 nm	49.85	-	791 ft
				33 km	58.24		791 m
06R	LOC-ILS	ICLE	111.90 MHz	18 nm	49.86	-	791 ft
				33 km	58.25		791 m
24L	LOC-ILS	IHPI	109.90 MHz	18 nm	229.86	-	791 ft
				33 km	238.25		791 m
24R	LOC-ILS	IPVY	111.55 MHz	18 nm	229.85	-	791 ft
				33 km	238.24		791 m
28	LOC-ILS	IPXP	110.70 MHz	18 nm	273.32	-	791 ft
				33 km	281.71		791 m
06L	GS	ILIZ	111.55 MHz	10 nm	49.85	3.00	791 ft
				19 km	58.24		791 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	GS	ICLE	111.90 MHz	10 nm	49.86	3.10	791 ft
				19 km	58.25		791 m
24L	GS	IHPI	109.90 MHz	10 nm	229.86	3.00	791 ft
				19 km	238.25		791 m
24R	GS	IPVY	111.55 MHz	10 nm	229.85	3.00	791 ft
				19 km	238.24		791 m
28	GS	IPXP	110.70 MHz	10 nm	273.32	3.00	791 ft
				19 km	281.71		791 m