


2024/06/02 0939Z

EGSS RATUK **UL613** DIDOR **UL48** RLP **UT10** REKLA PENDU **UN853** MOLUS **UL615** AOSTA **UM729** GEN LIRP

645.67 nm / 1195.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS APT	- -	51.88510 0.23496	0 ft 0 m	-	London Stansted
RATUK FIX	- -	50.65694 1.63639	32,300 ft 9,845 m	90 -	
VESAN FIX	UL613 AWY-HI	50.37194 2.02639	35,000 ft 10,668 m	22 -	
DIPER FIX	UL613 AWY-HI	50.34583 2.06139	35,000 ft 10,668 m	2 -	
NURMO FIX	UL613 AWY-HI	49.82611 2.75528	35,000 ft 10,668 m	41 -	
DIDOR FIX	UL613 AWY-HI	49.31361 3.28194	35,000 ft 10,668 m	36 -	
CTL VOR	UL48 AWY-HI	49.13775 3.57769	35,000 ft 10,668 m	15	CHATILLON SUR MARNE VOR-DME
RLP VOR	UL48 AWY-HI	47.90631 5.24917	35,000 ft 10,668 m	99	ROLAMPONT VOR-DME
REKLA FIX	UT10 AWY-HI	47.53556 5.85083	35,000 ft 10,668 m	32 -	
PENDU FIX	- -	47.34889 6.03278	35,000 ft 10,668 m	13 -	
GILIR FIX	UN853 AWY-HI	47.06333 6.23917	35,000 ft 10,668 m	19 -	
VADEM FIX	UN853 AWY-HI	46.72167 6.48333	35,000 ft 10,668 m	22 -	
MOLUS FIX	UN853 AWY-HI	46.44389 6.67944	35,000 ft 10,668 m	18 -	
ORSUD FIX	UL615 AWY-HI	45.95778 7.18167	35,000 ft 10,668 m	35 -	
AOSTA FIX	UL615 AWY-HI	45.79639 7.34583	35,000 ft 10,668 m	11 -	
PIMOT FIX	UM729 AWY-HI	45.50417 7.72000	34,000 ft 10,363 m	23 -	
TONDA FIX	UM729 AWY-HI	45.10917 8.22972	27,100 ft 8,260 m	32 -	
GEN VOR	UM729 AWY-HI	44.42444 9.08233	15,400 ft 4,694 m	54	GENOVA VOR-DME
LIRP APT	- -	43.68388 10.39272	0 ft 0 m	71	PISA

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.587 E

METAR

EGSS 020920Z AUTO 34007KT 310V010 9999 NCD 16/11 Q1028

TAF

TAF EGSS 020454Z 0206/0312 36010KT 8000 BKN012 BECMG 0206/0209 9999 SCT035 BECMG 0215/0218 16005KT PROB30 TEMPO 03

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.20		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.22		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.21		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.21		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.21		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.21		348 m

LIRP

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 43.682800 10.395600
Magnetic Var: 3.415 E

METAR

LIRP 020845Z 12007KT 9999 SCT030 22/17 Q1015 NOSIG

TAF

TAF LIRP 020500Z 0206/0306 13005KT 9999 FEW040 BECMG 0210/0212 22008KT 9999 SCT040 BKN080 PROB40 TEMPO 0212/0216 J

Frequencies

GND - 121.60 MHz - PISA GROUND
TWR - 119.10 MHz - PISA TOWER
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER
APP - 124.27 MHz - PISA APPROACH
APP - 126.07 MHz - PISA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.31		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.30		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.31		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.35		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.03		3 m