

RJTT

Tokyo Intl


NTAA

Tahiti Faa'a Intl

2024/04/28 0245Z

RJTT CHEVY **Y821** ADKAK **G223** KAKNI 3000N14800E 3000N14900E 3000N15000E 3000N15100E 2900N15300E
2800N15500E 2700N15700E 2600N15800E 2500N16000E 2400N16100E 2300N16200E 2200N16300E 2000N16500E
1900N16600E NGUEN 1800N16800E 1800N16900E 1700N17000E 1700N17100E 1600N17200E 1500N17300E
1400N17400E 1300N17500E 1100N17700E 1000N17800E 900N17900E 800N18000W 700N17900W 600N17800W
400N17600W ADISN 400N17500W 300N17400W 200N17300W 100N17200W 100S17000W 200S16900W 300S16800W
400S16700W 500S16600W 700S16400W 800S16300W 900S16200W 1000S16100W 1100S16000W 1200S15900W
1400S15700W 1500S15600W MEVEP 1500S15500W 1600S15400W 1600S15300W MA **J22** TEANO NTAA

5268.07 nm / 9756.46 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJTT APT	- -	35.54790 139.78900	0 ft 0 m	-	Tokyo Intl
CHEVY FIX	- -	34.65770 140.53400	23,100 ft 7,041 m	64	-
MERED FIX	Y821 AWY-HI	34.23820 141.44100	35,000 ft 10,668 m	51	-
ADKAK FIX	Y821 AWY-HI	33.90350 142.16300	35,000 ft 10,668 m	41	-
DAGDA FIX	G223 AWY-HI	33.81620 142.34800	35,000 ft 10,668 m	10	-
BEGAD FIX	G223 AWY-HI	33.38690 143.24700	35,000 ft 10,668 m	51	-
TONIK FIX	G223 AWY-HI	32.00380 145.99600	35,000 ft 10,668 m	161	-
KAKNI FIX	G223 AWY-HI	30.00410 147.63000	35,000 ft 10,668 m	146	-
3000N14800E LATLON	- -	30.00000 148.00000	35,000 ft 10,668 m	19	-
3000N14900E LATLON	- -	30.00000 149.00000	35,000 ft 10,668 m	52	-
3000N15000E LATLON	- -	30.00000 150.00000	35,000 ft 10,668 m	52	-
3000N15100E LATLON	- -	30.00000 151.00000	35,000 ft 10,668 m	52	-
2900N15300E LATLON	- -	29.00000 153.00000	35,000 ft 10,668 m	120	-
2800N15500E LATLON	- -	28.00000 155.00000	35,000 ft 10,668 m	121	-
2700N15700E LATLON	- -	27.00000 157.00000	35,000 ft 10,668 m	122	-
2600N15800E LATLON	- -	26.00000 158.00000	35,000 ft 10,668 m	80	-
2500N16000E LATLON	- -	25.00000 160.00000	35,000 ft 10,668 m	123	-
2400N16100E LATLON	- -	24.00000 161.00000	35,000 ft 10,668 m	81	-
2300N16200E LATLON	- -	23.00000 162.00000	35,000 ft 10,668 m	81	-
2200N16300E LATLON	- -	22.00000 163.00000	35,000 ft 10,668 m	81	-
2000N16500E LATLON	- -	20.00000 165.00000	35,000 ft 10,668 m	164	-
1900N16600E LATLON	- -	19.00000 166.00000	35,000 ft 10,668 m	82	-
NGUEN FIX	- -	18.85640 166.69700	35,000 ft 10,668 m	40	-
1800N16800E LATLON	- -	18.00000 168.00000	35,000 ft 10,668 m	90	-
1800N16900E LATLON	- -	18.00000 169.00000	35,000 ft 10,668 m	57	-
1700N17000E LATLON	- -	17.00000 170.00000	35,000 ft 10,668 m	82	-
1700N17100E	-	17.00000	35,000 ft	57	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	171.00000	10,668 m		
1600N17200E	-	16.00000	35,000 ft	83	-
LATLON	-	172.00000	10,668 m		
1500N17300E	-	15.00000	35,000 ft	83	-
LATLON	-	173.00000	10,668 m		
1400N17400E	-	14.00000	35,000 ft	83	-
LATLON	-	174.00000	10,668 m		
1300N17500E	-	13.00000	35,000 ft	83	-
LATLON	-	175.00000	10,668 m		
1100N17700E	-	11.00000	35,000 ft	168	-
LATLON	-	177.00000	10,668 m		
1000N17800E	-	10.00000	35,000 ft	84	-
LATLON	-	178.00000	10,668 m		
900N17900E	-	9.00000	35,000 ft	84	-
LATLON	-	179.00000	10,668 m		
800N18000W	-	8.00000	35,000 ft	84	-
LATLON	-	-180.00000	10,668 m		
700N17900W	-	7.00000	35,000 ft	84	-
LATLON	-	-179.00000	10,668 m		
600N17800W	-	6.00000	35,000 ft	84	-
LATLON	-	-178.00000	10,668 m		
400N17600W	-	4.00000	35,000 ft	169	-
LATLON	-	-176.00000	10,668 m		
ADISN	-	4.02389	35,000 ft	38	-
FIX	-	-175.35200	10,668 m		
400N17500W	-	4.00000	35,000 ft	21	-
LATLON	-	-175.00000	10,668 m		
300N17400W	-	3.00000	35,000 ft	84	-
LATLON	-	-174.00000	10,668 m		
200N17300W	-	2.00000	35,000 ft	84	-
LATLON	-	-173.00000	10,668 m		
100N17200W	-	1.00000	35,000 ft	84	-
LATLON	-	-172.00000	10,668 m		
100S17000W	-	-1.00000	35,000 ft	169	-
LATLON	-	-170.00000	10,668 m		
200S16900W	-	-2.00000	35,000 ft	84	-
LATLON	-	-169.00000	10,668 m		
300S16800W	-	-3.00000	35,000 ft	84	-
LATLON	-	-168.00000	10,668 m		
400S16700W	-	-4.00000	35,000 ft	84	-
LATLON	-	-167.00000	10,668 m		
500S16600W	-	-5.00000	35,000 ft	84	-
LATLON	-	-166.00000	10,668 m		
700S16400W	-	-7.00000	35,000 ft	169	-
LATLON	-	-164.00000	10,668 m		
800S16300W	-	-8.00000	35,000 ft	84	-
LATLON	-	-163.00000	10,668 m		
900S16200W	-	-9.00000	35,000 ft	84	-
LATLON	-	-162.00000	10,668 m		
1000S16100W	-	-10.00000	35,000 ft	84	-
LATLON	-	-161.00000	10,668 m		
1100S16000W	-	-11.00000	35,000 ft	84	-
LATLON	-	-160.00000	10,668 m		
1200S15900W	-	-12.00000	35,000 ft	84	-
LATLON	-	-159.00000	10,668 m		
1400S15700W	-	-14.00000	35,000 ft	167	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-157.00000	10,668 m		
1500S15600W	-	-15.00000	35,000 ft	83	-
LATLON	-	-156.00000	10,668 m		
MEVEP	-	-15.00000	35,000 ft	45	-
FIX	-	-155.21000	10,668 m		
1500S15500W	-	-15.00000	35,000 ft	12	-
LATLON	-	-155.00000	10,668 m		
1600S15400W	-	-16.00000	35,000 ft	83	-
LATLON	-	-154.00000	10,668 m		
1600S15300W	-	-16.00000	35,000 ft	57	-
LATLON	-	-153.00000	10,668 m		
MA	-	-16.42780	35,000 ft	50	MAUPITI
NDB	-	-152.24200	10,668 m		
MEREV	J22	-16.49880	33,100 ft	11	-
FIX	AWY-HI	-152.06000	10,089 m		
RU	J22	-16.72140	25,200 ft	36	RAIATEA
NDB	AWY-HI	-151.46700	7,681 m		
TEANO	J22	-17.29890	7,400 ft	82	-
FIX	AWY-HI	-150.15400	2,256 m		
NTAA	-	-17.55370	0 ft	34	Tahiti Faa'a Intl
APT	-	-149.60700	0 m		

RJTT

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 4

Elevation: 20 ft / 6 m
Location: 35.547900 139.789000
Magnetic Var: 7.804 W

METAR

RJTT 280230Z 15005KT 100V200 CAVOK 23/18 Q1014 NOSIG RMK A2995

TAF

TAF RJTT 272305Z 2800/2906 04004KT 9999 FEW020 BECMG 2800/2802 10006KT BECMG 2805/2807 18016KT BECMG 2818/2821 2300

Frequencies

REC - 128.80 MHz - TOKYO ATIS	CLD - 121.87 MHz - TOKYO DELIVERY
CLD - 121.82 MHz - TOKYO DELIVERY	GND - 118.22 MHz - TOKYO GROUND
GND - 121.62 MHz - TOKYO GROUND	GND - 121.70 MHz - TOKYO GROUND
GND - 121.97 MHz - TOKYO GROUND	GND - 122.07 MHz - TOKYO GROUND
TWR - 118.10 MHz - TOKYO TOWER	TWR - 118.57 MHz - TOKYO TOWER
TWR - 118.72 MHz - TOKYO TOWER	TWR - 124.35 MHz - TOKYO TOWER
TWR - 118.80 MHz - TOKYO TOWER	TWR - 116.20 MHz - TOKYO TOWER
APP - 119.10 MHz - TOKYO APPROACH	APP - 119.40 MHz - TOKYO APPROACH
APP - 119.65 MHz - TOKYO APPROACH	APP - 119.70 MHz - TOKYO APPROACH
APP - 125.40 MHz - TOKYO APPROACH	APP - 121.27 MHz - TOKYO APPROACH
APP - 124.40 MHz - TOKYO APPROACH	APP - 125.20 MHz - TOKYO APPROACH
APP - 125.80 MHz - TOKYO APPROACH	APP - 127.70 MHz - TOKYO APPROACH
DEP - 126.00 MHz - TOKYO DEPARTURE	DEP - 120.80 MHz - TOKYO DEPARTURE
DEP - 127.50 MHz - TOKYO DEPARTURE	DEP - 127.60 MHz - TOKYO DEPARTURE
DEP - 124.20 MHz - TOKYO DEPARTURE	DEP - 119.60 MHz - TOKYO DEPARTURE
DEP - 120.60 MHz - TOKYO DEPARTURE	DEP - 125.52 MHz - TOKYO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	11,039 ft	150.01	ASPHALT	0 ft	190 ft
	60 m	3,365 m	157.81		0 m	58 m
34R	197 ft	11,039 ft	330.02	ASPHALT	1,181 ft	194 ft
	60 m	3,365 m	337.82		360 m	59 m
04	197 ft	8,211 ft	34.92	ASPHALT	0 ft	194 ft
	60 m	2,503 m	42.73		0 m	59 m
22	197 ft	8,211 ft	214.93	ASPHALT	0 ft	190 ft
	60 m	2,503 m	222.74		0 m	58 m
16R	197 ft	9,855 ft	149.98	ASPHALT	0 ft	0 ft
	60 m	3,004 m	157.79		0 m	0 m
34L	197 ft	9,855 ft	329.99	ASPHALT	0 ft	190 ft
	60 m	3,004 m	337.80		0 m	58 m
05	197 ft	8,206 ft	42.44	ASPHALT	0 ft	190 ft
	60 m	2,501 m	50.24		0 m	58 m
23	197 ft	8,206 ft	222.45	ASPHALT	0 ft	194 ft
	60 m	2,501 m	230.26		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IAD	108.10 MHz	18 nm	-	-	46 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		46 m
23	DME	ITD	110.50 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
34L	DME	IHA	111.70 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
34R	DME	ITC	108.90 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
16L	LOC-ILS	IOC	111.95 MHz	18 nm	150.02	-	20 ft
				33 km	157.82		20 m
16R	LOC-ILS	ITA	111.55 MHz	18 nm	149.99	-	20 ft
				33 km	157.79		20 m
22	LOC-ILS	IAD	108.10 MHz	18 nm	214.93	-	20 ft
				33 km	222.73		20 m
23	LOC-ILS	ITD	110.50 MHz	18 nm	222.45	-	20 ft
				33 km	230.25		20 m
34L	LOC-ILS	IHA	111.70 MHz	18 nm	329.99	-	20 ft
				33 km	337.79		20 m
34R	LOC-ILS	ITC	108.90 MHz	18 nm	330.02	-	20 ft
				33 km	337.82		20 m
16L	GS	IOC	111.95 MHz	10 nm	150.02	3.00	20 ft
				19 km	157.82		20 m
16R	GS	ITA	111.55 MHz	10 nm	149.99	3.00	20 ft
				19 km	157.79		20 m
22	GS	IAD	108.10 MHz	10 nm	214.93	3.00	20 ft
				19 km	222.73		20 m
23	GS	ITD	110.50 MHz	10 nm	222.45	3.00	20 ft
				19 km	230.25		20 m
34L	GS	IHA	111.70 MHz	10 nm	329.99	3.00	20 ft
				19 km	337.79		20 m
34R	GS	ITC	108.90 MHz	10 nm	330.02	3.00	20 ft
				19 km	337.82		20 m

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 280230Z AUTO 25004KT ///// R04///// // FEW056 31/24 Q1012

TAF

TAF NTAA 272300Z 2800/2906 VRB06KT 9999 FEW024 SCT045

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m