

VABB

Mumbai Chhatrapati Shivaji Intl


VOPC

Puducherry

2024/06/07 0051Z

VABB BEKUT Q9 DOPSU VOPC

606.85 nm / 1123.88 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VABB	-	19.08910	0 ft	-	Mumbai Chhatrapati Shivaji Intl
APT	-	72.86560	0 m	-	
BEKUT	-	17.72250	30,100 ft	84	-
FIX	-	73.21810	9,174 m	-	-
EPKOS	Q9	16.88560	35,000 ft	72	-
FIX	AWY-HI	74.12030	10,668 m	-	-
VIKAS	Q9	16.49330	35,000 ft	37	-
FIX	AWY-HI	74.63720	10,668 m	-	-
RIKBU	Q9	15.16580	35,000 ft	127	-
FIX	AWY-HI	76.35940	10,668 m	-	-
OPAMO	Q9	14.59310	35,000 ft	54	-
FIX	AWY-HI	77.09060	10,668 m	-	-
MOTRI	Q9	14.03430	35,000 ft	56	-
FIX	AWY-HI	77.87300	10,668 m	-	-
DOPSU	Q9	12.97360	14,100 ft	107	-
FIX	AWY-HI	79.35830	4,298 m	-	-
VOPC	-	11.96830	0 ft	65	Puducherry
APT	-	79.81170	0 m	-	

VABB

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 39 ft / 12 m
Location: 19.089100 72.865600
Magnetic Var: 0.261 E

METAR

VABB 070030Z 30006KT 3000 HZ FEW020 SCT025 31/26 Q1006 NOSIG

TAF

TAF VABB 062300Z 0700/0806 32005KT 2500 BR HZ FEW020 SCT025 BECMG 0703/0705 26006KT 3000 HZ SCT020 SCT025 BECMG 07

Frequencies

REC - 126.40 MHz - MUMBAI INFORMATION	GND - 121.75 MHz - MUMBAI GROUND
GND - 121.85 MHz - MUMBAI GROUND	GND - 121.90 MHz - MUMBAI GROUND
TWR - 118.10 MHz - MUMBAI TOWER	TWR - 122.50 MHz - MUMBAI TOWER
APP - 119.30 MHz - MUMBAI APPROACH	APP - 120.35 MHz - MUMBAI APPROACH
APP - 127.90 MHz - MUMBAI APPROACH	APP - 120.50 MHz - MUMBAI RADAR
APP - 125.35 MHz - MUMBAI RADAR	APP - 132.70 MHz - MUMBAI RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft	11,297 ft	89.15	ASPHALT	466 ft	0 ft
	60 m	3,443 m	88.89		142 m	0 m
27	197 ft	11,297 ft	269.16	ASPHALT	1,585 ft	135 ft
	60 m	3,443 m	268.90		483 m	41 m
14	150 ft	9,434 ft	134.27	ASPHALT	1,339 ft	203 ft
	46 m	2,875 m	134.01		408 m	62 m
32	150 ft	9,434 ft	314.28	ASPHALT	853 ft	203 ft
	46 m	2,875 m	314.02		260 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IBOM	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
14	DME	IBBY	110.10 MHz	18 nm	-	-	37 ft
				33 km	-		37 m
27	DME	ISCZ	110.30 MHz	18 nm	-	-	37 ft
				33 km	-		37 m
09	LOC-ILS	IBOM	109.50 MHz	18 nm	89.16	-	39 ft
				33 km	88.90		39 m
14	LOC-ILS	IBBY	110.10 MHz	18 nm	134.28	-	39 ft
				33 km	134.02		39 m
27	LOC-ILS	ISCZ	110.30 MHz	18 nm	269.16	-	39 ft
				33 km	268.90		39 m
09	GS	IBOM	109.50 MHz	10 nm	89.16	3.00	39 ft
				19 km	88.90		39 m
14	GS	IBBY	110.10 MHz	10 nm	134.28	3.00	39 ft
				19 km	134.02		39 m
27	GS	ISCZ	110.30 MHz	10 nm	269.16	3.30	39 ft
				19 km	268.90		39 m