

LIRF

Roma-Fiumicino "Leonardo da Vinci"


LR0P

Bucharest Henri Coanda

2024/05/06 0854Z

LIRF NAVAG L5 INKUB VAPUP UMSON M730 SPL Y88 KEB L614 GINAM OBAGI ETIDA LOMOS NULGO LR0P

659.83 nm / 1222.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81080	0 ft	-	Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m	-	
NAVAG	-	42.58030	33,600 ft	94	-
FIX	-	14.09670	10,241 m	-	-
SUTOB	L5	42.76640	35,000 ft	21	-
FIX	AWY-HI	14.50610	10,668 m	-	-
INKUB	L5	42.98690	35,000 ft	26	-
FIX	AWY-HI	15.03780	10,668 m	-	-
VAPUP	-	43.05580	35,000 ft	8	-
FIX	-	15.20560	10,668 m	-	-
UMSON	-	43.51920	35,000 ft	37	-
FIX	-	15.76750	10,668 m	-	-
SPL	M730	43.49660	35,000 ft	23	SPLIT
VOR	AWY-LO	16.30470	10,668 m	-	
KENEM	Y88	43.63330	35,000 ft	29	-
FIX	AWY-LO	16.94670	10,668 m	-	-
VRANA	Y88	43.75360	35,000 ft	26	-
FIX	AWY-LO	17.53780	10,668 m	-	-
GILUK	Y88	43.86690	35,000 ft	25	-
FIX	AWY-LO	18.10560	10,668 m	-	-
KEB	Y88	43.93390	35,000 ft	15	SARAJEVO
VOR	AWY-LO	18.44980	10,668 m	-	
MITNO	L614	43.77330	35,000 ft	35	-
FIX	AWY-LO	19.24170	10,668 m	-	-
PESAK	L614	43.71860	35,000 ft	11	-
FIX	AWY-LO	19.50420	10,668 m	-	-
TORTO	L614	43.67090	35,000 ft	10	-
FIX	AWY-LO	19.73130	10,668 m	-	-
RAMAP	L614	43.41840	35,000 ft	52	-
FIX	AWY-LO	20.89110	10,668 m	-	-
GINAM	L614	43.30860	35,000 ft	22	-
FIX	AWY-LO	21.37640	10,668 m	-	-
OBAGI	-	43.56050	35,000 ft	34	-
FIX	-	22.09590	10,668 m	-	-
ETIDA	-	43.68580	35,000 ft	15	-
FIX	-	22.41780	10,668 m	-	-
LOMOS	-	43.83330	28,100 ft	37	-
FIX	-	23.25000	8,565 m	-	-
NULGO	-	44.04500	22,900 ft	23	-
FIX	-	23.71720	6,980 m	-	-
LR0P	-	44.57230	0 ft	107	Bucharest Henri Coanda
APT	-	26.10230	0 m	-	

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.664 E

METAR

LIRF 060820Z VRB05KT CAVOK 19/11 Q1016 NOSIG

TAF

TAF LIRF 060500Z 0606/0712 07007KT 9999 FEW040 BECMG 0607/0609 17014KT BECMG 0704/0706 4000 -RA BKN014

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE
GND - 121.72 MHz - FIUME APRON
GND - 121.90 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER
DEP - 131.10 MHz - ROMA DEPARTURE
APP - 125.50 MHz - ROMA ARRIVAL
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL
CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.67 MHz - FIUME GROUND
GND - 122.12 MHz - FIUME GROUND
TWR - 123.72 MHz - FIUME TOWER
DEP - 130.90 MHz - ROMA DEPARTURE
APP - 127.95 MHz - ROMA ARRIVAL
APP - 119.20 MHz - ROMA DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m

LROP

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 2

Elevation: 313 ft / 95 m
Location: 44.572300 26.102300
Magnetic Var: 6.289 E

METAR

LROP 060830Z 25007KT CAVOK 23/10 Q1014 NOSIG

TAF

TAF LROP 060500Z 0606/0706 VRB04KT CAVOK BECMG 0609/0611 23010KT TEMPO 0613/0616 FEW050CB BECMG 0614/0616 VRB04KT

Frequencies

REC - 118.50 MHz - OTOPENI ATIS
TWR - 121.85 MHz - OTOPENI TWR

GND - 121.70 MHz - OTOPENI GND
APP - 118.25 MHz - BUCHAREST APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	11,494 ft	83.90	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.61		0 m	0 m
26L	148 ft	11,494 ft	263.93	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.64		0 m	0 m
08L	148 ft	11,493 ft	83.91	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.62		0 m	0 m
26R	148 ft	11,493 ft	263.94	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ILL	110.90 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08R	DME	IOP	110.30 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
26L	DME	IOE	109.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
26R	DME	IRR	110.70 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08L	LOC-ILS	ILL	110.90 MHz	18 nm	83.74	-	314 ft
				33 km	77.45		314 m
08R	LOC-ILS	IOP	110.30 MHz	18 nm	83.74	-	303 ft
				33 km	77.45		303 m
26L	LOC-ILS	IOE	109.10 MHz	18 nm	264.11	-	314 ft
				33 km	257.82		314 m
26R	LOC-ILS	IRR	110.70 MHz	18 nm	264.12	-	314 ft
				33 km	257.83		314 m
08L	GS	ILL	110.90 MHz	10 nm	84.84	3.00	314 ft
				19 km	78.55		314 m
08R	GS	IOP	110.30 MHz	10 nm	84.81	2.70	314 ft
				19 km	78.52		314 m
26L	GS	IOE	109.10 MHz	10 nm	264.81	2.70	303 ft
				19 km	258.52		303 m
26R	GS	IRR	110.70 MHz	10 nm	264.84	3.00	314 ft
				19 km	258.55		314 m