

DF00

Bobo-Dioulasso


GMMN

Casablanca Mohammed V Intl

2024/05/07 2111Z

DF00 KOKAN TAVOT **UA614** VOLBU SONKO **UR866** BULIS **UM372** MAK **UB11** MABAP GMMN

1467.05 nm / 2716.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DF00	-	11.15980	0 ft	-	Bobo-Dioulasso
APT	-	-4.33117	0 m		
KOKAN	-	12.41000	35,000 ft	104	-
FIX	-	-3.10056	10,668 m		
TAVOT	-	13.08310	35,000 ft	47	-
FIX	-	-2.66917	10,668 m		
VOLBU	UA614	14.40140	35,000 ft	80	-
FIX	AWY-HI	-2.45139	10,668 m		
SONKO	-	15.08670	35,000 ft	45	-
FIX	-	-2.76833	10,668 m		
OPULU	UR866	16.40970	35,000 ft	87	-
FIX	AWY-HI	-3.38722	10,668 m		
SOLMA	UR866	19.38420	35,000 ft	196	-
FIX	AWY-HI	-4.81389	10,668 m		
VOSNU	UR866	20.72670	35,000 ft	88	-
FIX	AWY-HI	-5.47667	10,668 m		
AMSEN	UR866	22.00000	35,000 ft	84	-
FIX	AWY-HI	-6.11722	10,668 m		
DELIX	UR866	23.56720	35,000 ft	104	-
FIX	AWY-HI	-6.92333	10,668 m		
ULPAK	UR866	25.16720	35,000 ft	106	-
FIX	AWY-HI	-7.76917	10,668 m		
BULIS	UR866	27.66670	35,000 ft	167	-
FIX	AWY-HI	-9.14167	10,668 m		
DIVUX	UM372	29.00000	35,000 ft	82	-
FIX	AWY-HI	-8.79972	10,668 m		
TOPMA	UM372	30.58080	35,000 ft	97	-
FIX	AWY-HI	-8.38167	10,668 m		
MAK	UM372	31.61270	23,900 ft	63	MARRAKECH
VOR	AWY-HI	-8.10303	7,285 m		
MABAP	UB11	32.12430	17,200 ft	31	-
FIX	AWY-HI	-8.19712	5,243 m		
GMMN	-	33.36740	0 ft	80	Casablanca Mohammed V Intl
APT	-	-7.58998	0 m		

GMMN

Region: MOROCCO
Timezone: AFRICA/CASABLANCA
Runways: 2

Elevation: 655 ft / 200 m
Location: 33.367400 -7.589980
Magnetic Var: 1.102 W

METAR

GMMN 072100Z 34005KT 310V030 CAVOK 17/11 Q1015 NOSIG

TAF

TAF TAF GMMN 071700Z 0718/0824 02016KT CAVOK BECMG 0720/0721 VRB03KT PROB40 TEMPO 0800/0808 2000 BR BKN006 TEMPO 0

Frequencies

REC - 126.30 MHz - ATIS
APP - 121.30 MHz -

TWR - 118.50 MHz -
GND - 130.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	148 ft	12,231 ft	163.94	ASPHALT	0 ft	988 ft
	45 m	3,728 m	165.04		0 m	301 m
35R	148 ft	12,231 ft	343.95	ASPHALT	0 ft	1,004 ft
	45 m	3,728 m	345.05		0 m	306 m
17R	148 ft	12,188 ft	163.98	ASPHALT	0 ft	207 ft
	45 m	3,715 m	165.08		0 m	63 m
35L	148 ft	12,188 ft	343.98	ASPHALT	0 ft	223 ft
	45 m	3,715 m	345.09		0 m	68 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	DME	INL	110.70 MHz	18 nm	-	-	656 ft
				33 km	-		656 m
17R	LOC-ILS	CAS	108.30 MHz	18 nm	163.98	-	655 ft
				33 km	165.08		655 m
35L	LOC-ILS	INL	110.70 MHz	18 nm	343.98	-	655 ft
				33 km	345.08		655 m
35R	LOC-ILS	INR	109.90 MHz	18 nm	343.95	-	655 ft
				33 km	345.05		655 m
17R	GS	CAS	108.30 MHz	10 nm	163.98	3.00	655 ft
				19 km	165.08		655 m
35L	GS	INL	110.70 MHz	10 nm	343.98	3.00	655 ft
				19 km	345.08		655 m
35R	GS	INR	109.90 MHz	10 nm	343.95	2.70	655 ft
				19 km	345.05		655 m