

KTMB

Miami Executive Airport


KGEV

ASHE COUNTY

2024/06/05 1827Z

KTMB TBIRD V159 TRV J79 OMN J103 SAV J51 CAE V37 RICKE KGEV

655.64 nm / 1214.25 km



Notes

Basic altitude profile:

- Ascent Rate: 1900ft/min
- Ascent Speed: 222kts
- Cruise Altitude: 38000ft
- Cruise Speed: 405kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTMB APT	-	25.64780 -80.43350	0 ft 0 m	-	Miami Executive Airport
TBIRD FIX	-	27.15620 -80.46940	25,500 ft 7,772 m	90	-
BIWIK FIX	V159 AWY-LO	27.52810 -80.48380	31,700 ft 9,662 m	22	-
TRV VOR	V159 AWY-LO	27.67840 -80.48970	34,300 ft 10,455 m	9	TREASURE (VERO BEACH)
MALET FIX	J79 AWY-HI	28.69160 -80.86790	38,000 ft 11,582 m	64	-
OMN VOR	J79 AWY-HI	29.30330 -81.11270	38,000 ft 11,582 m	38	ORMOND BEACH
BEENO FIX	J103 AWY-HI	30.63940 -81.15260	38,000 ft 11,582 m	80	-
MILIE FIX	J103 AWY-HI	31.32860 -81.17370	38,000 ft 11,582 m	41	-
SAV VOR	J103 AWY-HI	32.14630 -81.19910	38,000 ft 11,582 m	49	SAVANNAH
CAE VOR	J51 AWY-HI	33.85730 -81.05390	34,800 ft 10,607 m	103	COLUMBIA
BEFTY FIX	V37 AWY-LO	34.14020 -81.03250	31,000 ft 9,449 m	17	-
BLOTS FIX	V37 AWY-LO	34.28320 -81.02160	29,100 ft 8,870 m	8	-
GREAT FIX	V37 AWY-LO	34.45710 -81.00830	26,800 ft 8,169 m	10	-
RICHE FIX	V37 AWY-LO	34.69840 -80.98980	23,600 ft 7,193 m	14	-
KGEV APT	-	36.43240 -81.41970	0 ft 0 m	106	ASHE COUNTY

KTMB

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 8 ft / 2 m
Location: 25.647800 -80.433500
Magnetic Var: 7.178 W

METAR

KTMB 051753Z 10012G21KT 10SM FEW033 33/24 A2990 RMK A02 SLP123 T03280239 10328 20272 50000 \$

TAF

KTMB 051730Z 0518/0618 12009KT P6SM VCSH SCT030 SCT050 SCT250 FM052200 12008KT P6SM FEW030 SCT250 FM060300 VRB03K

Frequencies

REC - 124.00 MHz - ATIS
CLD - 133.00 MHz - CLNC DEL
TWR - 134.60 MHz -
COM - 118.90 MHz - CTAF
GND - 121.70 MHz -
APP - 125.50 MHz - MIAMI APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	150 ft	5,008 ft	87.28	ASPHALT	0 ft	0 ft
	46 m	1,526 m	94.46		0 m	0 m
27R	150 ft	5,008 ft	267.29	ASPHALT	0 ft	0 ft
	46 m	1,526 m	274.46		0 m	0 m
09R	150 ft	6,006 ft	87.33	ASPHALT	0 ft	184 ft
	46 m	1,831 m	94.51		0 m	56 m
27L	150 ft	6,006 ft	267.34	ASPHALT	0 ft	0 ft
	46 m	1,831 m	274.52		0 m	0 m
13	150 ft	4,005 ft	127.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	134.68		0 m	0 m
31	150 ft	4,005 ft	307.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	314.68		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	LOC-ILS	ITMB	108.70 MHz	18 nm	87.33	-	8 ft
				33 km	94.51		8 m
09R	GS	ITMB	108.70 MHz	10 nm	87.33	3.00	6 ft
				19 km	94.51		6 m