EDDF
Frankfurt am Main


-

KJFK
John F Kennedy Intl

2024/03/29 0554Z

EDDF ANEKI **Y163** HERBI **Y164** OLBEN AGN **UL866** PPN **UN10** VASUM **UN857** HIJ **UN10** SVL **UN857** LZR **UN871** GDV **UN873** LIMAL **UB623** IPERA SVT KENOX **UN741** DIGUN **UL435** BUTUX FIVZE KOZIK BRKZZ GUICE AWSOM OKONU WEBBB SIE KJFK

6427.43 nm / 11903.60 km



Notes

Requested: EDDF ANEKI Y163 HERBI Y164 OLBEN UN869 AGN UL866 PPN UN10 VASUM UN857 LZR UN871 GDV UN873 LIMAL UB623 IP
Unmatched points: UN869 UW43 UW46 L375 L435 L461 M325 L457 L454 B24

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF APT	-	50.03260 8.54064	0 ft 0 m	-	Frankfurt am Main
ANEKI FIX	-	49.31722 8.48056	0 ft 0 m	43	-
BADLI FIX	Y163 AWY-LO	49.06361 8.44750	0 ft 0 m	15	-
PABLA FIX	Y163 AWY-LO	48.78861 8.35194	0 ft 0 m	16	-
HERBI FIX	Y163 AWY-LO	48.49083 8.24361	0 ft 0 m	18	-
MOPAN FIX	Y164 AWY-LO	48.24639 8.15444	0 ft 0 m	15	-
OLBEN FIX	Y164 AWY-LO	47.30444 7.62944	0 ft 0 m	60	-
AGN VOR	-	43.88803 0.87286	0 ft 0 m	350	AGEN-Gaudonville VOR-DME
PIPOR FIX	UL866 AWY-HI	43.00905 -1.10810	0 ft 0 m	101	-
PPN VOR	UL866 AWY-HI	42.73375 -1.70200	0 ft 0 m	30	PAMPLONA VOR-DME
VASUM FIX	UN10 AWY-HI	42.27167 -2.01083	0 ft 0 m	30	-
BAN VOR	UN857 AWY-HI	41.32356 -2.62979	0 ft 0 m	63	BARAHONA VOR-DME
MITUM FIX	UN857 AWY-HI	40.64563 -3.24780	0 ft 0 m	49	-
BOSIO FIX	UN857 AWY-HI	40.34086 -3.52057	0 ft 0 m	22	-
GOTOR FIX	UN857 AWY-HI	40.11077 -3.72450	0 ft 0 m	16	-
KAMPO FIX	UN857 AWY-HI	39.73333 -4.05528	0 ft 0 m	27	-
MONTO FIX	UN857 AWY-HI	39.22177 -4.49683	0 ft 0 m	36	-
MOLIN FIX	UN857 AWY-HI	39.00000 -4.68576	0 ft 0 m	15	-
HIJ VOR	UN857 AWY-HI	38.50813 -5.09968	0 ft 0 m	35	HINOJOSA VOR-DME
SVL VOR	UN10 AWY-HI	37.42758 -5.76222	0 ft 0 m	72	SEVILLA VOR-DME
CLANA FIX	UN857 AWY-HI	36.50889 -6.72698	0 ft 0 m	72	-
KORNO FIX	UN857 AWY-HI	35.83333 -7.41667	0 ft 0 m	52	-
ABODA FIX	UN857 AWY-HI	35.41389 -7.83333	0 ft 0 m	32	-
IBALU FIX	UN857 AWY-HI	34.44444 -8.78917	0 ft 0 m	74	-
AMETA FIX	UN857 AWY-HI	32.99750 -10.14833	0 ft 0 m	110	-
TURMA FIX	UN857 AWY-HI	31.75389 -11.27750	0 ft 0 m	94	-
VEDOD	UN857	30.50833	0 ft	93	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-12.37500 -12.71722	0 m 0 m		
TERTO	UN857	30.10417 -13.51073	0 ft 0 m	30	-
LZR VOR	UN857 AWY-HI	29.16600 -15.42899	0 ft 0 m	69	LANZAROTE VOR-DME
GDV FIX	UN871 AWY-HI	28.07708 -17.62558	0 ft 0 m	120	GRAN CANARIA VOR-DME
LIMAL FIX	UN873 AWY-HI	25.00000 -19.59002	0 ft 0 m	219	-
ISOKA FIX	UB623 AWY-HI	22.08136 -20.70000	0 ft 0 m	205	-
IPERA FIX	UB623 AWY-HI	20.36500 -25.06511	0 ft 0 m	120	-
SVT NDB	- -	16.82886 -28.49167	0 ft 0 m	326	SAO VICENTE NDB
KENOX FIX	- -	14.81000 -30.86333	0 ft 0 m	232	-
SAGRO FIX	UN741 AWY-HI	10.58333 -31.37056	0 ft 0 m	289	-
DIGUN FIX	UN741 AWY-HI	9.66083 -34.38390	0 ft 0 m	62	-
POKSI FIX	UL435 AWY-HI	11.85107 -37.43333	0 ft 0 m	221	-
IRELA FIX	UL435 AWY-HI	14.00000 -40.00000	0 ft 0 m	220	-
PAKER FIX	UL435 AWY-HI	15.33333 -45.38000	0 ft 0 m	169	-
BUTUX FIX	UL435 AWY-HI	18.00000 -60.00000	0 ft 0 m	348	-
FIVZE FIX	- -	25.00000 -63.75045	0 ft 0 m	917	-
KOZIK FIX	- -	26.80743 -64.96235	0 ft 0 m	229	-
BRKZZ FIX	- -	27.32052 -66.16136	0 ft 0 m	71	-
GUICE FIX	- -	32.74036 -67.34119	0 ft 0 m	331	-
AWSOM FIX	- -	33.02708 -71.96506	0 ft 0 m	61	-
OKONU FIX	- -	37.30591 -71.98204	0 ft 0 m	342	-
WEBBB FIX	- -	37.67154 -74.80033	0 ft 0 m	21	-
SIE VOR	- -	39.09550 -73.77666	0 ft 0 m	157	SEA ISLE VORTAC
KJFK APT	- -	40.63990 -74.80033	0 ft 0 m	104	John F Kennedy Intl

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.158 E

METAR

EDDF 290520Z AUTO 09004KT 040V120 9999 -RA FEW046 06/05 Q0997 TEMPO RA

TAF

TAF AMD EDDF 290049Z 2900/3006 04005KT CAVOK BECMG 2902/2906 12005KT BKN045 PROB40 TEMPO 2903/2919 RA BKN014 BECMG

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL
GND - 121.80 MHz - GROUND
GND - 121.70 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER
TWR - 124.85 MHz - TOWER
TWR - 136.50 MHz - TOWER
APP - 127.27 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 119.90 MHz - TOWER
TWR - 127.32 MHz - TOWER
CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 118.50 MHz - FRANKFURT DIRECT
APP - 126.55 MHz - LANGEN RADAR
APP - 120.15 MHz - LANGEN RADAR
APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft 45 m	9,194 ft 2,802 m	69.56 66.40	CONCRETE	0 ft 0 m	0 ft 0 m
25R	148 ft 45 m	9,194 ft 2,802 m	249.59 246.43	CONCRETE	0 ft 0 m	0 ft 0 m
07C	197 ft 60 m	13,134 ft 4,003 m	69.57 66.41	ASPHALT	0 ft 0 m	203 ft 62 m
25C	197 ft 60 m	13,134 ft 4,003 m	249.61 246.45	ASPHALT	0 ft 0 m	935 ft 285 m
07R	148 ft 45 m	13,134 ft 4,003 m	69.59 66.43	ASPHALT	0 ft 0 m	213 ft 65 m
25L	148 ft 45 m	13,134 ft 4,003 m	249.63 246.47	ASPHALT	0 ft 0 m	1,775 ft 541 m
18	148 ft 45 m	13,083 ft 3,988 m	179.64 176.48	ASPHALT	0 ft 0 m	0 ft 0 m
36	148 ft 45 m	13,083 ft 3,988 m	359.64 356.48	ASPHALT	0 ft 0 m	121 ft 37 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm 33 km	- -	-	357 ft 357 m
25C	DME	IFCW	111.55 MHz	18 nm 33 km	- -	-	364 ft 364 m
25R	DME	IFNW	111.35 MHz	18 nm 33 km	- -	-	357 ft 357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.43		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.42		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.45		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.43		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.45		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.42		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.43		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.42		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.45		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.43		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.45		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.42		362 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4
Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.823 W

METAR

KJFK 290451Z 33015KT 10SM BKN090 OVC110 07/03 A2982 RMK AO2 SLP096 T00670028 400940067

TAF

TAF AMD KJFK 290237Z 2903/3006 34015G21KT P6SM BKN035 BKN040 FM290600 33017G25KT P6SM SCT025 BKN040 FM291500 3102

Frequencies

REC - 115.40 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS
CLD - 135.05 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - KENNEDY GROUND
TWR - 123.90 MHz - KENNEDY TOWER
APP - 128.12 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE
REC - 117.70 MHz - D-ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz - KENNEDY GROUND
TWR - 119.10 MHz - KENNEDY TOWER
APP - 125.70 MHz - NEW YORK APPROACH
APP - 118.40 MHz - NEW YORK APPROACH
APP - 126.80 MHz - NEW YORK APPROACH
APP - 134.35 MHz - NEW YORK APPROACH
DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft 61 m	14,526 ft 4,428 m	120.83 133.65	CONCRETE	2,057 ft 627 m	390 ft 119 m
31L	200 ft 61 m	14,526 ft 4,428 m	300.86 313.68	CONCRETE	3,271 ft 997 m	495 ft 151 m
13L	151 ft 46 m	10,010 ft 3,051 m	120.85 133.68	CONCRETE	912 ft 278 m	387 ft 118 m
31R	151 ft 46 m	10,010 ft 3,051 m	300.87 313.70	CONCRETE	1,037 ft 316 m	177 ft 54 m
04R	200 ft 61 m	8,407 ft 2,562 m	30.67 43.49	ASPHALT	0 ft 0 m	440 ft 134 m
22L	200 ft 61 m	8,407 ft 2,562 m	210.68 223.50	ASPHALT	0 ft 0 m	505 ft 154 m
04L	200 ft 61 m	12,091 ft 3,685 m	30.67 43.49	CONCRETE	459 ft 140 m	200 ft 61 m
22R	200 ft 61 m	12,091 ft 3,685 m	210.68 223.50	CONCRETE	3,425 ft 1,044 m	407 ft 124 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm 33 km	- -	-	13 ft 13 m
04R	DME	IJFK	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
13L	DME	ITLK	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
22L	DME	IIWY	110.90 MHz	18 nm 33 km	- -	-	13 ft 13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	– –	–	13 ft 13 m
				33 km			
31R	DME	IRTH	111.50 MHz	18 nm	– –	–	13 ft 13 m
				33 km			
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68 43.50	–	12 ft 12 m
				33 km			
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67 43.49	–	12 ft 12 m
				33 km			
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87 133.69	–	12 ft 12 m
				33 km			
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67 223.49	–	12 ft 12 m
				33 km			
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68 223.50	–	12 ft 12 m
				33 km			
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84 313.66	–	12 ft 12 m
				33 km			
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87 313.69	–	12 ft 12 m
				33 km			
04L	GS	IHIQ	110.90 MHz	10 nm	30.68 43.50	3.00	12 ft 12 m
				19 km			
04R	GS	IJFK	109.50 MHz	10 nm	30.67 43.49	3.00	12 ft 12 m
				19 km			
13L	GS	ITLK	111.50 MHz	10 nm	120.87 133.69	3.00	12 ft 12 m
				19 km			
22L	GS	IIWY	110.90 MHz	10 nm	210.67 223.49	3.00	12 ft 12 m
				19 km			
22R	GS	IJOC	109.50 MHz	10 nm	210.68 223.50	3.00	12 ft 12 m
				19 km			
31L	GS	IMOH	111.35 MHz	10 nm	300.84 313.66	3.00	12 ft 12 m
				19 km			
31R	GS	IRTH	111.50 MHz	10 nm	300.87 313.69	3.00	12 ft 12 m
				19 km			