LEGE
Girona

-

LFML
Marseille Provence

2024/06/08 0019Z

LEGE BISBA LFML

147.14 nm / 272.51 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEGE APT	–	41.90520 2.76213	0 ft 0 m	–	Girona
BISBA FIX	–	42.08639 3.62580	14,300 ft 4,359 m	40	–
LFML APT	–	43.43589 5.21328	0 ft 0 m	107	Marseille Provence

LEGE

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 469 ft / 143 m
Location: 41.905300 2.762190
Magnetic Var: 1.711 E

METAR

LEGE 080000Z VRB01KT CAVOK 19/13 Q1015 NOSIG

TAF

TAF LEGE 072300Z 0800/0824 VRB03KT 9999 FEW060 TX28/0812Z TN19/0805Z PROB30 TEMPO 0803/0807 TSRA FEW080CB BECMG 0

Frequencies

GND - 121.70 MHz - GIRONA GROUND
REC - 128.75 MHz - ATIS

TWR - 118.50 MHz - GIRONA TOWER
APP - 120.90 MHz - GIRONA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft 45 m	7,889 ft 2,405 m	15.72 14.00	ASPHALT	0 ft 0 m	194 ft 59 m
20	148 ft 45 m	7,889 ft 2,405 m	195.72 194.01	ASPHALT	518 ft 158 m	197 ft 60 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	IGN	109.90 MHz	18 nm 33 km	- -	-	463 ft 463 m
20	LOC-ILS	IGN	109.90 MHz	18 nm 33 km	195.73 194.02	-	469 ft 469 m
20	GS	IGN	109.90 MHz	10 nm 19 km	195.73 194.02	3.00	469 ft 469 m

LFML

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 69 ft / 21 m
Location: 43.435800 5.213430
Magnetic Var: 2.291 E

METAR

LFML 080000Z AUTO 15003KT CAVOK 19/11 Q1016 TEMPO 4000 BR BKN007

TAF

TAF LFML 072000Z 0721/0903 VRB03KT CAVOK TX29/0814Z TN19/0805Z PROB30 TEMPO 0800/0806 4000 BR BKN007 TEMPO 0809/0

Frequencies

TWR - 125.35 MHz - PROVENCE ATIS
GND - 121.90 MHz - PROVENCE GROUND
TWR - 123.72 MHz - PROVENCE TOWER
TWR - 120.87 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH

GND - 121.72 MHz - PROVENCE PREFLIGHT
TWR - 133.10 MHz - PROVENCE TOWER
APP - 120.20 MHz - PROVENCE APPROACH
APP - 121.42 MHz - PROVENCE APPROACH
APP - 127.72 MHz - PROVENCE APPROACH
APP - 132.30 MHz - PROVENCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft 45 m	11,485 ft 3,501 m	134.05 131.76	ASPHALT	1,122 ft 342 m	295 ft 90 m
31R	148 ft 45 m	11,485 ft 3,501 m	314.07 311.78	ASPHALT	2,165 ft 660 m	331 ft 101 m
13R	148 ft 45 m	7,783 ft 2,372 m	134.89 132.60	ASPHALT	0 ft 0 m	197 ft 60 m
31L	148 ft 45 m	7,783 ft 2,372 m	314.91 312.61	ASPHALT	348 ft 106 m	194 ft 59 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm 50 km	- -	-	10 ft 10 m
13R	DME	MCE	108.30 MHz	27 nm 50 km	- -	-	10 ft 10 m
31R	DME	MPV	111.15 MHz	27 nm 50 km	- -	-	10 ft 10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm 33 km	134.05 131.76	-	74 ft 74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm 33 km	134.90 132.61	-	74 ft 74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm 33 km	314.05 311.76	-	74 ft 74 m
13L	GS	ML	110.30 MHz	10 nm 19 km	134.05 131.76	3.00	10 ft 10 m
13R	GS	MCE	108.30 MHz	10 nm 19 km	134.90 132.61	3.00	74 ft 74 m
31R	GS	MPV	111.15 MHz	10 nm 19 km	314.05 311.76	4.00	10 ft 10 m